



# Hearing Screening Results and Recommendations

Early identification of hearing loss is critical for a child's development

Name: \_\_\_\_\_  
(Hospital registration label may be used)

Date: \_\_\_\_\_

**Hearing Screening Results:**     **Pass**                     **Did Not Pass**

*These results are for a screening only and should not be considered a permanent diagnosis.*

*All results are subject to review by a licensed audiologist.*

**Risk Factors for Hearing Loss:**     **NONE**

The results show your child has the risk factor(s) marked below. These may lead to hearing loss in the future.

- Birth weight less than 3lb 5oz (1500 grams)
- Mechanical ventilation for five or more days
- Multiple courses of ototoxic medication
- Bacterial meningitis
- Skin tag(s)                     right     left
- Preauricular pit(s)     right     left
- Cleft lip
- Cleft palate
- Other: (please specify) \_\_\_\_\_
- Family history of hearing loss in childhood:  
(please specify) \_\_\_\_\_
- Syndrome associated with hearing loss:  
(please specify) \_\_\_\_\_
- Blood transfusion for jaundice/hyperbilirubinemia
- Congenital infection: (please specify)
  - Toxoplasmosis     Cytomegalovirus (CMV)     Syphilis     ECMO
  - Herpes                     Rubella                                     HIV     Zika
- More than five days in the Neonatal Intensive Care Unit (NICU)

## Audiological Recommendations:

**Discharge:**

Screening results were a **PASS**. No further hearing tests are needed at this time. Watch how your baby communicates and learns. If you are worried about your child's hearing or speech, talk with their doctor. A full hearing testing with a pediatric audiologist (hearing specialist) may be needed.

**Re-Screen:**

Screening results were **NOT A PASS**. Your baby needs to have the hearing screen repeated.

The hearing re-screen is scheduled on:

\_\_\_\_\_

**To reschedule this appointment, call:**

\_\_\_\_\_

**Hearing Monitor:**

Screening results were a **PASS**. However, due to a risk factor (see above), your baby is at risk of developing hearing loss in the future. Regular hearing tests are recommended beginning at 6 months. If your baby was premature, regular hearing tests are recommended when their corrected age\* is 6 months.

*\*Corrected age is the baby's chronological (or "actual age") age minus the number of weeks early they were born.*

**Full Hearing Test**

Screening results were **NOT A PASS**. A diagnostic (ABR) hearing test is needed.

- Hasbro Children's Hospital/  
Rhode Island Hospital\*  
Audiology  
Ph: 401-444-5485  
\* Requires referral
- Women & Infants Hospital  
Audiology  
Ph: 401-453-7751

*For questions about hearing screening, please call:  
Rhode Island Early Hearing Detection and Intervention (RIEHDI) at 401-222-5960*