



BABESIOSIS

- Reported Cases of Disease, 2000-2006
- 5-Year Rate of Disease, 2000-2006
- Reported Cases by Age Group, 2004-2006
- Rate of Disease by Age Group, 2004-2006
- Reported Cases by Gender, 2004-2006
- Reported Cases by County, 2004-2006
- Reported Cases by Month, 2004-2006

**Reported Cases of Babesiosis by Year,
Rhode Island, 2000-2006**



**Incidence Rate* of Babesiosis by Year,
Rhode Island, 2000-2006**




*Rates are based on 2006 Rhode Island Population estimates obtained from the U.S. Bureau of the Census.

Note: Since the number of cases of Babesiosis is less than 50 for one year, information has been combined for three years to allow demonstration of trends for the following figures:

Reported Cases of Babesiosis by Age Group, Rhode Island, 2004-2006			
Age Group	Number of Reported Cases	% of Cases	Rate* of Disease per 100,000 People
<10	2	1.3	0.5
10-19	2	1.3	0.4
20-29	2	1.3	0.5
30-39	10	6.6	2.4
40-49	17	11.2	3.4
50-59	29	19.1	6.8
60-74	34	22.4	9.8
75+	56	36.8	23.1
Total	152	100.0	4.7

*Denominator for computing rates for RI was based on the 2006 population estimates obtained from the U.S. Census Bureau.

**Average Annual Babesiosis Rate by Age Group*,
Rhode Island, 2004-2006**



* Data for the three years have been combined to allow for the demonstration of trends.

Rates are based on 2006 Rhode Island Population estimates obtained from the U.S. Bureau of the


Reported Cases of Babesiosis By Gender, Rhode Island, 2004-2006			
Gender	Number of Reported Cases	% of Cases	Rate* of Disease per 100,000 People
Male	105	69.1	6.8
Female	47	30.9	2.8
Total	152	100.0	4.7

*Denominator for computing rates for RI was based on the 2006 population estimates obtained from the U.S. Census Bureau.

Reported Cases of Babesiosis by County, Rhode Island, 2004-2006			
County	Number of Reported Cases	% of Cases	Rate* of Disease per 100,000 People
Bristol	1	0.7	0.6
Kent	11	7.2	2.2
Newport	4	2.6	1.6
Providence	14	9.2	0.7
Washington	120	78.9	31.4
Unknown	2	1.3	--
Total	152	100.0	4.7

*Denominator for computing rates for RI was based on the 2006 population estimates obtained from the U.S. Census Bureau.

Reported Cases of Babesiosis by Month, Rhode Island, 2004-2006



* Data for the three years have been combined to allow for the demonstration of trends.

Questions regarding these data can be directed to the Office of Communicable Diseases at (401) 222-2577.