



Meningococcal Disease

- Reported cases of disease, 2002-2006
- 5-year rate of disease, 2002-2006

Note: Since the number of cases of meningococcal disease is less than 50 for one year, information has been combined for three years to allow demonstration of trends for the following figures:

- Reported cases by age group, 2004-2006
- Reported cases by gender, 2004-2006
- Reported cases by county, 2004-2006
- Reported cases by month, 2004-2006
- Reported cases by serogroup, 2004-2006



Reported cases of Meningococcal Disease by age group, Rhode Island, 2004-2006			
Age Group	Number of reported cases	Percent (%)	Rate ¹ of disease per 100,000
< 1	1	12.5	2.7
1-4	1	12.5	0.7
5-9	0	0.0	0.0
10-19	1	12.5	0.2
20-29	2	25.0	0.5
30-39	1	12.5	0.2
40-49	0	0.0	0.0
50-59	1	12.5	0.2
60-74	0	0.0	0.0
75+	1	12.5	0.4
TOTAL	8	100.0	0.2


¹Denominators for computing rates for RI were based on 2006 Census Estimates obtained from the U.S. Census Bureau.

Reported cases of Meningococcal Disease, by gender, Rhode Island, 2004-2006			
Gender	Number of reported cases	Percent (%)	Rate ¹ of disease per 100,000
Males	7	87.5	0.5
Females	1	12.5	0.1
TOTAL	8	100.0	0.2

¹Denominators for computing rates for RI were based on 2006 Census Estimates obtained from the U.S. Census Bureau.

Reported cases of Meningococcal Disease by County, Rhode Island, 2004-2006			
County	Number of reported cases	Percent (%)	Rate ¹ of disease per 100,000
Bristol	0	0.0	0.0
Kent	1	12.5	0.2
Newport	0	0.0	0.0
Providence	7	87.5	0.4
Washington	0	0.0	0.0
TOTAL	8	100.0	0.2

¹Denominators for computing rates for RI were based on 2006 Census Estimates obtained from the U.S. Census Bureau.



Meningococcal Disease by Serogroup, Rhode Island, 2004-2006			
Serogroup	2004	2005	2006
B	1	3	
C	0	0	
Y	0	1	
Ungroupable	1	0	
W-135	0	0	

Questions regarding these data can be directed to the
Office of Communicable Diseases at (401) 222-2577