



Shigellosis

- Reported cases of disease, 2002-2006
- 5-year rate of disease, 2002-2006

Note: Since the number of cases of Shigellosis is less than 50 for one year, information has been combined for three years to allow demonstration of trends for the following figures:

- Reported cases by age group, 2004-2006
- Reported cases by gender, 2004-2006
- Reported cases by county, 2004-2006
- Reported cases by month, 2004-2006



Reported cases of Shigellosis by age group, Rhode Island, 2004-2006			
Age Group	Number of reported cases	Percent	Rate ¹ of disease per 100,000
< 1	1	1.6	2.7
1-4	12	19.4	8.0
5-9	11	17.7	5.9
10-19	13	21.0	2.9
20-29	6	9.7	1.4
30-39	3	4.8	0.7
40-49	5	8.1	1.0
50-59	5	8.1	1.2
60-74	3	4.8	0.9
75+	1	1.6	0.4
Unknown	2	3.2	
TOTAL	62	100.0	1.9


¹Denominators for computing rates for RI were based on 2006 Census Estimates obtained from the U.S. Census Bureau.

Reported cases of Shigellosis by gender, Rhode Island, 2004-2006			
Gender	Number of reported cases	Percent	Rate ¹ of disease per 100,000
Males	27	43.5	1.7
Females	35	56.5	2.1
TOTAL	62	100.0	1.9

¹Denominators for computing rates for RI were based on 2006 Census Estimates obtained from the U.S. Census Bureau.

Reported cases of Shigellosis by county, Rhode Island, 2004-2006			
County	Number of reported cases	Percent	Rate ¹ of disease per 100,000
Bristol	2	3.2	1.3
Kent	1	1.6	0.2
Newport	4	6.5	1.6
Providence	46	74.2	2.4
Washington	9	14.5	2.4
TOTAL	62	100.0	1.9

¹Denominators for computing rates for RI were based on 2006 Census Estimates obtained from the U.S. Census Bureau.



Questions regarding these data can be directed to Tara Cooper, MPH: Phone number: (401) 222-3284 or Email: TaraC@doh.state.ri.us