

Adult HIV Confidential Case Report Form

(Patients 213 years of age at time of diagnosis)

Mail or CONFIDENTIAL FAX completed form to:

Rhode Island Department of Health, Center for HIV, Hepatitis, STDs, and TB Epidemiology Room 106A, 3 Capitol Hill, Providence, RI 02908 Tel: 401-222-2577 | FAX: 401-222-6001

This section: Rhode Island Department of Health (RIDOH) use only

Date Received at RIDOH / /	Surveilla	ance Me	thod Active Passive Follow up	Reabstraction Unknown
Did this report initiate a new case investigation?	□ Yes	□ No		State Number
Report Medium 1-Field Visit 2-Mailed 3-Faxe	d 🗆 4-Ph	ione 🗆	5-Electronic Transfer 🗆 6-CD/Disk	Last Name Soundex

Patient Information Record all dates as mm/dd/yyyy.

Patient Name (First, Middle, Last)

Address Type Residential Bad Add	ress Curre	ent Street Address	Phone ()	
□ Homeless □ Postal □ Shelter □ Tempor	ary				
City	County	State/Country		Zip Code	

Facility Providing Information

Facility name Phone ()					
Street Address					
City	County	State/Country	Zip Code		
Facility Type <u>Inpatient</u> : □ ⊦	Hospital □ Other <u>Outpati</u>	ient: □Private physician's office □Adult	HIV Clinic □Other, specify		
	r <u>al Agency</u> : □ CTS □ STD Clinic □ Othe	er, specify <i><u>Other Facility</u>:</i>	Emergency Room Laboratory Corrections		
□Unknown □Other, specify	/				
Date Form Completed/	Person Completing F	Form	Phone ()		

Patient Demographics

Sex assigned at birth	known Country of birth	US 🗆 Other / US Depen	dency Please spe	ecify:
Date of birth / /		Alias date of birth	<u> </u>	
Vital Status Alive Dead	Date of death		State of death _	
Current gender identity Male Female Transg	gender male-to-female (MTF)	Transgender female-to-r	nale (FTM) 🗆 Unk	nown
Additional gender identity, specify				
Linknown Expanded athnicity	Race (check all that apply Native Hawaiian/PacificIsIa	·		 Black/African American Expanded race:

Residence At Diagnosis Add additional addresses in comments, page 4.

Address type (check all that apply)	□ Residence at HIV diagnosis □	Residence at Stage 3 (AIDS) diagnosis	□ Check if SAME as current address
Street Address			
City	County	State/Country	Zip Code

Facility of Diagnosis Add additional facilities in Comments, page 4.

Diagnosis type	□ HIV	□ Stage 3 (AIDS) □ Check if	if SAME as Facility Providing Information	<u>, Page 1</u>	
Facility Name				Phone ()
Street Address				· · · · · ·	· · ·
City		County	State/Country		Zip Code
	I <u>npatient</u> : Hospital Other	Outpatient: □ Private physician's office □ Adult HIV Clinic □ Other, specify	<u>Screening Diagnostic Referral</u> <u>Agency:</u> □ CTS □ STD Clinic □ Other, specify	Other Facility □ Laboratory □ Unknown	Corrections Other, specify
Provider name		P	Provider phone ()	S	Specialty

Patient History Respond to all questions. Pediatric risk: If applicable, check and note in *Comments*, page 4.

After 1977 and before the earliest known di	After 1977 and before the earliest known diagnosis of HIV infection, this patient had:						
Sex with male		□ Yes □ No □ Unknown					
Sex with female		□ Yes □ No □ Unknown					
Injected non-prescription drugs		□ Yes □ No □ Unknown					
Received clotting factor for hemophilia/ coagulation disorder	Specify clotting factor: Date received (mm/dd/yyyy):/	□ Yes □ No □ Unknown					
HETEROSEXUAL relations with any of the	following:						
HETEROSEXUAL contact with intravenous/inj	jection drug user	□ Yes □ No □ Unknown					
HETEROSEXUAL contact with bisexual male		□ Yes □ No □ Unknown					
HETEROSEXUAL contact with person with he	emophilia / coagulation disorder with documented HIV infection	□ Yes □ No □ Unknown					
HETEROSEXUAL contact with transfusion rec	zipient with documented HIV infection	□ Yes □ No □ Unknown					
HETEROSEXUAL contact with transplant reci	□ Yes □ No □ Unknown						
HETEROSEXUAL contact with person with do	□ Yes □ No □ Unknown						
Received transfusion of blood/blood compone	ents (other than clotting factor) Document reason in Comments, page 4.	□ Yes □ No □ Unknown					
First date received / /	/ Last date received / /						
Received transplant of tissue/organs or artificia	al insemination	□ Yes □ No □ Unknown					
Worked in a healthcare or clinical laboratory so primary mode of exposure, specify occupation	etting. If occupational exposure is being investigated or considered as an and setting:	□ Yes □ No □ Unknown					
Other documented risk (Please include details	sin Comments page 4)	🗆 Yes 🗆 No 🗆 Unknown					

Clinical (Acute HIV Infection and Opportunistic Illnesses)

	1 State 1 Stat	ete the two items below; enter documente provider report of previous negative HIV t	<u> </u>		□ Yes □	No 🗆 Unk
Clinical signs/symptoms consiste	ent with acute	retroviral syndrome (e.g., fever,			🗆 Yes 🗆	No 🗆 Unk
0 7 1		nphadenopathy)? Date of sign/symptom	n onset	//		
Other evidence suggestive of ac					п Үез п	No 🗆 Unk
If YES, please describe:				/ /		
Opportunistic Illnesses						
Diagnosis	Date	Diagnosis	Date	Diagnosis		Date
Candidiasis, bronchi, trachea, or lungs		Herpes simplex: chronic ulcers (>1 mo. duration), bronchitis, pneumonitis, or esophagitis		M. tuberculosis, pulmonary ¹		
Candidiasis, esophageal		Histoplasmosis, disseminated or extrapulmonary		M. tuberculosis, disseminated extrapulmonary ¹	or	
Carcinoma, invasive cervical		Isosporiasis, chronic intestinal (>1 mo. duration)		Mycobacterium, of other/unide species, disseminated or extra	entified apulmonary	
Coccidiodomycosis, disseminated or extrapulmonary		Kaposi's sarcoma		Pneumocystis pneumonia		
Cryptococcosis, extrapulmonary		Lymphoma, Burkitt's (or equivalent)		Pneumonia, recurrent, in 12 m period	10.	
Cryptosporidiosis, chronic intestinal (>1 mo. duration)		Lymphoma, immunoblastic (or equivalent)		Progressive multifocal leukoencephalopathy		
Cytomegalovirus disease (other than in liver, spleen, or nodes)		Lymphoma, primary in brain		Salmonella septicemia, recurr	ent	
Cytomegalovirus retinitis (with loss of vision)		Mycobacterium avium complex or M. kansasii, disseminated or extrapulmonary		Toxoplasmosis of brain, onset of age	: at >1 mo.	
HIV encephalopathy				Wasting syndrome due to HIV		
¹ If TB selected above indicate RVCT Case	Number:					

Laboratory Data Record additional tests in Comments, page 4.

Eaboratory Data Record additional tests in Comments, pa	.90	
HIV Immunoassays (Nondifferentiating)		
TEST 1 □ HIV-1 IA □ HIV-1/2 IA □ HIV-1/2 Ag/Ab □ HIV-1 WB □ HIV		
Test brand name/Manufacturer	Lab name	
Result Positive Negative Indeterminate Collection	Date/ □ P	oint-of-care rapid test
TEST 2 □ HIV-1 IA □ HIV-1/2 IA □ HIV-1/2 Ag/Ab □ HIV-1 WB □ HIV		
Test brand name/Manufacturer Result □ Positive □ Negative □ Indeterminate Collection	Lab name	
	Date / / □ P	oint-of-care rapid test
HIV Immunoassays (Differentiating)	Data of toot in diama atta ata aith	
HIV-1/2 type-differentiating immunoassay (differentiates between HIV-1 Ab and HIV-2 Ab)	Role of test in diagnostic algorith □ Screening/initial test □ Confirmate	
Test brand name/Manufacturer	Lab name	ory/supplemental test
Result ¹ Overall interpretation: HIV-1 positive HIV-2 positive HIV		with HIV-1 cross-reactivity
Analyte results: HIV-1 Ab: Positive Negative Indeterminate		·
HIV-2 Ab: Positive Negative Indeterminate		-
HIV-1/2 Ag/Ab differentiating immunoassay (differentiates between the second	en HIV Ag and HIV Ab)	
Test brand name/Manufacturer	Lab name	
Result \Box Ag positive \Box Ab positive \Box Both (Ag and Ab positive) \Box Ne	gative Invalid	
	Point-of-care rapid test	
HIV-1/2 Ag/Ab and type-differentiating immunoassay (differentia		IV-2 Ab)
	Lab name	
Result ² Overall interpretation: \Box Reactive \Box Nonreactive \Box Index value	=	
Analyte results: HIV-1 Ag: Reactive Nonreactive Not		
HIV-1 Ab: Reactive Nonreactive Reactive HIV-1 Ab:		
HIV-2 Ab: □ Reactive □ Nonreactive □ R		
Collection Date / □ Point-of-care rapid test	² Complete the overall interpretation and	the analyte results.
HIV Detection Tests (Qualitative)		
TEST □ HIV-1 RNA/DNA NAAT (Qualitative) □ HIV-1 culture □ HIV-2		
Test brand name/Manufacturer	Lab name	
Result 🗆 Positive 🗆 Negative 🗆 Indeterminate	Collection Date/	/
HIV Detection Tests (Quantitative viral load) Note: Include earl		
TEST 1 □ HIV-1 RNA/DNA NAAT (Quantitative viral load) □ HIV-2 RM	A/DNA NAAT (Quantitative viral load)	
Test brand name/Manufacturer	Lab name	
Result Detectable Undetectable Copies/mL	Log Coll	
TEST 2 □ HIV-1 RNA/DNA NAAT (Quantitative viral load) □ HIV-2 RN	· · · · · · · · · · · · · · · · · · ·	
Test brand name/Manufacturer	Lab name	
Result Detectable Undetectable Copies/mL	_ Log Collection Date _	<u> </u>
Drug Resistance Tests (Genotypic)		
TEST 🗆 HIV-1 Genotype (Unspecified)	est brand name/Manufacturer	
Lab name Collection	Date ///	
Immunologic Tests (CD4 count and percentage)		
	D4 percentage% Collect	tion Date/
Test brand name/Manufacturer	Lab name	
	s/µL CD4 percentage% Coll	ection Date/
Test brand name/Manufacturer	Lab name	
Other CD4 result: CD4 count cells/µL CD4 perce	entage% Collection	Date//
Test brand name/Manufacturer Documentation of Tests	Lab name	
Did documented laboratory test results meet approved HIV diagnostic If YES, provide specimen collection date of earliest positive test for this		nown
Complete the above only if none of the following was positive: HIV-1 V	Vestern blot, IFA, culture, viral load, or	qualitative NAAT [RNA or DNA]
If HIV laboratory tests were not documented, is HIV diagnosis docume	ented by a physician? □ Yes If YES, provide date of diagnosis	□ No □ Unknown //
Date of last documented negative HIV test/ /(before HIV diagnosis date)	_ Type of test:	Provider
Inclute the diagnosis date		

Yes No Unknown S, due date: / / w. Record additional or multiple births te Number name)	□ Yes □ No □ Unknown
S, due date: / / /w. Record additional or multiple births	□ Yes □ No □ Unknown in <i>Comments</i> below. Child's Date of Birth /
S, due date: / / /	□ Yes □ No □ Unknown in <i>Comments</i> below.
S, due date: / / /	□ Yes □ No □ Unknown in <i>Comments</i> below.
S, due date: / / /	□ Yes □ No □ Unknown in <i>Comments</i> below.
S, due date: / /	□ Yes □ No □ Unknown
Yes I No I Unknown	DOITHINANUS !
atient currently pregnant?	Has this patient delivered live- born infants?
the second s	
1	ient's partners will be notified about the Ith Dept □ 2-Physician/Provider □ 3-P

Antiretroviral Use History

Main source (of antiretroviral (ARV	/) use info	rmation (sele	ct one)					Date patient reported information
Patient inte	erview D Medic	al record	review	□ Provid	ler report	D NHM&E	□ Othe	r	/
Ever taken ar	ny ARVs? 🗆 Yes	□ No	Unknown	1					
lf yes, reason	for ARV use (select	all that a	pply)						
□ HIV Tx	ARV medications_				Date began_	/	/	Date of last	t use <u>/</u>
□ PrEP	ARV medications_				Date began_	/	/	Date of last	t use/
D PEP	ARV medications_				Date began_	/	/	Date of last	t use/
	ARV medications_				Date began_	//	/	Date of last	t use/
□ HBV Tx	ARV medications_				Date began_	/	_/	Date of last	t use//
Other (spe	ecify reason)		ARV medicat	ions	Da	ate began	/	_/ Da	ate of last use//

HIV Testing History

Main source of testing history information (select one) □ Patient interview □ Medical record review □ Provider report □ NHI	Date patient reported information					
Ever had previous positive HIV test? Yes No Unknown	st /					
Ever had a negative HIV test? □ Yes □ No □ Unknown	est (if date is from a lab test with known test tion)/					
type, enter in Lab Data section) // Jumber of negative HIV tests within the 24 months before the first positive test □ Unknown						

Comments

Optional Fields This patient is also diagnosed with:

Syphilis	□ Yes	□ No	Unknown	Date/
Hepatitis B	□ Yes	🗆 No	Unknown	Date/
Hepatitis C	□ Yes	🗆 No	Unknown	Date/

~ This form was adapted from CDC Form 50.42A Rev.02/2018 ~