

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
17-17	Q1	How old are you?			
		1	12 years old or younger	23	0.6
		2	13 years old	8	0.4
		3	14 years old	327	8.6
		4	15 years old	1,038	25.6
		5	16 years old	999	27.7
		6	17 years old	730	25.2
		7	18 years old or older	330	11.8
		Missing	7		
18-18	Q2	What is your sex?			
		1	Female	1,751	48.9
		2	Male	1,693	51.1
			Missing	18	
19-19	Q3	In what grade are you?			
		1	9th grade	977	25.7
		2	10th grade	1,075	23.8
		3	11th grade	754	25.5
		4	12th grade	605	24.4
		5	Ungraded or other grade	16	0.6
		Missing	35		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	790	22.0
		2	No	2,603	78.0
			Missing	69	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	4	0.0
		G	2	0.0
		F	6	0.2
		E	2,114	74.9
		D	121	3.8
		D H	1	0.1
		DE	7	0.2
		C	413	10.6
		C H	1	0.0
		C E	75	1.3
		CD	6	0.2
		CDE	2	0.0
		B	152	4.2
		B H	1	0.0
		B E	30	0.4
		B D	1	0.0
		BC	17	0.3
		BC E	2	0.0
		A	61	1.6
		A E	41	0.8
		A D	5	0.1
		A DE	2	0.0
		A C	14	0.2
		A C E	17	0.4
		A CDE	1	0.0
		AB	4	0.1
		AB E	3	0.0
		AB DE	1	0.0
		ABC	1	0.0
		ABC E	5	0.1
		ABCD	3	0.1
		ABCDE	8	0.3
			341	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
40-40	Q9	How often do you wear a seat belt when riding in a car driven by someone else?		
		1 Never	104	2.7
		2 Rarely	126	3.2
		3 Sometimes	295	8.7
		4 Most of the time	727	19.9
		5 Always	2,166	65.4
		Missing	44	
41-41	Q10	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?		
		1 0 times	2,794	82.5
		2 1 time	295	7.3
		3 2 or 3 times	174	4.8
		4 4 or 5 times	60	2.0
		5 6 or more times	127	3.3
		Missing	12	
43-43	Q12	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?		
		1 I did not drive a car or other vehicle during the past 30 days	2,003	55.1
		2 0 days	809	24.4
		3 1 or 2 days	241	7.4
		4 3 to 5 days	99	2.9
		5 6 to 9 days	69	2.4
		6 10 to 19 days	73	2.3
		7 20 to 29 days	42	1.5
		8 All 30 days	110	3.9
		Missing	16	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
46-46	Q15	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
		1	0 days	3,248	95.2
		2	1 day	52	0.8
		3	2 or 3 days	44	1.4
		4	4 or 5 days	11	0.3
		5	6 or more days	76	2.2
		Missing	31		
47-47	Q16	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
		1	0 days	3,235	94.0
		2	1 day	104	2.7
		3	2 or 3 days	54	1.5
		4	4 or 5 days	20	0.5
		5	6 or more days	38	1.3
		Missing	11		
51-51	Q20	During the past 12 months, how many times were you in a physical fight on school property?			
		1	0 times	3,112	90.9
		2	1 time	173	4.5
		3	2 or 3 times	88	2.4
		4	4 or 5 times	25	0.6
		5	6 or 7 times	20	0.6
		6	8 or 9 times	4	0.1
		7	10 or 11 times	1	0.0
		8	12 or more times	32	0.8
		Missing	7		
52-52	Q21	Have you ever been physically forced to have sexual intercourse when you did not want to?			
		1	Yes	285	8.1
		2	No	3,113	91.9
		Missing	64		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?		
		1 I did not date or go out with anyone during the past 12 months	1,276	38.2
		2 0 times	1,793	56.4
		3 1 time	72	2.0
		4 2 or 3 times	47	1.3
		5 4 or 5 times	19	0.6
		6 6 or more times	35	1.5
	Missing	220		
54-54	Q23	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?		
		1 I did not date or go out with anyone during the past 12 months	1,273	38.1
		2 0 times	1,775	55.9
		3 1 time	83	2.5
		4 2 or 3 times	50	1.8
		5 4 or 5 times	19	0.6
		6 6 or more times	40	1.2
	Missing	222		
55-55	Q24	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	562	15.5
		2 No	2,807	84.5
	Missing	93		
56-56	Q25	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	445	12.4
		2 No	2,973	87.6
	Missing	44		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
57-57	Q26	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
		1	Yes	946	26.4
		2	No	2,472	73.6
			Missing	44	
58-58	Q27	During the past 12 months, did you ever seriously consider attempting suicide?			
		1	Yes	525	14.1
		2	No	2,885	85.9
			Missing	52	
59-59	Q28	During the past 12 months, did you make a plan about how you would attempt suicide?			
		1	Yes	442	12.1
		2	No	2,946	87.9
			Missing	74	
60-60	Q29	During the past 12 months, how many times did you actually attempt suicide?			
		1	0 times	2,729	89.5
		2	1 time	183	5.5
		3	2 or 3 times	113	3.6
		4	4 or 5 times	16	0.5
		5	6 or more times	37	1.0
			Missing	384	
61-61	Q30	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?			
		1	I did not attempt suicide during the past 12 months	2,710	90.2
		2	Yes	136	4.1
		3	No	188	5.7
			Missing	428	
62-62	Q31	Have you ever tried cigarette smoking, even one or two puffs?			
		1	Yes	754	22.4
		2	No	2,587	77.6
			Missing	121	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
63-63	Q32	How old were you when you smoked a whole cigarette for the first time?			
		1	I have never smoked a whole cigarette	2,786	84.6
		2	8 years old or younger	74	2.4
		3	9 or 10 years old	36	1.2
		4	11 or 12 years old	78	1.9
		5	13 or 14 years old	153	4.4
		6	15 or 16 years old	145	4.4
		7	17 years old or older	24	1.0
		Missing	166		
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes?			
		1	0 days	3,109	95.2
		2	1 or 2 days	58	1.5
		3	3 to 5 days	28	1.0
		4	6 to 9 days	20	0.5
		5	10 to 19 days	10	0.3
		6	20 to 29 days	15	0.5
		7	All 30 days	36	1.1
		Missing	186		
65-65	Q34	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
		1	I did not smoke cigarettes during the past 30 days	3,121	95.3
		2	Less than 1 cigarette per day	51	1.5
		3	1 cigarette per day	38	1.0
		4	2 to 5 cigarettes per day	46	1.1
		5	6 to 10 cigarettes per day	10	0.5
		6	11 to 20 cigarettes per day	3	0.1
		7	More than 20 cigarettes per day	16	0.5
		Missing	177		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
66-66	Q35	During the past 30 days, how did you usually get your own cigarettes?			
		1	I did not smoke cigarettes during the past 30 days	3,115	95.5
		2	I bought them in a store such as a convenience store, supermarket, discount store, or gas station	34	1.1
		3	I got them on the Internet	4	0.2
		4	I gave someone else money to buy them for me	23	0.7
		5	I borrowed (or bummed) them from someone else	44	1.3
		6	A person 18 years old or older gave them to me	9	0.3
		7	I took them from a store or family member	16	0.3
		8	I got them some other way	26	0.5
		Missing	191		
67-67	Q36	During the past 12 months, did you ever try to quit smoking cigarettes?			
		1	I did not smoke during the past 12 months	3,010	92.6
		2	Yes	136	4.3
		3	No	110	3.2
		Missing	206		
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?			
		1	0 days	3,172	94.7
		2	1 or 2 days	76	2.3
		3	3 to 5 days	40	1.0
		4	6 to 9 days	21	0.6
		5	10 to 19 days	9	0.3
		6	20 to 29 days	6	0.2
		7	All 30 days	31	0.9
		Missing	107		



**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1            0 days	3,151	91.6
		2            1 or 2 days	148	4.1
		3            3 to 5 days	55	1.6
		4            6 to 9 days	30	0.7
		5            10 to 19 days	19	0.8
		6            20 to 29 days	8	0.3
		7            All 30 days	29	0.9
		Missing	22	
70-70	Q39	Have you ever used an electronic vapor product?		
		1            Yes	1,345	40.9
		2            No	1,994	59.1
		Missing	123	
71-71	Q40	During the past 30 days, on how many days did you use an electronic vapor product?		
		1            0 days	2,710	80.7
		2            1 or 2 days	334	9.4
		3            3 to 5 days	132	4.3
		4            6 to 9 days	81	2.4
		5            10 to 19 days	50	1.1
		6            20 to 29 days	19	0.4
		7            All 30 days	51	1.7
		Missing	85	
72-72	Q41	During your life, on how many days have you had at least one drink of alcohol?		
		1            0 days	1,566	47.5
		2            1 or 2 days	511	14.9
		3            3 to 9 days	543	15.2
		4            10 to 19 days	280	9.0
		5            20 to 39 days	182	5.8
		6            40 to 99 days	139	4.9
		7            100 or more days	104	2.8
		Missing	137	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
73-73	Q42	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	1,608	47.7
		2 8 years old or younger	146	4.0
		3 9 or 10 years old	110	2.4
		4 11 or 12 years old	198	5.0
		5 13 or 14 years old	590	17.0
		6 15 or 16 years old	626	20.1
		7 17 years old or older	106	3.8
		Missing	78	
74-74	Q43	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	2,338	73.9
		2 1 or 2 days	505	16.2
		3 3 to 5 days	179	5.6
		4 6 to 9 days	77	2.4
		5 10 to 19 days	29	1.1
		6 20 to 29 days	8	0.2
		7 All 30 days	17	0.6
		Missing	309	
75-75	Q44	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	2,921	87.2
		2 1 day	195	6.3
		3 2 days	106	3.1
		4 3 to 5 days	57	1.9
		5 6 to 9 days	19	0.7
		6 10 to 19 days	7	0.2
		7 20 or more days	15	0.6
		Missing	142	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
77-77	Q46	During the past 30 days, how did you usually get the alcohol you drank?			
		1	I did not drink alcohol during the past 30 days	2,326	73.1
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	58	2.3
		3	I bought it at a restaurant, bar, or club	21	0.6
		4	I bought it at a public event such as a concert or sporting event	9	0.3
		5	I gave someone else money to buy it for me	162	5.1
		6	Someone gave it to me	331	10.4
		7	I took it from a store or family member	114	3.1
		8	I got it some other way	155	5.0
		Missing	286		
78-78	Q47	During your life, how many times have you used marijuana?			
		1	0 times	2,051	61.3
		2	1 or 2 times	270	8.5
		3	3 to 9 times	243	8.2
		4	10 to 19 times	148	4.2
		5	20 to 39 times	139	4.5
		6	40 to 99 times	133	3.8
		7	100 or more times	333	9.6
		Missing	145		
79-79	Q48	How old were you when you tried marijuana for the first time?			
		1	I have never tried marijuana	2,040	61.0
		2	8 years old or younger	50	1.5
		3	9 or 10 years old	47	1.5
		4	11 or 12 years old	147	3.8
		5	13 or 14 years old	521	14.7
		6	15 or 16 years old	430	13.8
		7	17 years old or older	83	3.8
		Missing	144		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
80-80	Q49	During the past 30 days, how many times did you use marijuana?			
		1	0 times	2,565	76.4
		2	1 or 2 times	233	8.5
		3	3 to 9 times	204	5.9
		4	10 to 19 times	118	3.6
		5	20 to 39 times	77	1.9
		6	40 or more times	129	3.8
		Missing	136		
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
		1	0 times	3,257	95.2
		2	1 or 2 times	65	2.1
		3	3 to 9 times	36	0.9
		4	10 to 19 times	20	0.7
		5	20 to 39 times	8	0.2
		6	40 or more times	31	1.0
		Missing	45		
82-82	Q51	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?			
		1	0 times	3,202	93.8
		2	1 or 2 times	107	3.6
		3	3 to 9 times	41	1.0
		4	10 to 19 times	21	0.6
		5	20 to 39 times	9	0.2
		6	40 or more times	28	0.8
		Missing	54		
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?			
		1	0 times	3,260	96.4
		2	1 or 2 times	44	1.2
		3	3 to 9 times	31	0.9
		4	10 to 19 times	14	0.3
		5	20 to 39 times	11	0.3
		6	40 or more times	30	0.9
		Missing	72		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?			
		1	0 times	3,229	94.9
		2	1 or 2 times	97	2.9
		3	3 to 9 times	26	0.8
		4	10 to 19 times	17	0.3
		5	20 to 39 times	11	0.2
		6	40 or more times	31	0.9
		Missing	51		
86-86	Q55	During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?			
		1	0 times	3,115	91.2
		2	1 or 2 times	166	5.0
		3	3 to 9 times	63	2.3
		4	10 to 19 times	18	0.5
		5	20 to 39 times	16	0.4
		6	40 or more times	28	0.7
		Missing	56		
87-87	Q56	During your life, how many times have you taken steroid pills or shots without a doctor's prescription?			
		1	0 times	3,243	96.2
		2	1 or 2 times	57	1.4
		3	3 to 9 times	34	0.8
		4	10 to 19 times	14	0.3
		5	20 to 39 times	10	0.4
		6	40 or more times	31	0.9
		Missing	73		
88-88	Q57	During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?			
		1	0 times	3,032	88.4
		2	1 or 2 times	162	4.8
		3	3 to 9 times	94	3.2
		4	10 to 19 times	44	1.4
		5	20 to 39 times	18	0.7
		6	40 or more times	50	1.5
		Missing	62		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
91-91	Q60	Have you ever had sexual intercourse?		
		1 Yes	1,078	36.7
		2 No	1,949	63.3
		Missing	435	
92-92	Q61	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	1,937	63.3
		2 11 years old or younger	66	2.0
		3 12 years old	34	0.9
		4 13 years old	105	3.4
		5 14 years old	244	8.1
		6 15 years old	281	9.2
		7 16 years old	228	8.5
		8 17 years old or older	111	4.5
Missing	456			
93-93	Q62	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	1,947	63.4
		2 1 person	544	17.8
		3 2 people	195	7.2
		4 3 people	113	4.3
		5 4 people	65	2.3
		6 5 people	40	1.2
		7 6 or more people	119	3.9
Missing	439			
94-94	Q63	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	1,940	63.3
		2 I have had sexual intercourse, but not during the past 3 months	331	11.0
		3 1 person	614	21.7
		4 2 people	60	2.2
		5 3 people	29	0.9
		6 4 people	11	0.3
		7 5 people	8	0.2
		8 6 or more people	21	0.4
Missing	448			

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
96-96	Q65	The last time you had sexual intercourse, did you or your partner use a condom?			
		1	I have never had sexual intercourse	1,931	63.8
		2	Yes	683	23.9
		3	No	362	12.4
			Missing	486	
97-97	Q66	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	1,936	63.8
		2	No method was used to prevent pregnancy	153	4.9
		3	Birth control pills	205	8.2
		4	Condoms	520	17.9
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	22	0.6
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	38	1.4
		7	Withdrawal or some other method	86	2.6
		8	Not sure	27	0.6
	Missing	475			
98-98	Q67	During your life, with whom have you had sexual contact?			
		1	I have never had sexual contact	1,576	48.6
		2	Females	776	24.6
		3	Males	718	22.5
		4	Females and males	138	4.4
	Missing	254			
99-99	Q68	Which of the following best describes you?			
		1	Heterosexual (straight)	2,838	86.7
		2	Gay or lesbian	97	2.7
		3	Bisexual	264	7.1
		4	Not sure	139	3.6
	Missing	124			

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
100-100	Q69	How do you describe your weight?			
		1	Very underweight	194	5.8
		2	Slightly underweight	465	14.1
		3	About the right weight	1,720	51.9
		4	Slightly overweight	809	24.1
		5	Very overweight	157	4.2
		Missing	117		
101-101	Q70	Which of the following are you trying to do about your weight?			
		1	Lose weight	1,518	45.8
		2	Gain weight	654	20.1
		3	Stay the same weight	612	17.4
		4	I am not trying to do anything about my weight	548	16.7
		Missing	130		
102-102	Q71	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?			
		1	I did not drink 100% fruit juice during the past 7 days	795	24.3
		2	1 to 3 times during the past 7 days	1,272	38.4
		3	4 to 6 times during the past 7 days	527	15.9
		4	1 time per day	255	8.5
		5	2 times per day	237	6.4
		6	3 times per day	104	2.9
		7	4 or more times per day	137	3.6
		Missing	135		
103-103	Q72	During the past 7 days, how many times did you eat fruit?			
		1	I did not eat fruit during the past 7 days	410	12.5
		2	1 to 3 times during the past 7 days	1,154	34.2
		3	4 to 6 times during the past 7 days	693	20.3
		4	1 time per day	354	11.7
		5	2 times per day	393	12.7
		6	3 times per day	145	4.1
		7	4 or more times per day	155	4.4
		Missing	158		



**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
104-104	Q73	During the past 7 days, how many times did you eat green salad?			
		1	I did not eat green salad during the past 7 days	1,353	40.2
		2	1 to 3 times during the past 7 days	1,276	38.6
		3	4 to 6 times during the past 7 days	369	11.4
		4	1 time per day	206	6.0
		5	2 times per day	58	1.8
		6	3 times per day	20	0.6
		7	4 or more times per day	37	1.3
			Missing	143	
105-105	Q74	During the past 7 days, how many times did you eat potatoes?			
		1	I did not eat potatoes during the past 7 days	1,162	35.4
		2	1 to 3 times during the past 7 days	1,650	50.6
		3	4 to 6 times during the past 7 days	305	8.8
		4	1 time per day	98	2.3
		5	2 times per day	45	1.3
		6	3 times per day	15	0.3
		7	4 or more times per day	33	1.2
			Missing	154	
106-106	Q75	During the past 7 days, how many times did you eat carrots?			
		1	I did not eat carrots during the past 7 days	1,690	50.2
		2	1 to 3 times during the past 7 days	1,143	35.6
		3	4 to 6 times during the past 7 days	259	8.5
		4	1 time per day	105	2.9
		5	2 times per day	40	1.0
		6	3 times per day	22	0.6
		7	4 or more times per day	34	1.1
			Missing	169	
107-107	Q76	During the past 7 days, how many times did you eat other vegetables?			
		1	I did not eat other vegetables during the past 7 days	686	20.4
		2	1 to 3 times during the past 7 days	1,238	37.7
		3	4 to 6 times during the past 7 days	705	21.7
		4	1 time per day	340	11.0
		5	2 times per day	193	5.1
		6	3 times per day	57	1.7
		7	4 or more times per day	86	2.4
			Missing	157	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
108-108	Q77	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?			
		1	I did not drink soda or pop during the past 7 days	1,049	34.4
		2	1 to 3 times during the past 7 days	1,290	38.7
		3	4 to 6 times during the past 7 days	469	14.3
		4	1 time per day	166	4.3
		5	2 times per day	137	3.8
		6	3 times per day	57	1.4
		7	4 or more times per day	112	3.0
		Missing	182		
110-110	Q79	During the past 7 days, on how many days did you eat breakfast?			
		1	0 days	496	14.9
		2	1 day	300	9.0
		3	2 days	412	11.6
		4	3 days	311	9.3
		5	4 days	220	7.3
		6	5 days	274	8.5
		7	6 days	201	5.7
8	7 days	1,053	33.7		
		Missing	195		
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?			
		1	0 days	562	16.0
		2	1 day	301	9.0
		3	2 days	326	9.7
		4	3 days	412	12.4
		5	4 days	328	9.3
		6	5 days	431	15.1
		7	6 days	246	8.4
8	7 days	674	20.3		
		Missing	182		
112-112	Q81	On an average school day, how many hours do you watch TV?			
		1	I do not watch TV on an average school day	673	20.9
		2	Less than 1 hour per day	699	22.4
		3	1 hour per day	513	16.3
		4	2 hours per day	579	18.3
		5	3 hours per day	419	11.5
		6	4 hours per day	150	5.1
		7	5 or more hours per day	216	5.6
		Missing	213		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?			
		1	I do not play video or computer games or use a computer for something that is not school work	615	18.6
		2	Less than 1 hour per day	412	13.9
		3	1 hour per day	385	12.6
		4	2 hours per day	452	14.8
		5	3 hours per day	423	13.1
		6	4 hours per day	327	9.6
		7	5 or more hours per day	616	17.3
		Missing	232		
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
		1	0 days	880	26.8
		2	1 day	130	3.7
		3	2 days	299	10.0
		4	3 days	770	22.9
		5	4 days	542	18.2
		6	5 days	610	18.4
		Missing	231		
116-116	Q85	Have you ever been tested for HIV, the virus that causes AIDS?			
		1	Yes	452	13.6
		2	No	2,269	72.9
		3	Not sure	442	13.5
		Missing	299		
117-117	Q86	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?			
		1	During the past 12 months	2,427	78.0
		2	Between 12 and 24 months ago	307	9.3
		3	More than 24 months ago	152	4.0
		4	Never	63	1.7
		5	Not sure	252	7.1
		Missing	261		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
120-120	Q89	During the past 12 months, how would you describe your grades in school?			
		1	Mostly A's	1,044	32.4
		2	Mostly B's	1,328	42.4
		3	Mostly C's	512	15.4
		4	Mostly D's	113	3.5
		5	Mostly F's	93	2.6
		6	None of these grades	15	0.6
		7	Not sure	93	3.1
		Missing	264		
121-121	Q90	Do you have any physical disabilities or long-term health problems?			
		1	Yes	307	8.7
		2	No	2,758	81.7
		3	Not sure	368	9.6
		Missing	29		
122-122	Q91	Do you have any long-term emotional problems or learning disabilities?			
		1	Yes	468	13.8
		2	No	2,566	76.5
		3	Not sure	377	9.6
		Missing	51		
123-123	Q92	During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?			
		1	Yes	355	9.6
		2	No	3,060	90.4
		Missing	47		
124-124	Q93	During the past 12 months, have you ever bullied someone on school property or electronically bullied someone?			
		1	Yes	276	7.6
		2	No	3,114	92.4
		Missing	72		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
125-125	Q94	If you attempted suicide during the past 12 months, did you ask for help from someone such as a doctor, counselor, or hotline before your attempt?		
		1 I did not attempt suicide during the past 12 months	2,906	85.6
		2 Yes	175	5.0
		3 No	337	9.4
		Missing	44	
126-126	Q95	When you bought or tried to buy cigarettes in a store during the past 30 days, were you ever asked to show proof of age?		
		1 I did not try to buy cigarettes in a store during the past 30 days	3,248	95.4
		2 Yes, I was asked to show proof of age	66	2.0
		3 No, I was not asked to show proof of age	84	2.6
		Missing	64	
127-127	Q96	Does anyone who lives with you smoke cigarettes?		
		1 Yes	1,136	32.4
		2 No	2,267	67.6
		Missing	59	
128-128	Q97	During the past 30 days, on how many days did you use an electronic vapor product on school property?		
		1 0 days	3,170	93.8
		2 1 or 2 days	123	3.0
		3 3 to 5 days	40	1.1
		4 6 to 9 days	24	0.8
		5 10 to 19 days	13	0.4
		6 20 to 29 days	9	0.2
		7 All 30 days	27	0.8
		Missing	56	
129-129	Q98	During the past 30 days, how did you usually get your own electronic vapor products?		
		1 I did not use electronic vapor products during the past 30 days	2,687	79.6
		2 I bought them in a store such as a convenience store, supermarket, discount store, or gas station	183	5.5
		3 I got them on the Internet	79	2.6
		4 I gave someone else money to buy them for me	95	2.4
		5 I borrowed (or bummed) them from someone else	172	5.1
		6 A person 18 years old or older gave them to me	68	1.5
		7 I took them from a store or family member	29	0.8
		8 I got them some other way	86	2.5
		Missing	63	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
130-130	Q99	During the past 30 days, on how many days did you use a hookah to smoke tobacco?			
		1	0 days	3,042	88.2
		2	1 or 2 days	169	6.0
		3	3 to 5 days	79	2.9
		4	6 to 9 days	25	0.7
		5	10 to 19 days	29	0.8
		6	20 to 29 days	7	0.1
		7	All 30 days	30	1.3
		Missing	81		
131-131	Q100	During the past 30 days, where did you usually use a hookah?			
		1	I did not use a hookah during the past 30 days	2,918	84.8
		2	At my home	148	4.6
		3	At my friend's home	171	6.0
		4	At a hookah bar or lounge	79	2.7
		5	Somewhere else	64	1.9
		Missing	82		
132-132	Q101	During the past 30 days, how many times did you take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?			
		1	0 times	3,140	93.6
		2	1 or 2 times	94	3.0
		3	3 to 9 times	48	1.5
		4	10 to 19 times	26	0.8
		5	20 to 39 times	16	0.4
		6	40 or more times	24	0.7
		Missing	114		
133-133	Q102	The last time you took a prescription drug without a doctor's prescription, how did you get it?			
		1	I have never taken a prescription drug without a doctor's prescription	2,948	88.4
		2	I got it from a friend or a relative	206	5.9
		3	I took it from a friend or a relative without asking	60	2.1
		4	I bought it at school	37	1.1
		5	I bought it outside of school	30	1.1
		6	I got it from the internet or online	8	0.1
		7	I got it from some other source	46	1.3
		Missing	127		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
134-134	Q103	During the past 30 days, how many times did you take an over-the-counter drug to get high?		
		1            0 times	3,223	95.1
		2            1 or 2 times	89	2.7
		3            3 to 9 times	34	0.9
		4            10 to 19 times	18	0.5
		5            20 to 39 times	6	0.2
		6            40 or more times	24	0.7
		Missing	68	
135-135	Q104	During the past 30 days, did you exercise to lose weight or to keep from gaining weight?		
		1            Yes	2,002	61.1
		2            No	1,247	38.9
			Missing	213
136-136	Q105	During your last check-up, did your doctor or nurse discuss how to maintain a healthy weight?		
		1            I have never had a check-up	318	8.6
		2            Yes	1,565	48.6
		3            No	960	29.2
		4            Not sure	467	13.5
		Missing	152	
137-137	Q106	In an average week, on how many days does an adult in your household do a physical activity or play sports with you?		
		1            0 days	2,101	66.1
		2            1 day	326	10.3
		3            2 days	295	9.4
		4            3 days	234	6.3
		5            4 days	103	3.0
		6            5 days	70	2.0
		7            6 days	29	0.7
		8            7 days	83	2.2
		Missing	221	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
138-138	Q107	During the past 12 months, how many times have your teeth or mouth been painful or sore?			
		1	0 times	1,802	56.7
		2	1 time	762	23.5
		3	2 or 3 times	460	13.8
		4	4 or 5 times	89	2.2
		5	6 or more times	133	3.8
		Missing	216		
139-139	Q108	During the past 12 months, how often were you self-conscious or embarrassed because of your teeth or mouth?			
		1	Never	1,882	60.0
		2	Rarely	753	22.3
		3	Sometimes	409	12.2
		4	Most of the time	100	2.8
		5	Always	97	2.7
		Missing	221		
140-140	Q109	When was the last time you saw a doctor or nurse for a check-up or physical exam when you were not sick or injured?			
		1	During the past 12 months	2,420	77.6
		2	Between 12 and 24 months ago	390	11.2
		3	More than 24 months ago	115	2.9
		4	Never	96	2.2
		5	Not sure	219	6.1
		Missing	222		
141-141	Q110	Have you ever had the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL)?			
		1	Yes	1,506	48.5
		2	No	680	20.9
		3	Not sure	1,004	30.6
		Missing	272		



**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
142-142	Q111	Have you ever been taught in school about the benefits of not having sexual intercourse to prevent pregnancy and sexually transmitted diseases (STDs)?		
		1 Yes	2,560	82.1
		2 No	428	12.2
		3 Not sure	207	5.8
		Missing	267	
143-143	Q112	Have you ever been taught about AIDS or HIV infection in school?		
		1 Yes	2,635	83.9
		2 No	397	11.6
		3 Not sure	169	4.5
		Missing	261	
144-144	Q113	Have you ever been taught in school about birth control methods?		
		1 Yes	1,984	64.6
		2 No	946	27.6
		3 Not sure	262	7.8
		Missing	270	
145-145	Q114	Is there at least one teacher or other adult in your school that you can talk to if you have a problem?		
		1 Yes	2,256	72.3
		2 No	612	18.8
		3 Not sure	318	9.0
		Missing	276	
146-146	Q115	How long have you lived in the United States?		
		1 Less than 1 year	136	4.2
		2 1 to 3 years	148	4.0
		3 4 to 6 years	101	2.6
		4 More than 6 years but not my whole life	248	6.9
		5 I have always lived in the United States	2,570	82.4
		Missing	259	
186-186	QN9	Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else)		
		1 Yes	230	5.9
		2 No	3,188	94.1
		Missing	44	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
187-187	QN10	Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle one or more times during the 30 days before the survey)		
		1 Yes	656	17.5
		2 No	2,794	82.5
		Missing	12	
189-189	QN12	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	634	45.7
		2 No	809	54.3
		Missing	2,019	
192-192	QN15	Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)		
		1 Yes	183	4.8
		2 No	3,248	95.2
		Missing	31	
193-193	QN16	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	216	6.0
		2 No	3,235	94.0
		Missing	11	
197-197	QN20	Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)		
		1 Yes	343	9.1
		2 No	3,112	90.9
		Missing	7	
198-198	QN21	Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)		
		1 Yes	285	8.1
		2 No	3,113	91.9
		Missing	64	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
199-199	QN22	Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	173	8.8
		2 No	1,793	91.2
		Missing	1,496	
200-200	QN23	Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	192	9.6
		2 No	1,775	90.4
		Missing	1,495	
201-201	QN24	Percentage of students who were bullied on school property (during the 12 months before the survey)		
		1 Yes	562	15.5
		2 No	2,807	84.5
		Missing	93	
202-202	QN25	Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)		
		1 Yes	445	12.4
		2 No	2,973	87.6
		Missing	44	
203-203	QN26	Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)		
		1 Yes	946	26.4
		2 No	2,472	73.6
		Missing	44	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
204-204	QN27	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
		1 Yes	525	14.1
		2 No	2,885	85.9
		Missing	52	
205-205	QN28	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
		1 Yes	442	12.1
		2 No	2,946	87.9
		Missing	74	
206-206	QN29	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	349	10.5
		2 No	2,729	89.5
		Missing	384	
207-207	QN30	Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)		
		1 Yes	136	4.1
		2 No	2,898	95.9
		Missing	428	
208-208	QN31	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	754	22.4
		2 No	2,587	77.6
		Missing	121	
209-209	QN32	Percentage of students who smoked a whole cigarette before age 13 years (for the first time)		
		1 Yes	188	5.5
		2 No	3,108	94.5
		Missing	166	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
210-210	QN33	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	167	4.8
		2 No	3,109	95.2
		Missing	186	
211-211	QN34	Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked)		
		1 Yes	19	11.7
		2 No	144	88.3
		Missing	3,299	
212-212	QN35	Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)		
		1 Yes	22	20.5
		2 No	108	79.5
		Missing	3,332	
213-213	QN36	Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey)		
		1 Yes	73	46.0
		2 No	78	54.0
		Missing	3,311	
214-214	QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey)		
		1 Yes	183	5.3
		2 No	3,172	94.7
		Missing	107	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey)		
		1 Yes	289	8.4
		2 No	3,151	91.6
		Missing	22	
216-216	QN39	Percentage of students who ever used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz)		
		1 Yes	1,345	40.9
		2 No	1,994	59.1
		Missing	123	
217-217	QN40	Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)		
		1 Yes	667	19.3
		2 No	2,710	80.7
		Missing	85	
218-218	QN41	Percentage of students who ever drank alcohol (at least one drink of alcohol on at least 1 day during their life)		
		1 Yes	1,759	52.5
		2 No	1,566	47.5
		Missing	137	
219-219	QN42	Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)		
		1 Yes	454	11.4
		2 No	2,930	88.6
		Missing	78	
220-220	QN43	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
		1 Yes	815	26.1
		2 No	2,338	73.9
		Missing	309	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
221-221	QN44	Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)		
		1 Yes	399	12.8
		2 No	2,921	87.2
		Missing	142	
223-223	QN46	Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)		
		1 Yes	319	39.2
		2 No	483	60.8
		Missing	2,660	
224-224	QN47	Percentage of students who ever used marijuana (one or more times during their life)		
		1 Yes	1,266	38.7
		2 No	2,051	61.3
		Missing	145	
225-225	QN48	Percentage of students who tried marijuana before age 13 years (for the first time)		
		1 Yes	244	6.7
		2 No	3,074	93.3
		Missing	144	
226-226	QN49	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	761	23.6
		2 No	2,565	76.4
		Missing	136	
227-227	QN50	Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life)		
		1 Yes	160	4.8
		2 No	3,257	95.2
		Missing	45	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
228-228	QN51	Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)		
		1 Yes	206	6.2
		2 No	3,202	93.8
		Missing	54	
229-229	QN52	Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life)		
		1 Yes	130	3.6
		2 No	3,260	96.4
		Missing	72	
231-231	QN54	Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)		
		1 Yes	182	5.1
		2 No	3,229	94.9
		Missing	51	
232-232	QN55	Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)		
		1 Yes	291	8.8
		2 No	3,115	91.2
		Missing	56	
233-233	QN56	Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life)		
		1 Yes	146	3.8
		2 No	3,243	96.2
		Missing	73	
234-234	QN57	Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life)		
		1 Yes	368	11.6
		2 No	3,032	88.4
		Missing	62	



**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
237-237	QN60	Percentage of students who ever had sexual intercourse		
		1 Yes	1,078	36.7
		2 No	1,949	63.3
		Missing	435	
238-238	QN61	Percentage of students who had sexual intercourse before age 13 years (for the first time)		
		1 Yes	100	2.9
		2 No	2,906	97.1
		Missing	456	
239-239	QN62	Percentage of students who had sexual intercourse with four or more persons (during their life)		
		1 Yes	224	7.4
		2 No	2,799	92.6
		Missing	439	
240-240	QN63	Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)		
		1 Yes	743	25.7
		2 No	2,271	74.3
		Missing	448	
242-242	QN65	Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)		
		1 Yes	441	61.4
		2 No	276	38.6
		Missing	2,745	
243-243	QN66	Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)		
		1 Yes	168	26.9
		2 No	546	73.1
		Missing	2,748	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
246-246	QN69	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	966	28.3
		2 No	2,379	71.7
			Missing	117
247-247	QN70	Percentage of students who were trying to lose weight		
		1 Yes	1,518	45.8
		2 No	1,814	54.2
			Missing	130
248-248	QN71	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	795	24.3
		2 No	2,532	75.7
			Missing	135
249-249	QN72	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	410	12.5
		2 No	2,894	87.5
			Missing	158
250-250	QN73	Percentage of students who did not eat salad (during the 7 days before the survey)		
		1 Yes	1,353	40.2
		2 No	1,966	59.8
			Missing	143
251-251	QN74	Percentage of students who did not eat potatoes (during the 7 days before the survey)		
		1 Yes	1,162	35.4
		2 No	2,146	64.6
			Missing	154
252-252	QN75	Percentage of students who did not eat carrots (during the 7 days before the survey)		
		1 Yes	1,690	50.2
		2 No	1,603	49.8
			Missing	169

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
253-253	QN76	Percentage of students who did not eat other vegetables (during the 7 days before the survey)		
		1 Yes	686	20.4
		2 No	2,619	79.6
		Missing	157	
254-254	QN77	Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	1,049	34.4
		2 No	2,231	65.6
		Missing	182	
256-256	QN79	Percentage of students who did not eat breakfast (during the 7 days before the survey)		
		1 Yes	496	14.9
		2 No	2,771	85.1
		Missing	195	
257-257	QN80	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	1,351	43.7
		2 No	1,929	56.3
		Missing	182	
258-258	QN81	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	785	22.2
		2 No	2,464	77.8
		Missing	213	
259-259	QN82	Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)		
		1 Yes	1,366	40.0
		2 No	1,864	60.0
		Missing	232	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
260-260	QN83	Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)		
		1 Yes	2,351	73.2
		2 No	880	26.8
		Missing	231	
262-262	QN85	Percentage of students who were ever tested for HIV (not including tests done when donating blood)		
		1 Yes	452	13.6
		2 No	2,711	86.4
		Missing	299	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey)		
		1 Yes	2,427	78.0
		2 No	774	22.0
		Missing	261	
266-266	QN89	Percentage of students who made mostly A's or B's in school (during the 12 months before the survey)		
		1 Yes	2,372	74.8
		2 No	826	25.2
		Missing	264	
267-267	QN90	Percentage of students who have physical disabilities or long-term health problems (meaning 6 months or more)		
		1 Yes	307	8.7
		2 No	3,126	91.3
		Missing	29	
268-268	QN91	Percentage of students who have long-term emotional problems or learning disabilities (meaning 6 months or more)		
		1 Yes	468	13.8
		2 No	2,943	86.2
		Missing	51	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
269-269	QN92	Percentage of students who have been the victim of teasing or name calling because someone thought they were gay, lesbian, or bisexual (during the 12 months before the survey)		
		1 Yes	355	9.6
		2 No	3,060	90.4
		Missing	47	
270-270	QN93	Percentage of students who ever bullied someone on school property or electronically bullied someone (including bullying through e-mail, chat rooms, instant messaging, websites, or texting, during the 12 months before the survey)		
		1 Yes	276	7.6
		2 No	3,114	92.4
		Missing	72	
271-271	QN94	Percentage of students who asked for help from someone before their suicide attempt (such as a doctor, counselor or hotline, among students who attempted suicide during the 12 months before the survey)		
		1 Yes	175	34.6
		2 No	337	65.4
		Missing	2,950	
272-272	QN95	Percentage of students who were asked to show proof of age (during the 30 days before the survey, among students who bought or tried to buy cigarettes in a store during the 30 days before the survey)		
		1 Yes	66	44.1
		2 No	84	55.9
		Missing	3,312	
273-273	QN96	Percentage of students who live with someone who smokes cigarettes		
		1 Yes	1,136	32.4
		2 No	2,267	67.6
		Missing	59	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
274-274	QN97	Percentage of students who used an electronic vapor product on school property (on at least 1 day during the 30 days before the survey)		
		1 Yes	236	6.2
		2 No	3,170	93.8
		Missing	56	
275-275	QN98	Percentage of students who usually obtained their own electronic vapor products by buying them in a store (such as a convenience store, supermarket, discount store, or gas station, during the 30 days before the survey, among students who were less than 18 years old and who used electronic vapor products during the 30 days before the survey)		
		1 Yes	138	22.0
		2 No	487	78.0
		Missing	2,837	
276-276	QN99	Percentage of students who used a hookah to smoke tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	339	11.8
		2 No	3,042	88.2
		Missing	81	
277-277	QN100	Percentage of students who usually used a hookah at their home (among students who used a hookah during 30 days before the survey)		
		1 Yes	148	30.6
		2 No	314	69.4
		Missing	3,000	
278-278	QN101	Percentage of students who currently took a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during the 30 days before the survey)		
		1 Yes	208	6.4
		2 No	3,140	93.6
		Missing	114	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
279-279	QN102	Percentage of students who last got their prescription drug without a doctor's prescription from buying it at school (among students who have ever taken a prescription drug without a doctor's prescription)			
		1	Yes	37	9.7
		2	No	350	90.3
			Missing	3,075	
280-280	QN103	Percentage of students who currently took over-the-counter drugs to get high (one or more times during the 30 days before the survey)			
		1	Yes	171	4.9
		2	No	3,223	95.1
			Missing	68	
281-281	QN104	Percentage of students who exercised to lose weight or to keep from gaining weight (during the 30 days before the survey)			
		1	Yes	2,002	61.1
		2	No	1,247	38.9
			Missing	213	
282-282	QN105	Percentage of students who reported their doctor or nurse discussed how to maintain a healthy weight (during their last check-up, among students who have had a check-up)			
		1	Yes	1,565	53.2
		2	No	1,427	46.8
			Missing	470	
283-283	QN106	Percentage of students who reported that an adult in their household does a physical activity or plays sports with them on five or more days (in an average week)			
		1	Yes	182	4.9
		2	No	3,059	95.1
			Missing	221	
284-284	QN107	Percentage of students who reported their teeth or mouth have been painful or sore (one or more times during the 12 months before the survey)			
		1	Yes	1,444	43.3
		2	No	1,802	56.7
			Missing	216	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
285-285	QN108	Percentage of students who were sometimes, most of the time, or always self-conscious or embarrassed because of their teeth or mouth (during the 12 months before the survey)		
		1 Yes	606	17.7
		2 No	2,635	82.3
		Missing	221	
286-286	QN109	Percentage of students who saw a doctor or nurse (for a check-up or physical exam when they were not sick or injured during the 12 months before the survey)		
		1 Yes	2,420	77.6
		2 No	820	22.4
		Missing	222	
287-287	QN110	Percentage of students who have had the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL)		
		1 Yes	1,506	48.5
		2 No	1,684	51.5
		Missing	272	
288-288	QN111	Percentage of students who have been taught in school about the benefits of not having sexual intercourse to prevent pregnancy and sexually transmitted diseases (STDs)		
		1 Yes	2,560	82.1
		2 No	635	17.9
		Missing	267	
289-289	QN112	Percentage of students who have been taught about AIDS or HIV infection in school		
		1 Yes	2,635	83.9
		2 No	566	16.1
		Missing	261	
290-290	QN113	Percentage of students who have been taught in school about birth control methods		
		1 Yes	1,984	64.6
		2 No	1,208	35.4
		Missing	270	



**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
291-291	QN114	Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem		
		1 Yes	2,256	72.3
		2 No	930	27.7
		Missing	276	
292-292	QN115	Percentage of students who have lived in the United States less than one year		
		1 Yes	136	4.2
		2 No	3,067	95.8
		Missing	259	
350-350	QNFRCIG	Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)		
		1 Yes	51	1.5
		2 No	3,225	98.5
		Missing	186	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	36	1.1
		2 No	3,240	98.9
		Missing	186	
352-352	QNCIGINT	Percentage of students who usually obtained their own cigarettes by buying on the internet (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)		
		1 Yes	3	1.2
		2 No	127	98.8
		Missing	3,332	
353-353	QNTOB4	Percentage of students who currently used tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)		
		1 Yes	861	25.1
		2 No	2,457	74.9
		Missing	144	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
354-354	QNTOB3	Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)			
		1	Yes	446	13.3
		2	No	2,851	86.7
			Missing	165	
355-355	QNTOB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)			
		1	Yes	380	11.1
		2	No	2,960	88.9
			Missing	122	
356-356	QNNOTOB4	Percentage of students who did not currently use tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)			
		1	Yes	2,457	78.9
		2	No	690	21.1
			Missing	315	
357-357	QNNOTOB3	Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)			
		1	Yes	2,851	89.9
		2	No	331	10.1
			Missing	280	
358-358	QNNOTOB2	Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey)			
		1	Yes	2,960	91.1
		2	No	299	8.9
			Missing	203	
359-359	QNIUDIMP	Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)			
		1	Yes	18	2.3
		2	No	696	97.7
			Missing	2,748	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
360-360	QNSHPARG	Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)			
		1	Yes	26	4.0
		2	No	688	96.0
			Missing	2,748	
361-361	QNOTHHPL	Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)			
		1	Yes	212	33.3
		2	No	502	66.7
			Missing	2,748	
362-362	QNDUALBC	Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)			
		1	Yes	89	13.4
		2	No	617	86.6
			Missing	2,756	
363-363	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)			
		1	Yes	94	11.6
		2	No	620	88.4
			Missing	2,748	
364-364	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)			
		1	Yes	201	6.4
		2	No	3,091	93.6
			Missing	170	
365-365	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)			
		1	Yes	1,977	60.5
		2	No	1,315	39.5
			Missing	170	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
366-366	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)			
		1	Yes	982	29.6
		2	No	2,310	70.4
			Missing	170	
367-367	QNFR3	Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)			
		1	Yes	574	16.5
		2	No	2,718	83.5
			Missing	170	
368-368	QNVEG0	Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)			
		1	Yes	250	7.1
		2	No	3,014	92.9
			Missing	198	
369-369	QNVEG1	Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)			
		1	Yes	1,913	58.6
		2	No	1,351	41.4
			Missing	198	
370-370	QNVEG2	Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)			
		1	Yes	805	23.9
		2	No	2,459	76.1
			Missing	198	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
371-371	QNVEG3	Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)			
		1	Yes	414	12.0
		2	No	2,850	88.0
			Missing	198	
372-372	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	472	12.6
		2	No	2,808	87.4
			Missing	182	
373-373	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	306	8.3
		2	No	2,974	91.7
			Missing	182	
374-374	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	169	4.5
		2	No	3,111	95.5
			Missing	182	
378-378	QNBK7DAY	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)			
		1	Yes	1,053	33.7
		2	No	2,214	66.3
			Missing	195	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
379-379	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)			
		1	Yes	562	16.0
		2	No	2,718	84.0
			Missing	182	
380-380	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)			
		1	Yes	674	20.3
		2	No	2,606	79.7
			Missing	182	
381-381	QNDLYPE	Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)			
		1	Yes	610	18.4
		2	No	2,621	81.6
			Missing	231	
388-388	QNOBESE	Percentage of students who were obese ( $\geq$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart)			
		1	Yes	411	12.0
		2	No	2,799	88.0
			Missing	252	
389-389	QNOWT	Percentage of students who were overweight ( $\geq$ 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart)			
		1	Yes	485	14.7
		2	No	2,725	85.3
			Missing	252	
390-399	WEIGHT				
400-402	STRATUM				

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Rhode Island High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
403-408	PSU			
409-413	BMIPCT			
414-415	RACEETH			
		1 Am Indian / Alaska Native	29	0.6
		2 Asian	121	2.9
		3 Black or African American	334	7.9
		4 Native Hawaiian/other PI	21	0.4
		5 White	1,871	63.2
		6 Hispanic/Latino	292	9.5
		7 Multiple - Hispanic	493	12.6
		8 Multiple - Non-Hispanic	193	3.0
		Missing	108	
416-418	Q6ORIG			
419-421	Q7ORIG			