INTRODUCTION

This Rhode Island Vital Statistics Annual Report for the year 2005 has been released by the Office of Vital Records in the Rhode Island Department of Health. The report contains data from certificates filed in the Division of Vital Records, as required by state law, for vital events such as births, deaths, marriages, divorces and fetal deaths occurring in Rhode Island. Information was also extracted from transcripts of certificates filed in other states for births and deaths occurring to Rhode Island residents in other locales.

The publication of the Vital Statistics Annual Report for 2005 is the final stage of a long process requiring the cooperation of many dedicated professionals, from health care providers to municipals clerks to funeral directors. All the unique data, once received at the Office of Vital Records, provide the public with certification that the event happened and, for public health purposes, provide important medical and statistical information, which is the foundation of this book and program and many other programs in Rhode Island.

The collection and organization of these data are partially supported by a contract with the National Center of Health Statistics (NCHS) a division of the National Center for Disease Control and Prevention, US Department of Health and Human Services, as part of Rhode Island participation in the US Vital Statistics Cooperative Program. Rhode Island Vital Statistics Annual Report 2005 is primarily for general reference. More detailed data may be available from the Office of Vital Records, 3 Capitol Hill, Room 101, Providence, RI 02908-5097. This report is also available on the Health Department website at www.health.ri.gov.

ACKNOWLEDGEMENTS

Publication of the Vital Statistics Annual Report requires the efforts of many staff members from the Division of Vital Records and in particular, special thanks are extended to Lawrence Trejo and Angel Reyes.

Colleen A. Fontana
State Registrar, Vital Records
September, 2014

Vital Statistics Annual Report 2005

TABLE OF CONTENTS

	Page
Introduction	i
Acknowledgements	i
Table of Contents	iii
Definitions of Terms	viii
Technical Notes and Usage	x

VITAL STATISTICS SUMMARY

Figure 1	2000 Rhode Island Population Density	xvii
Figure 2	Rhode Island Population by Sex and Age, 2000 Census	xviii
Figure 3	Annual RI Population by Sex and Age, 2005 Estimate	xix

TABLES & FIGURES

Table A	Vital Statistics Summary: Rhode Island	1
Figure 4	Rhode Island Vital Events Summary	2
Table 1A	United States Census Population of Rhode Island by Race, Hispanic Origin and Sex, 2005 Estimate, 2000 vs1990	3
Table 1B	United States Census Population of Rhode Island by Age and Sex, 2005 Estimate, 2000 vs 1990	4
Figure 5	2005 Rhode Island Estimate Population by Age Group and Sex	5
Table 2	Population of Rhode Island Cities and Towns by County: Census of 1990 and 2000, and 2005 Estimate	6
Figure 6	Rhode Island 2005 Estimate Population by Cities & Towns	8
Table 3	Number of RI Live Births, Deaths, and Marriages, with Rates by City and Town: Rhode Island, 2005	9

Figure 7 2005 Rhode Island Resident Births by Cities & Towns 11

Figure 8 2005 Rhode Island Resident Deaths by Cities & Towns 12

Figure 9 2005 Rhode Island Marriage Ceremonies by Cities & Towns 13

Table 4 Population, Live Births, Deaths, Marriages, and Divorces with Rates per 1,000 Population: Rhode Island, 1976-2005 14

Figure 10 Rhode Island Resident Live Births 15

Figure 11 Rhode Island Resident Deaths 16

Figure 12 Rhode Island Marriage Ceremonies 17

Figure 13 Divorces in Rhode Island 18

Table 5 Number of Infant, Neonatal, Perinatal, and Maternal Deaths with Rates, Rhode Island Residents, 1976-2005 19

Figure 14 Rhode Island Resident Infant Deaths 1976-2005 20

Table 6 Rhode Island Resident Deaths by City or Town of Residence by Age: 2005 21

Figure 15 2005 Rhode Island Resident Death by Age Range 22

Table 7 RI Resident Deaths and Death Rates for Leading Causes of Death: 2001-2005 23

Figure 16 Rhode Island Resident Death: Top 10 Causes of Death 2001-2005 24

Table 8 Selected Health Characteristics for Rhode Island Residents by City or Town: Five-Year Totals with Average Rates, 2001-2005 25

Table 9 Number of RI Resident Births to Unmarried Mothers Per 1,000 Live Births: 1982-2005 26

Figure 17 Rhode Island Residents Births to Unmarried Mothers 27

Table 10 RI Resident Births to Unmarried Mothers with Ratio per 1,000 Total Births in Specified Age Group: 1996-2005 28

Figure 18 Rhode Island Resident Births to Unmarried Mothers In Specific Age Group 29

Table 11 RI Resident Live Births by Age and Age Group of Mother and Live Birth Order of Child: 2005 30

Figure 19 2005 Rhode Island Resident Births by Age and Age Group of Mother 31

Table 12 RI Resident Live Births by Age of Mother, and Birth Weight of Child: 2005 32

Figure 20 2005 Rhode Island Resident Births by Birth Weight of Child 33

Table 13 RI Resident Plural Live Births by Age of Mother and Birth Weight of Child: 2005 34

Table 14 RI Residents Births by City or Town, Race of Mother and Selected Characteristics: 2005 35

Table 15 Rhode Island Resident Live Births by City or Town by Month: 2005 36

Figure 21 2005 Rhode Island Residents Birth by Month 37

Table 16 RI Resident Births by Selected Natality Data by City or Town: 2005 38

Table 16A Rhode Island Resident Births to Unmarried Mothers, Under Age 20 by City or Town: 2005 39

Table 17 Occurrence of Fetal Deaths in Rhode Island by Race of Mother, Weeks of Uterogestation, and Mode of Delivery: 2005 41

Table 17A RI Occurrence Fetal Deaths by Month of Delivery by Weeks of Uterogestation: 2005 42

Table 18 RI Resident Fetal Deaths by City or Town of Mother's Residence and Mode of Delivery: 2005 43

Table 19 Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Weigh Of Fetus and Age of Mother: 2005 44

Table 19A Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation for Rhode Island Resident by Weight of Fetus and Age of Mother: 2005 45

Table 20 All Fetal Deaths Occurring in Rhode Island by Cause of Death (ICD-10): 2005 46

Table 21 RI Resident Deaths from 113 Selected Causes by Race, Age and Sex: 2005 47

Table 22 RI Resident Deaths by City or Town by Month: 2005 61

Figure 22 2005 Rhode Island Resident Death by Month 62

Table 23 RI Resident Infant Deaths for 130 Selected Causes by Age: 2005 63

Table 24 RI Residents Accidental Deaths by Sex and Age, with Non-Transport Accidents Shown by New England Standard Locations: 2005 65

Table 25 RI Resident Accidental Deaths by Age and Type: 2005 67

Table 26 Ten Leading Causes of Death in Rhode Island Residents by Sex: 2005, with Rates Per 100,000 Except Total With Rate per 1,000 69

Figure 23 2005 Rhode Island Resident Death: Top 10 Causes Of Death by Sex 70

Table 27 Five Leading Causes of Death for Rhode Island Residents In Specific Age Groups: 2005 with Rate Per 100,000 Population 71

Figure 24 5 Leading Causes of Death for Rhode Island Residents Under 5 Years (2005 vs 2004) 72

Figure 25 5 Leading Causes of Death for Rhode Island Residents 5 to 19 Years (2005 vs 2004) 73

Figure 26 5 Leading Causes of Death for Rhode Island Residents 20 to 44 Years (2005 vs 2004) 74

Figure 27 5 Leading Causes of Death for Rhode Island Residents 45 to 64 Years (2005 vs 2004) 75

Figure 28 5 Leading Causes of Death for Rhode Island Residents 65 Years & Older (2005 vs 2004) 76

Table 28 Divorces by County of Occurrences RI: 2005 77

Table 29 Divorces by Month of Occurrence RI: 2005 77

Figure 29 2005 Rhode Island Divorces by Month of Occurrence 78

Table 30 Marriages by Month of Occurrence in Rhode Island: 2005 79

Figure 30 2005 Rhode Island Marriages by Month of Occurrence 80

Table 31 Most Popular Baby Names by Sex for Rhode Island Resident Births: 2005 81

Figure 31 2005 Most Popular Male Baby Names for RI Residents 82

Figure 32 2005 Most Popular Female Baby Names for RI Residents 83

DEFINITIONS OF TERMS

Birth or live birth

Is defined as the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Cause of Death

The underlying cause of death, by which all deaths are classified, may be defined as:

(a) the disease or injury which initiated the train of morbid events leading directly to death, or

(b) the circumstances of the accident or violence which produced the fatal injury.

It is the responsibility of the certifying physician or medical examiner to indicate the underlying cause. It is the responsibility of the nosologist in the Division of Vital Records to assign the proper code number from the Tenth Revision, International Classification of Diseases, so that deaths may be classified by underlying cause. Because of the classification revision, cause-of-death figures beginning with 1999 data are not entirely comparable with those of earlier years (see "Changes to Mortality Data Classifications: ICD-9 to ICD-10" in the Technical Notes section of this report).

Census Tract

The U.S. Census Bureau defines a census tract as "a small, relatively permanent statistical subdivision of a county delineated by a local committee of census data users for the purpose of presenting data. Census tract boundaries normally follow visible features, but may follow governmental unit boundaries and other non-visible features in some instance; they always nest within counties. Designed to be relatively homogeneous units with respect to population characteristics, economic status, and living conditions at the time of establishment, census tracts average about 4,000 inhabitants." (Source: www.census.gov)

In 1990, some Rhode Island census tracts were redrawn so that they crossed town lines. The majority of 2000 census tracts have been corrected for this problem, and fall within town boundaries. Many 2000 census tracts, however, have been moved, shifted, split, or combined relative to the 1990 tracts. We recommend that data coded to 1990 census tracts not be compared to data coded to 2000 census tracts, unless you are aware of how the tract has changed, even if its number has remained the same. Additional Census 2000 and census tract information is available at www.census.gov.

Fetal death

The definition used in this state is that of the World Health Organization, which is as follows: "Fetal death means death prior to complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that, after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as the beating of the heart, pulsation of the umbilical cord, or definite movement of the voluntary muscles."

This category includes both induced terminations and spontaneous fetal deaths.

Induced termination is a fetal death where the pregnancy has been deliberately terminated with the purpose of producing a nonviable fetus. Molar and ectopic pregnancies are excluded.

A spontaneous fetal death is a fetal death that is not an induced abortion and includes miscarriages, stillbirths, and ectopic pregnancies.

Infant death is defined as a death occurring within the first year of life.

Neonatal deaths are infant deaths that occurred prior to the 28th day of life.

Post-neonatal deaths are infant deaths which occurred between the 28th day of life and before the first birthday.

Low birth weight infants are those weighing 2500 grams (5 lbs. 8 ozs.) or less.

Maternal death

Is defined by the International Classification of Diseases, 9th Revision, as "the death of any woman while pregnant or within 42 days of termination of pregnancy, irrespective of the duration and the site of the pregnancy, from any cause related to or aggravated by the pregnancy or its management but not from accidental or incidental causes". This definition is used in Rhode Island for classifying maternal deaths.

Perinatal mortality, as used in this report, refers to fetal deaths of 28 weeks or more uterogestation combined with deaths that occurred before the seventh day of life.

Residence is the city or town where the deceased resided for a death, where the mother resided for a birth, or where the patient resided for a spontaneous fetal death or induced abortion.

Technical Notes and Usage:

Step-By-Step Instructions*

Data users are diverse, including public-health officials evaluating a program by using death data, demographers projecting school enrollments with birth data, and business people deciding to open a formal-wear shop based on marriage data. Many of these users have a thorough knowledge of statistics. But others find the entire subject-matter confusing and intimidating. For either group, a misunderstanding of what vital statistics mean can lead to wrong conclusions. Therefore, this section is included to provide an overview of how to use vital statistics. It is addressed to the person looking at vital events for the first time, but the experienced user may also find a review helpful.

STEP 1: FINDING THE CORRECT NUMBER

The first step is to determine how many of a particular vital event took place during the year. This involves asking two questions:

Which event or events are appropriate?

DEATHS
INFANT DEATHS
NEONATAL DEATHS
POST-NEONATAL DEATHS
FETAL DEATHS
LOW BIRTH WEIGHT INFANTS
PREGNANCIES
INDUCED ABORTIONS
MARRIAGES
DIVORCES

This may not be as simple as it sounds. For one thing, examining more than one type of event may be required. For example, a researcher who is concerned with teenage pregnancies will have to consider abortions and fetal deaths, not simply the number of births.

Deciding which events to use is important since sometimes the choice of one event over another can lead to vastly different conclusions.

*Technical Notes reprinted, in part, courtesy of the Oregon Center for Health Statistics; illustrative examples were changed to reflect Rhode Island data. Effective with the 1999 Annual Report, the Comparability Ratios section has been updated to reflect changes to mortality data classifications from ICD-9 to ICD-10.

Who should be counted?

If you are a hospital planner who is deciding to expand or contract delivery services, you want to count the number of births which occurred in your area, regardless of where the parents live. If you are projecting school enrollment, you want to count only how many children will potentially be residing in your area. Fortunately, vital events are usually reported so that both of these data needs can be met.

OCCURRENCE DATA	The event (the death, birth, marriage, etc.) actually took place in the city or town. The person participating in the event may have lived in Podunk, New York.
RESIDENCE DATA	The person involved in the event lived in the geographic region mentioned, but the event itself may have taken place anywhere in the United States or Canada. In other words, a resident of Providence who died in an accident while on vacation in Michigan has been added to the city of Providence resident death figure

When in doubt about which type of data to use, resident figures are usually the best choice. Most birth and death data are published by residence, which means that comparisons with other states or the United States as a whole will be easier. Exceptions to this rule are listed in the individual sections.

Once the right event has been determined, and the choice between occurrence and residence data has been made, the statistician can find the correct figures in the table(s) in this book. If the needed table is not listed, contact the Office of Vital Records for more information.

Once the right event has been determined, and the choice between occurrence and residence data has been made, the statistician can find the correct figures in the table(s) in this book. If the needed table is not listed, contact the Office of Vital Records for more information.

STEP 2: MAKING THE NUMBER MEANINGFUL WITH RATES AND RATIOS

In many instances simply knowing the number of events is not sufficient. A. Bradford Hill expressed this important statistical concept:

> "It is well recognized that white sheep eat more than black sheep--because there are more of them."

For example, we know more people died in Providence than in New Shoreham, because Providence has a much larger population. But what is the likelihood of dying in each municipality?

In order to answer this question, statisticians calculate rates. This means that the number of events which occurred is compared to the population for which that event could have occurred, and the figure is then standardized to some number (such as 1,000 or 100,000) for convenience.

Here is an example:

$$\text{CRUDE DEATH RATE} = \frac{\text{DEATHS (The number of people who died)}}{\text{POPULATION}} \times 1{,}000$$

The more specifically a statistician can define the "population at risk" (the denominator or bottom part of the formula), the more meaningful the rate is. For example, the crude birth rate, which compares the number of births to the population, is not nearly as informative as the fertility rate, which uses only the number of women of childbearing age (15-44) for comparative purposes. The fertility rate is not distorted by changes in the number of men or pre-pubescent or post-menopausal women in the population. (The turn of the century notion that only married women between the age of 15 and 44 would be considered at risk of pregnancy has been abandoned for obvious reasons.)

Unfortunately, we do not always have the correct denominator for the equation. In these situations a substitute is used. For example, how many people are at risk of getting divorced? The number of married people is only available for census years. As a substitute, the crude divorce rate is calculated using the total population regardless of marital status. In other situations, the event is simply compared to another related number. For instance, the abortion ratio compares the number of abortions to the number of births. This is easier and more accurate than trying to determine the true denominator, which is the total number of pregnant women.

When calculating rates and ratios, great care must be taken to make certain that the appropriate time periods, geographical boundaries, and populations are used.

STEP 3: COMPARING TWO OR MORE NUMBERS

Numbers are more meaningful when they are converted into rates and ratios. But problems can arise when rates or ratios are compared for different geographical areas, different time periods, or different categories such as men versus women.

Taking Age, Sex, And Race Into Account

Before comparing two places or two time periods, always compare the population characteristics, such as age, sex, and race, first. If discrepancies are noted in any relevant variables, then the rates should be adjusted or standardized in order to make the comparisons free of differences in the structure of the populations.

Chance variation

Statisticians expect a certain amount of chance variation and have methods to take this into account. The confidence interval uses the number of cases and their distributions to determine what the rate "really is". If two rates have overlapping confidence intervals, then the difference between them may be due to this chance variation. In other words, the difference is not statistically significant. When comparing rates and ratios, differences should be tested for statistical significance.

Small numbers

Chance variation is a common problem when the numbers being used to calculate rates are extremely small. Large swings often occur in the rates, which do not reflect real changes. Consider Rhode Island's non-white infant mortality rates for a five-year period, shown below:

Year	Non-White Births	Non-White Infant Deaths	Non-White Infant Death Rates
1984	1313	18	13.7
1985	1337	12	9.0
1986	1456	20	13.7
1987	1571	17	10.8
1988	1698	22	13.0
1984-88	7375	89	12.1

The rates may vary widely from year to year. Note the difference in the 1984 non-white infant death rate, even though there was only one more infant death occurring in 1984 than there was in 1987.

Many rates based on small numbers are published in this book because readers demand them. But anyone preparing to make important decisions based on these rates should be very cautious. Consider this rule of thumb: a rate based on 20 cases has a 95% confidence interval about as wide as itself (the interval for a rate of 50 is between 25 and 75). Even large differences between two rates based on 20 cases or less are probably not statistically significant.

If 20 are too few, how many cases are sufficient to say that a true difference exists? Unfortunately we have no easy rules for this. To be safe, the vital statistician should always try to combine several years of data or consolidate geographical areas. Confidence intervals should be calculated, and differences should be tested for statistical significance.

Changes in measurement

Another problems is that the numbers being compared have not always been based on the same type of measurement. Definitions, population estimates, certificates, and coding procedures change from time to time as the need arises, e.g., the change in cause-of-death classification from the International Rules for the Classification of Diseases ICD-9 to the ICD-10. This can create "artificial" differences and can disguise "real" differences. The cause-of-death item provides an excellent example of changes in comparability:

In 1998, 383 people died Due to influenza & Pneumonia	RATE = 38.8 PER 100,000 POPULATION
In 1999, 301 people died Due to this cause	RATE = 30.4 PER 100,000 POPULATION

It appears that the incidence of Influenza & Pneumonia decreased. Actually, a change to coding and classification rules in the ICD-10 made it much less likely that Influenza & Pneumonia would be selected as the underlying cause of death (see explanation below):

Changes to Mortality Data Classifications: ICD-9 to ICD-10 Comparability Ratios

Effective with 1999 deaths, the Tenth Revision of the International Classification of Diseases (ICD-10) replaced the ICD-9, which had been used since 1979. The first ICD was developed in 1900 to promote international comparability and standards in the collection, classification, processing and presentation of health

statistics. It represented a collaborative effort of the World Health Organization (WHO), the National Center for Health Statistics (NCHS) in the US Department of Health and Human Services and nine other international centers. The United States is required to use the ICD under an agreement with WHO.

It is important to revise the ICD periodically to reflect advances in medical science and changes in medical diagnoses. While such revisions are essential to monitor the population's health, such changes have implications for mortality trend analysis.

The ICD-10 differs substantially from ICD-9 in the following ways:

- ICD-10 includes much more detail - 8,000 categories vs. 4,000 in ICD-9.

- ICD-10 uses alphanumeric codes, rather than the numeric codes used in the past

- Cause-of-death titles have been changed, e.g., "Chronic obstructive pulmonary disease" has been re-titled "Chronic lower respiratory disease"

- Medical conditions have been transferred to other classifications, e.g., "Drugs causing adverse effects in therapeutic use" has been removed from the category "Accidents" and placed in a new category entitled "Complications of medical and surgical care"

- Some coding and classification rules have been changed, e.g., "Pneumonia" is much less likely to be selected as the cause of death under ICD-10 rules.

For the above-listed reasons, direct comparisons of causes of death between 1999 and previous years are problematic. To assist data users in understanding these discontinuities, NCHS has developed comparability ratios that can be applied to mortality data from 1994-1998 for most causes of death. In cases where ratios were considered unreliable, NCHS did not publish comparability ratios. For more information on comparability ratios, see "National Vital Statistics Reports, Volume 49, Number 2, May 18, 2001" available on the NCHS web site http://ww2.cdc.gov.nchs

The purpose of a comparability ratio is to measure whether the difference in the number of deaths in a particular cause-of-death category is a reflection of a true change or a result of the change in the classification system. While most causes have a comparability ratio of 1.00 indicating a close match, others, e.g., Alzheimer's Disease (1.55) and Influenza & Pneumonia (0.6982) have less

comparable ratios. The larger the variance from 1.00, the greater the discontinuity in the trend for the specific public health problem causing the death.

In order to compare death rates from certain causes for the years 1999-forward with the death rates for a year or years during the period 1979-1998, the estimated number of deaths from those causes during the early period must be derived by the use of comparability ratios, which were computed by the National Center for Health Statistics from the results of dual coding of certificates according to the old and the new procedures. The comparability ratios are the number of deaths classified to a given cause by the Tenth Revision divided by the number of deaths classified to that cause by the Ninth Revision. Comparability ratios have been published by the National Center for Health Statistics in the *National Vital Statistics Report*, Vol. 49, No. 2, May 18, 2001 and appear in *Table 7 of the Rhode Island Annual Report of Vital Statistics*.

STEP 4: ANALYZING THE DATA

The first three steps have been fairly mechanical:

(1) Choose the correct events and the correct group to determine the number of events which took place for the geographical areas and time periods.

(2) Calculate the rates.

(3) Compare these rates to determine if the differences are statistically significant.

Now the vital statistician must begin to ask the difficult questions. If we find that two rates are statistically significantly different, how can we find out why they are different? If the differences which we expected did not prove to be significant, is there another item which perhaps is masking an actual difference? Frequently the statistician has to refine the research question and begin all over again.


2000 Rhode Island Population Density
WOONSOCKET
BURRILLVILLE
NORTH SMITHFIELD
CUMBERLAND
CENTRAL FALLS
GLOCESTER
SMITHFIELD
LINCOLN
PAWTUCKET
NO. PROVIDENCE
PROVIDENCE
EAST PROVIDENCE
JOHNSTON
FOSTER
SCITUATE
BARRINGTON
CRANSTON
WARREN
WARWICK
COVENTRY
WEST WARWICK
BRISTOL
EAST GREENWICH
WEST GREENWICH
TIVERTON
EXETER
PORTSMOUTH
NORTH KINGSTOWN
JAMESTOWN
HOPKINTON
RICHMOND
MIDDLETOWN
LITTLE COMPTON
NEWPORT
SOUTH KINGSTOWN
NARRAGANSETT
CHARLESTOWN
WESTERLY
NEW SHOREHAM
Persons Per Square Mile by Census Tract
Less than 250
251 - 750
751 - 1,200
1,201 - 2,500
2,501 - 5,000
Greater than 5,000

Figure 1

RHODE ISLAND POPULATION BY SEX AND AGE: 2000 CENSUS

SOURCE: POPULATION DIVISION, U.S. CENSUS BUREAU



ANNUAL RHODE ISLAND POPULATION BY SEX AND AGE:

July 1, 2005 ESTIMATE

SOURCE: POPULATION DIVISION, U.S. CENSUS BUREAU



Table A: VITAL STATISTICS SUMMARY

Table A, shown below, compares Vital Records data and average rates for the five-year period 2001-2005 with the average rates for the years 1991-1995. Rates are averaged over a five year period to reduce the effect of random fluctuations that may occur when comparing single years.

TABLE A-VITAL STATISTICS SUMMARY: RHODE ISLAND
2001-2005 and 1991-1995 (FIVE YEAR AVERAGES)
(Birth and Mortality Data are for RI Residents; Fetal Death, Marriage and Divorce Data are for RI Occurrences)

	2001-2005		1991-1995		Percent change
	Number	Rate	Number	Rate	in rate
Live Births#	12,856	11.9	13,888	13.9	-14.0
Deaths#	10,012	9.3	9,539	9.5	-2.51
Infant Mortality*	83	6.5	97	7.0	-7.6
Neonatal Mortality*	65	5.1	71	5.1	-1.1
Perinatal Mortality**	88	6.8	105	7.5	-9.4
Maternal Mortality***	1	0.8	0	0.3	170.1
Fetal Deaths (of 28 weeks or more uterogestation)*	34	2.6	46	3.3	-20.2
Marriages#	8,197	7.6	7,262	7.3	4.8
Divorces#	3,299	3.1	3,437	3.4	-10.8
Est.Pop. for 2003 and 1993 (median of the 5-year periods)	1,076,164		999,579		

Rate per 1,000 Population

* Rate per 1,000 Live Births

** Rate per 1,000 Live Births plus Fetal Deaths of 28 Weeks or more Gestation

*** Rate per 10,000 Live Births

Figure 4


Rhode Island Vital Events Summary
Five Year Averages
2001-2005
1991-1995
16,000
14,000
12,000
10,000
8,000
6,000
4,000
2,000
-
12,856
13,888
10,012
9,539
8,197
7,262
3,299
3,437
Live Births*
Deaths*
Marriages
Divorces
Events

TABLE 1A -- UNITED STATES CENSUS: POPULATION OF RHODE ISLAND
BY RACE, HISPANIC ORIGIN AND SEX: 2005 ESTIMATE AND 2000 vs 1990

RACE	Total Population				Male				Female			
	2005 Est.	2000	1990	% Change	2005 Est.	2000	1990	% Change	2005 Est.	2000	1990	% Change
Total	**1,076,189**	**1,048,319**	**1,003,464**	**4.47**	**519,847**	**503,635**	**481,496**	**4.60**	**556,342**	**544,684**	**521,968**	**4.35**
White	956,569	858,433	917,375	-6.43	461,004	410,143	438,524	-6.47	495,565	448,290	478,851	-6.38
Black	66,483	41,922	38,861	7.88	33,193	21,106	19,448	8.53	33,290	20,816	19,413	7.23
American Indian/ Eskimo/Aleut	6,448	4,181	4,071	2.70	3,149	2,024	1,966	2.95	3,299	2,157	2,105	2.47
Asian	29,018	23,416	*	*	14,099	11,413	*	*	14,919	12,003	*	*
Pacific Islander	1,307	320	*	*	619	158	*	*	688	162	*	*
Other Race	0	8,411	*	*		3,996	*	*		4,415	*	*
Two or More Races	16,364	20,816	*	*	7,783	10,030	*	*	8,581	10,786	*	*
Hispanic Origin**	112,517	90,820	45,752	98.50	56,162	44,765	22,849	95.92	56,355	46,055	22,903	101.09

* Comparable statistics not available for 1990

** Persons of Hispanic Origin may be of any race and are not included, as a group, in race numbers

TABLE 1B-- UNITED STATES CENSUS: POPULATION OF RHODE ISLAND
BY AGE AND SEX: 2005 ESTIMATE AND 2000 VS 1990

	Total Population				Male				Female			
AGE IN YEARS	2005 Est.	2000	1990	% Change	2005 Est.	2000	1990	% Change	2005 Est.	2000	1990	% Change
All Ages	**1,076,189**	**1,048,319**	**1,003,464**	**4.47**	**519,847**	**503,635**	**481,496**	**4.60**	**556,342**	**544,684**	**521,968**	**4.35**
Under 5	64,325	63,896	66,969	-4.59	32,595	32,602	34,384	-5.18	31,730	31,294	32,585	-3.96
(Under 1)		12,206	11,668	4.61		6,195	5,977	3.65		6,011	5,691	5.62
(1 - 4)		51,690	55,301	-6.53		26,407	28,407	-7.04		25,283	26,894	-5.99
5 - 9	64,237	71,905	63,731	12.83	32,767	36,910	32,916	12.13	31,470	34,995	30,815	13.56
10 - 14	72,177	71,370	59,406	20.14	37,052	36,766	30,261	21.50	35,125	34,604	29,145	18.73
15 - 19	73,468	75,445	70,862	6.47	37,841	38,199	35,764	6.81	35,627	37,246	35,098	6.12
20 - 24	78,787	71,813	85,080	-15.59	39,916	35,595	42,946	-17.12	38,871	36,218	42,134	-14.04
25 - 29	75,819	64,732	85,852	-24.60	37,640	31,792	42,980	-26.03	38,179	32,940	42,872	-23.17
30 - 34	64,096	75,594	87,772	-13.87	31,458	36,821	43,387	-15.13	32,638	38,773	44,385	-12.64
35 - 39	76,249	85,364	78,576	8.64	37,088	41,812	38,891	7.51	39,161	43,552	39,685	9.74
40 - 44	85,379	84,946	69,041	23.04	41,759	41,452	34,329	20.75	43,620	43,494	34,712	25.30
45 - 49	84,374	75,429	53,383	41.30	41,018	36,702	25,984	41.25	43,356	38,727	27,399	41.34
50 - 54	74,675	66,434	43,042	54.35	36,139	32,660	20,597	58.57	38,536	33,774	22,445	50.47
55 - 59	65,029	49,982	42,077	18.79	31,712	24,024	19,842	21.08	33,317	25,958	22,235	16.74
60 - 64	47,799	39,007	47,126	-17.23	22,680	18,298	21,571	-15.17	25,119	20,709	25,555	-18.96
65 - 69	34,465	36,023	47,210	-23.70	15,881	16,408	20,821	-21.19	18,584	19,615	26,389	-25.67
70 - 74	28,455	37,661	38,406	-1.94	12,643	16,143	15,773	2.35	15,812	21,518	22,633	-4.93
75 - 79	31,413	34,076	29,669	14.85	12,753	13,637	10,964	24.38	18,660	20,439	18,705	9.27
80 - 84	27,888	23,745	19,246	23.38	10,537	8,392	6,036	39.03	17,351	15,353	13,210	16.22
85 & over	27,554	20,897	16,016	30.48	8,368	5,422	4,050	33.88	19,186	15,475	11,966	29.32
MEDIAN AGE	38.0	36.7	33.9	8.26	36.5	35.4	32.4	9.26	39.4	38.0	35.4	7.34
65 Years and Older	149,775	152,402	150,547	1.23	60,182	60,002	57,644	4.09	89,593	92,400	92,903	-0.54

Figure 5


2005 Rhode Island Estimate Population by Age Group and Sex
Males
Females
50,000
45,000
40,000
35,000
30,000
25,000
20,000
15,000
10,000
5,000
0
< 5
32,595
31,730
5-9
32,767
31,470
10-14
37,052
35,125
15-19
37,841
35,627
20-24
39,916
38,871
25-29
37,640
38,179
30-34
31,458
32,638
35-39
37,088
39,161
40-44
41,759
43,620
45-49
41,018
43,356
50-54
36,139
38,536
55-59
31,712
33,317
60-64
22,680
25,119
65-69
15,881
18,584
70-74
12,643
15,812
75-79
12,753
18,660
80-84
10,537
17,351
85+
8,368
19,186
Age Range

TABLE 2 - POPULATION OF RI CITIES AND TOWNS BY COUNTY:
CENSUS OF 1990, 2000 AND 2005 ESTIMATE

City or Town by County	1990 Population	2000 Population	Numeric Change	% Change	2005 Estimate*
STATE TOTAL	**1,003,464**	**1,048,319**	**44,855**	**4.3%**	**1,076,189**
BRISTOL COUNTY	**48,859**	**50,648**	**1,789**	**3.5%**	**52,743**
Barrington	15,849	16,819	970	5.8%	16,757
Bristol	21,625	22,469	844	3.8%	24,658
Warren	11,385	11,360	(25)	-0.2%	11,328
KENT COUNTY	**161,135**	**167,090**	**5,955**	**3.6%**	**171,590**
Coventry	31,083	33,668	2,585	7.7%	35,080
East Greenwich	11,865	12,948	1,083	8.4%	13,616
Warwick	85,427	85,808	381	0.4%	87,233
West Greenwich	3,492	5,085	1,593	31.3%	5,677
West Warwick	29,268	29,581	313	1.1%	29,984
NEWPORT COUNTY	**87,194**	**85,433**	**(1,761)**	**-2.1%**	**83,740**
Jamestown	4,999	5,622	623	11.1%	5,611
Little Compton	3,339	3,593	254	7.1%	3,587
Middletown	19,460	17,334	(2,126)	-12.3%	16,737
Newport	28,227	26,475	(1,752)	-6.6%	25,340
Portsmouth	16,857	17,149	292	1.7%	17,129
Tiverton	14,312	15,260	948	6.2%	15,336
PROVIDENCE COUNTY	**596,270**	**621,602**	**25,332**	**4.1%**	**639,653**
Burrillville	16,230	15,796	(434)	-2.7%	16,563
Central Falls	17,637	18,928	1,291	6.8%	19,159
Cranston	76,060	79,269	3,209	4.0%	81,614
Cumberland	29,038	31,840	2,802	8.8%	34,360
East Providence	50,380	48,688	(1,692)	-3.5%	49,515
Foster	4,316	4,274	(42)	-1.0%	4,505
Glocester	9,227	9,948	721	7.2%	10,603
Johnston	26,542	28,195	1,653	5.9%	29,163
Lincoln	18,045	20,898	2,853	13.7%	22,106
North Providence	32,090	32,411	321	1.0%	33,165
North Smithfield	10,497	10,618	121	1.1%	11,191
Pawtucket	72,644	72,958	314	0.4%	73,742
Providence	160,728	173,618	12,890	7.4%	176,862
Scituate	9,796	10,324	528	5.1%	10,971
Smithfield	19,163	20,613	1,450	7.0%	21,806
Woonsocket	43,877	43,224	(653)	-1.5%	44,328

TABLE 2 (Cont.) - POPULATION OF RI CITIES AND TOWNS BY COUNTY					
City or Town by County	1990 Population	2000 Population	Numeric Change	% Change	2005 Estimate*
WASHINGTON COUNTY	**110,006**	**123,546**	**13,540**	**11.0%**	**128,463**
Charlestown	6,478	7,859	1,381	17.6%	8,269
Exeter	5,461	6,045	584	9.7%	6,298
Hopkinton	6,873	7,836	963	12.3%	8,121
Narragansett	14,985	16,361	1,376	8.4%	16,906
New Shoreham	836	1,010	174	17.2%	1,045
North Kingstown	23,786	26,326	2,540	9.6%	27,093
Richmond	5,351	7,222	1,871	25.9%	7,769
South Kingstown	24,631	27,921	3,290	11.8%	29,327
Westerly	21,605	22,966	1,361	5.9%	23,635

*All population estimates obtained from the Bureau of the Census / www.Census.gov

Figure 6


Rhode Island 2005 Estimate Population by Cities & Towns
Cities & Towns
New Shoreham 1,045
Little Compton 3,587
Foster 4,505
Jamestown 5,611
West Greenwich 5,677
Exeter 6,298
Richmond 7,769
Hopkinton 8,121
Charlestown 8,269
Glocester 10,603
Scituate 10,971
North Smithfield 11,191
Warren 11,328
East Greenwich 13,616
Tiverton 15,336
Burrillville 16,563
Middletown 16,737
Barrington 16,757
Narragansett 16,906
Portsmouth 17,129
Central Falls 19,159
Smithfield 21,806
Lincoln 22,106
Westerly 23,635
Bristol 24,658
Newport 25,340
North Kingstown 27,093
Johnston 29,163
South Kingstown 29,327
West Warwick 29,984
North Providence 33,165
Cumberland 34,360
Coventry 35,080
Woonsocket 44,328
East Providence 49,515
Pawtucket 73,742
Cranston 81,614
Warwick 87,233
Providence 176,862
-
20,000
40,000
60,000
80,000
100,000
120,000
140,000
160,000
180,000
200,000

TABLE 3 - NUMBER OF RI LIVE BIRTHS, DEATHS, AND MARRIAGES WITH RATES BY CITY AND TOWN
2005 (Rates per 1,000 estimated population)

	Live Births			Deaths			Marriages	
	Number		Resident	Number		Resident	Occurrence	
City or Town	Occurrence	Resident	Rate*	Occurrence	Resident	Rate*	Number	Rate*
STATE TOTAL	**13,486**	**12,697**	**11.8**	**10,176**	**10,007**	**9.3**	**7,521**	**7.0**
Barrington	0	155	9.2	38	125	7.5	53	3.2
Bristol	0	208	8.4	178	252	10.2	257	10.4
Burrillville	1	147	8.9	141	161	9.7	82	5.0
Central Falls	2	417	21.8	44	135	7.0	67	3.5
Charlestown	1	79	9.6	19	71	8.6	51	6.2
Coventry	1	362	10.3	268	365	10.4	106	3.0
Cranston	5	877	10.7	288	782	9.6	379	4.6
Cumberland	1	384	11.2	113	271	7.9	137	4.0
East Greenwich	0	102	7.5	65	129	9.5	71	5.2
East Providence	0	498	10.1	381	618	12.5	378	7.6
Exeter	0	57	9.1	20	36	5.7	16	2.5
Foster	0	41	9.1	12	40	8.9	20	4.4
Glocester	2	94	8.9	17	55	5.2	24	2.3
Hopkinton	1	92	11.3	22	65	8.0	39	4.8
Jamestown	2	40	7.1	14	48	8.6	101	18.0
Johnston	3	277	9.5	212	305	10.5	92	3.2
Lincoln	0	173	7.8	86	209	9.5	92	4.2
Little Compton	0	28	7.8	10	31	8.6	55	15.3
Middletown	1	197	11.8	151	190	11.4	110	6.6
Narragansett	0	109	6.4	33	123	7.3	227	13.4
New Shoreham	1	13	12.4	7	10	9.6	153	146.4
Newport	702	295	11.6	327	199	7.9	759	30.0
North Kingstown	0	275	10.2	133	212	7.8	170	6.3
North Providence	1	318	9.6	630	397	12.0	76	2.3
North Smithfield	0	88	7.9	101	123	11.0	64	5.7
Pawtucket	384	1,121	15.2	526	666	9.0	545	7.4
Portsmouth	0	180	10.5	45	145	8.5	149	8.7
Providence	9,688	2,975	16.8	3,247	1,307	7.4	1,480	8.4
Richmond	0	89	11.5	16	37	4.8	47	6.0
Scituate	0	94	8.6	39	99	9.0	49	4.5
Smithfield	2	150	6.9	226	294	13.5	113	5.2
South Kingstown	537	252	8.6	332	223	7.6	111	3.8
Tiverton	0	138	9.0	49	141	9.2	70	4.6

TABLE 3 (Cont.) - NUMBER OF LIVE BIRTHS, DEATHS, AND MARRIAGES WITH RATES BY CITY AND TOWN
RHODE ISLAND: 2005 (Rates per 1,000 estimated population)

City or Town	Live Births			Deaths			Marriages	
	Number		Resident	Number		Resident	Occurrences	
	Occurrence	Resident	Rate*	Occurrence	Resident	Rate*	Number	Rate*
Warren	1	126	11.1	118	150	13.2	42	3.7
Warwick	1,163	918	10.5	1,169	946	10.8	581	6.7
West Greenwich	0	51	9.0	12	33	5.8	42	7.4
West Warwick	0	395	13.2	123	302	10.1	191	6.4
Westerly	409	264	11.2	370	256	10.8	235	9.9
Woonsocket	578	618	13.9	594	456	10.3	287	6.5

*Population estimates for cities and towns have been calculated based on state and county estimates obtained from the U.S. Census Bureau.

Figure 7


2005 Rhode Island Resident Births by Cities & Towns
Cities & Towns
New Shoreham 13
Little Compton 28
Jamestown 40
Foster 41
West Greenwich 51
Exeter 57
Charlestown 79
North Smithfield 88
Richmond 89
Hopkinton 92
Scituate 94
Glocester 94
East Greenwich 102
Narragansett 109
Warren 126
Tiverton 138
Burrillville 147
Smithfield 150
Barrington 155
Lincoln 173
Portsmouth 180
Middletown 197
Bristol 208
South Kingstown 252
Westerly 264
North Kingstown 275
Johnston 277
Newport 295
North Providence 318
Coventry 362
Cumberland 384
West Warwick 395
Central Falls 417
East Providence 498
Woonsocket 618
Cranston 877
Warwick 918
Pawtucket 1,121
Providence 2,975
-
500
1,000
1,500
2,000
2,500
3,000
3,500

Figure 8


2005 Rhode Island Resident Deaths by Cities & Towns
Cities & Towns
New Shoreham 10
Little Compton 31
West Greenwich 33
Exeter 36
Richmond 37
Foster 40
Jamestown 48
Glocester 55
Hopkinton 65
Charlestown 71
Scituate 99
North Smithfield 123
Narragansett 123
Barrington 125
East Greenwich 129
Central Falls 135
Tiverton 141
Portsmouth 145
Warren 150
Burrillville 161
Middletown 190
Newport 199
Lincoln 209
North Kingstown 212
South Kingstown 223
Bristol 252
Westerly 256
Cumberland 271
Smithfield 294
West Warwick 302
Johnston 305
Coventry 365
North Providence 397
Woonsocket 456
East Providence 618
Pawtucket 666
Cranston 782
Warwick 946
Providence 1,307
-
200
400
600
800
1,000
1,200
1,400

Figure 9


2005 Rhode Island Marriages Ceremonies by Cities & Towns
Cities & Towns
Exeter 16
Foster 20
Glocester 24
Hopkinton 39
West Greenwich 42
Warren 42
Richmond 47
Scituate 49
Charlestown 51
Barrington 53
Little Compton 55
North Smithfield 64
Central Falls 67
Tiverton 70
East Greenwich 71
North Providence 76
Burrillville 82
Lincoln 92
Johnston 92
Jamestown 101
Coventry 106
Middletown 110
South Kingstown 111
Smithfield 113
Cumberland 137
Portsmouth 149
New Shoreham 153
North Kingstown 170
West Warwick 191
Narragansett 227
Westerly 235
Bristol 257
Woonsocket 287
East Providence 378
Cranston 379
Pawtucket 545
Warwick 581
Newport 759
Providence 1,480
-
200
400
600
800
1,000
1,200
1,400
1,600

TABLE 4 - POPULATION, LIVE BIRTHS, DEATHS, MARRIAGES AND DIVORCES WITH RATES PER 1,000 POPULATION: RHODE ISLAND, 1976-2005

Year	Population Estimate (Except Census Year)	Resident Live Births		Resident Total Deaths		Rhode Island Occurrences			
						Marriages		Divorces	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate
1976	927,000	10,786	11.6	9,168	9.9	6,905	7.4	3,276	3.5
1977	935,000	11,617	12.4	9,034	9.7	7,114	7.6	3,420	3.7
1978	935,000	11,515	12.3	8,847	9.5	7,277	7.8	3,475	3.7
1979	929,300	11,860	12.8	9,060	9.7	7,366	7.9	3,603	3.9
1980	**947,154**	**12,166**	**12.8**	**9,300**	**9.8**	**7,490**	**7.9**	**3,593**	**3.8**
1981	952,000	12,430	13.1	9,138	9.6	7,559	7.9	3,413	3.6
1982	958,000	12,499	13.0	8,975	9.4	7,885	8.2	3,619	3.8
1983	955,000	12,576	13.2	9,286	9.7	8,053	8.4	3,525	3.7
1984	961,881	12,647	13.1	9,422	9.8	7,971	8.3	3,642	3.8
1985	968,200	12,996	13.4	9,636	10.0	8,011	8.3	3,698	3.8
1986	975,000	13,324	13.7	9,712	10.0	8,103	8.3	3,684	3.8
1987	986,000	14,041	14.2	9,702	9.8	8,056	8.2	3,684	3.7
1988	993,000	14,179	14.3	9,724	9.8	8,410	8.5	3,794	3.8
1989	998,000	14,769	14.8	9,550	9.6	8,266	8.3	3,626	3.6
1990	**1,003,464**	**15,190**	**15.1**	**9,578**	**9.5**	**8,134**	**8.1**	**3,754**	**3.7**
1991	1,003,464	14,732	14.7	9,391	9.4	7,538	7.5	3,335	3.3
1992	1,001,344	14,500	14.5	9,468	9.5	7,260	7.3	3,581	3.6
1993	999,579	13,974	14.0	9,779	9.8	7,131	7.1	3,359	3.4
1994	996,112	13,467	13.7	9,406	9.4	6,990	7.0	3,235	3.2
1995	991,701	12,765	12.9	9,653	9.7	7,390	7.5	3,674	3.7
1996	990,225	12,649	12.8	9,544	9.6	7,933	8.0	3,234	3.3
1997	987,263	12,450	12.6	9,820	9.9	8,074	8.2	3,171	3.2
1998	987,704	12,598	12.8	9,607	9.7	7,508	7.6	3,263	3.3
1999	990,819	12,364	12.5	9,706	9.8	7,769	7.8	2,841	2.9
2000	**1,048,319**	**12,489**	**11.9**	**10,028**	**9.6**	**8,010**	**7.6**	**3,066**	**2.9**
2001	1,058,604	12,709	12.0	10,018	9.5	8,599	8.1	3,331	3.1
2002	1,068,897	12,894	12.1	10,241	9.6	8,275	7.7	3,388	3.2
2003	1,076,164	13,202	12.3	10,037	9.3	8,347	7.8	3,356	3.1
2004	1,080,632	12,778	11.8	9,755	9.0	8,242	7.6	3,287	3.0
2005	1,076,189	12,697	11.8	10,007	9.3	7,521	7.0	3,134	2.9

Figure 10


Rhode Island Resident Live Births
16,000
14,000
12,000
10,000
8,000
6,000
4,000
2,000
0
10,786
11,617
11,515
11,860
12,166
12,430
12,499
12,576
12,647
12,996
13,324
14,041
14,179
14,769
15,190
14,732
14,500
13,974
13,467
12,765
12,649
12,450
12,598
12,364
12,489
12,709
12,894
13,202
12,778
12,697
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
Year

Figure 11


Rhode Island Resident Deaths
10,500
10,000
9,500
9,000
8,500
8,000
Year
1976 9,168
1977 9,034
1978 8,847
1979 9,060
1980 9,300
1981 9,138
1982 8,975
1983 9,286
1984 9,422
1985 9,636
1986 9,712
1987 9,702
1988 9,724
1989 9,550
1990 9,578
1991 9,391
1992 9,468
1993 9,779
1994 9,406
1995 9,653
1996 9,544
1997 9,820
1998 9,607
1999 9,706
2000 10,028
2001 10,018
2002 10,241
2003 10,037
2004 9,755
2005 10,007

Figure 12


Rhode Island Marriages Ceremonies
10,000
9,000
8,000
7,000
6,000
5,000
4,000
3,000
2,000
1,000
0
Year
1976 6,905
1977 7,114
1978 7,277
1979 7,366
1980 7,490
1981 7,559
1982 7,885
1983 8,053
1984 7,971
1985 8,011
1986 8,103
1987 8,056
1988 8,410
1989 8,266
1990 8,134
1991 7,538
1992 7,260
1993 7,131
1994 6,990
1995 7,390
1996 7,933
1997 8,074
1998 7,508
1999 7,769
2000 8,010
2001 8,599
2002 8,275
2003 8,347
2004 8,242
2005 7,521

Figure 13


Divorces in Rhode Island
4,500
4,000
3,500
3,000
2,500
2,000
1,500
1,000
500
0
Year
1976 3,276
1977 3,420
1978 3,475
1979 3,603
1980 3,593
1981 3,413
1982 3,619
1983 3,525
1984 3,642
1985 3,698
1986 3,684
1987 3,684
1988 3,794
1989 3,626
1990 3,754
1991 3,335
1992 3,581
1993 3,359
1994 3,235
1995 3,674
1996 3,234
1997 3,171
1998 3,263
1999 2,841
2000 3,066
2001 3,331
2002 3,388
2003 3,356
2004 3,287
2005 3,134

TABLE 5 - NUMBER OF INFANT, NEONATAL, PERINATAL AND MATERNAL DEATHS WITH RATES
RHODE ISLAND RESIDENTS: 1976-2005

	INFANT DEATHS (Under One Year)		NEONATAL DEATHS (Under 28 Days)		PERINATAL DEATHS						MATERNAL DEATHS	
					Early Neonatal (under 7 days)		Late Fetal Deaths (28 Weeks & Over)		TOTAL Perinatal			
Year	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate**	Number	Rate#
1976	155	14.4	121	11.2	106	9.8	74	6.9	180	16.6	1	0.9
1977	139	12.0	94	8.1	77	6.6	70	6.0	147	12.6	0	---
1978	158	13.7	121	10.5	99	8.6	61	5.3	160	13.8	2	1.7
1979	167	14.1	119	10.0	101	8.5	74	6.2	175	14.7	0	---
1980	133	10.9	102	8.4	86	7.1	72	5.9	158	12.9	2	1.6
1981	145	11.7	114	9.2	96	7.7	63	5.1	159	12.7	0	---
1982	125	10.0	100	8.0	86	6.9	58	4.6	144	11.5	1	0.8
1983	145	11.5	113	9.0	98	7.8	51	4.1	149	11.8	1	0.8
1984	125	9.9	89	7.0	74	5.9	57	4.5	131	10.3	1	0.8
1985	106	8.2	78	6.0	63	4.8	57	4.4	120	9.2	0	---
1986	125	9.4	87	6.5	71	5.3	57	4.3	128	9.6	1	0.8
1987	118	8.4	85	6.1	71	5.1	48	3.4	119	8.4	0	---
1988	116	8.2	87	6.1	71	5.0	51	3.6	122	8.6	1	0.7
1989	151	10.2	113	7.7	96	6.5	66	4.5	162	10.9	1	0.7
1990	123	8.1	90	5.9	81	5.3	40	2.6	121	7.9	1	0.7
1991	118	8.0	83	5.6	65	4.4	43	2.9	108	7.3	0	---
1992	107	7.4	79	5.4	69	4.8	56	3.9	125	8.6	1	0.7
1993	102	7.3	69	4.9	60	4.3	51	3.6	111	7.9	0	---
1994	68	5.0	49	3.6	44	3.3	45	3.3	89	6.6	0	---
1995	91	7.1	73	5.7	57	4.5	33	2.6	90	7.0	1	0.8
1996	66	5.2	50	4.0	43	3.4	37	2.9	80	6.3	0	---
1997	88	7.1	70	5.6	61	4.9	34	2.7	95	7.6	2	1.6
1998	88	7.0	64	5.1	59	4.7	46	3.6	105	8.3	0	---
1999	70	5.7	53	4.3	48	3.9	35	2.8	83	6.7	2	1.6
2000	79	6.3	63	5.0	57	4.6	47	3.8	104	8.3	1	0.8
2001	86	6.8	70	5.5	60	4.7	39	3.1	99	7.8	1	0.8
2002	90	7.0	76	5.9	53	4.1	39	3.0	92	7.1	1	0.8
2003	88	6.7	66	5.0	57	4.3	20	1.5	77	5.8	3	2.3
2004	68	5.3	50	3.9	46	3.6	32	2.5	78	6.1	0	---
2005	82	6.5	64	5.0	57	4.5	43	3.4	100	7.8	0	---

* Rate per 1,000 Live Births
** Rate per 1,000 Live Births combined with Late Fetal Deaths
# Rate per 10,000 Live Births

Figure 14


Rhode Island Resident Infant Deaths 1976-2005
180
160
140
120
100
80
60
40
20
0
155
139
158
167
133
145
125
145
125
106
125
118
116
151
123
118
107
102
68
91
66
88
88
70
79
86
90
88
68
82
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
Year

TABLE 6 - RHODE ISLAND RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE: 2005

City or Town		Age < 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
RHODE ISLAND	**10,007**	**82**	**15**	**9**	**13**	**30**	**48**	**83**	**266**	**575**	**419**	**495**	**553**	**837**	**1253**	**1706**	**1749**	**1874**
Barrington	**125**	2	0	0	1	2	1	2	2	6	2	4	7	8	10	16	39	23
Bristol	**252**	0	0	1	0	0	2	0	7	15	9	11	12	20	26	54	48	47
Burrillville	**161**	0	0	0	0	2	1	1	2	16	19	7	8	10	14	20	30	31
Central Falls	**135**	4	1	0	1	1	4	2	5	10	1	4	8	10	20	23	17	24
Charlestown	**71**	0	0	0	0	0	0	0	2	8	3	3	7	4	11	17	5	11
Coventry	**365**	1	1	0	0	0	0	4	10	19	18	21	20	29	48	75	52	67
Cranston	**782**	1	1	0	0	2	3	6	15	36	28	33	48	64	99	145	152	149
Cumberland	**271**	1	0	0	0	1	2	0	10	13	8	9	12	24	44	56	41	50
East Greenwich	**129**	2	1	1	0	0	0	0	2	4	5	4	3	11	16	19	28	33
East Providence	**618**	3	1	0	0	3	1	3	12	31	21	33	27	58	77	113	124	111
Exeter	**36**	0	0	0	0	0	0	0	0	5	1	4	1	2	10	6	4	3
Foster	**40**	0	1	0	0	0	0	0	0	2	3	3	2	2	9	6	5	7
Glocester	**55**	0	0	0	1	0	0	0	3	3	3	4	3	5	9	9	6	9
Hopkinton	**65**	0	0	0	0	0	0	1	3	4	3	3	1	14	8	12	11	5
Jamestown	**48**	0	0	0	0	0	0	1	1	5	3	3	3	3	7	8	8	6
Johnston	**305**	1	1	0	0	0	1	0	2	15	10	10	24	27	43	53	59	59
Lincoln	**209**	0	0	0	2	0	1	0	1	8	5	9	7	21	29	44	37	45
Little Compton	**31**	0	0	0	0	0	0	0	0	0	0	2	1	3	6	7	7	5
Middletown	**190**	1	0	0	0	1	2	0	4	11	8	9	5	13	21	32	33	50
Narragansett	**123**	0	0	0	0	0	0	1	0	4	8	2	14	9	17	22	22	24
New Shoreham	**10**	0	0	1	0	0	0	0	0	0	0	0	0	2	2	1	3	1
Newport	**199**	2	1	0	0	0	1	1	6	12	6	5	9	21	22	40	37	36
North Kingstown	**212**	2	0	1	0	0	3	2	4	13	6	13	10	15	30	33	44	36
North Providence	**397**	0	0	0	0	1	0	3	12	14	16	25	21	32	51	66	69	87
North Smithfield	**123**	2	0	0	0	0	0	0	1	5	5	3	10	6	18	24	19	30
Pawtucket	**666**	8	4	1	0	1	4	4	23	41	30	45	40	46	94	107	99	119
Portsmouth	**145**	1	0	0	0	0	0	3	1	11	2	7	8	18	22	27	27	18
Providence	**1,307**	32	2	1	5	12	8	26	42	103	78	69	71	105	137	180	208	228
Richmond	**37**	2	0	0	1	0	0	0	2	3	2	0	4	10	1	4	3	5
Scituate	**99**	0	1	0	0	0	0	0	2	4	5	5	5	12	17	19	12	17
Smithfield	**294**	1	0	0	0	1	1	0	3	7	8	13	16	22	36	42	56	88
South Kingstown	**223**	1	0	0	1	0	1	1	5	11	7	12	19	18	27	30	48	42
Tiverton	**141**	0	0	0	0	0	0	4	5	9	3	5	7	12	25	26	20	25
Warren	**150**	0	0	0	0	0	0	0	7	5	9	3	8	13	12	28	31	34
Warwick	**946**	7	0	1	0	2	4	9	36	49	37	54	56	83	107	181	164	156
West Greenwich	**33**	0	0	0	0	0	2	0	1	2	3	2	3	6	4	5	1	4
West Warwick	**302**	1	0	0	0	0	4	4	13	24	16	16	14	24	36	39	65	46
Westerly	**256**	1	0	0	0	0	0	3	7	9	5	12	9	20	37	44	52	57
Woonsocket	**456**	6	0	2	1	1	2	2	15	38	23	28	30	35	51	73	63	86

Figure 15


2005 Rhode Island Resident Deaths
by Age Range
2000
1800
1600
1400
1200
1000
800
600
400
200
0
82
16
9
13
30
48
83
266
575
419
495
553
837
1253
1706
1748
1874
< 1
01-04
05-09
10-14
15-19
20-24
25-34
35-44
45-54
55-59
60-64
65-69
70-74
75-79
80-84
85-89
90+
Age Range

TABLE 7 - RI RESIDENT DEATHS AND DEATH RATES FOR LEADING CAUSES OF DEATH: 2001-2005
(RATES PER 100,000 POPULATION)

Rank	Cause of Death Category, ICD 10*	2005 Number	2005 Rate	2004 Number	2004 Rate	2003 Number	2003 Rate	2002 Number	2002 Rate	2001 Number	2001 Rate
1	Diseases of Heart [I00-I09, I11, I13, I20-I51]	3002	278.9	2966	274.5	3009	279.6	3108	290.8	3083	291.2
2	Malignant neoplasms (cancer) [C00-C97]	2283	212.1	2416	223.6	2328	216.3	2399	224.4	2400	226.7
3	Cerebrovascular diseases [I60-I69]	534	49.6	522	48.3	564	52.4	604	56.5	617	58.3
4	Chronic lower respiratory diseases [J40-J47]	521	48.4	463	42.8	495	46.0	520	48.6	514	48.6
5	Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	330	30.7	294	27.2	390	36.2	275	25.7	284	26.8
6	Alzheimer's disease [G30]	297	27.6	283	26.2	303	28.2	265	24.8	253	23.9
7	Diabetes mellitus [E10-E14]	282	26.2	280	25.9	252	23.4	263	24.6	264	24.9
8	Influenza and pneumonia [J09-J18]	253	23.5	257	23.8	267	24.8	320	29.9	294	27.8
	- Influenza [J09-J11]	7	0.7	6	0.6						
9	Nephritis, nephrotic syndrome & nephrosis [N00-N07, N17-N19, N25-N27]	155	14.4	131	12.1	149	13.8	142	13.3	117	11.1
10	Septicemia [A40-A41]	110	10.2	84	7.8	127	11.8	134	12.5	136	12.8
11	Chronic liver disease & cirrhosis [K70, K73-K74]	107	9.9	128	11.8	94	8.7	128	12.0	96	9.1
12	Pneumonitis due to solids and liquids [J69]	74	6.9	56	5.2	76	7.1	65	6.1	86	8.1
13	Intentional self-harm (suicide) [U03, X60-X84, Y87.0]	71	6.6	85	7.9	84	7.8	85	8.0	88	8.3
14	Essential (primary) hypertension & hypertensive renal disease [I10-I12]	64	5.9	73	6.8	51	4.7	51	4.8	55	5.2
15	Aortic aneurysm & dissection [I71]	62	5.8	45	4.2	61	5.7	47	4.4	70	6.6
16	Parkinson's disease [G20-G21]	62	5.8	52	4.8	69	6.4	87	8.1	74	7.0
17	Atherosclerosis [I70]	61	5.7	53	4.9	57	5.3	65	6.1	91	8.6
18	Benign neoplasms [D00-D48]	57	5.3	50	4.6	71	6.6	61	5.7	60	5.7
19	Certain conditions arising in the perinatal period [P00-P96]	50	4.6	40	3.7	58	5.4	50	4.7	57	5.4
20	Assault (Homicide) [U01-U02, X85-Y09, Y87.1]	32	3.0	29	2.7	29	2.7	43	4.0	33	3.1

*For complete category title, see Tenth Revision, International Classification of Diseases, 1992.

Figure 16


Rhode Island Resident Deaths
Top 10 Causes of Death 2001-2005
2001
2002
2003
2004
2005
0
500
1000
1500
2000
2500
3000
3500
Diseases of Heart
3083
3108
3009
2966
3002
Malignant neoplasms (cancer)
2400
2399
2328
2416
2283
Cerebrovascular diseases
617
604
564
522
534
Chronic lower respiratory diseases
514
520
495
463
521
Unintentional injuries (Accidents)
284
275
390
294
330
Alzheimer's disease
253
265
303
283
297
Diabetes mellitus
264
263
252
280
282
Influenza and pneumonia
294
320
267
257
253
Nephritis, nephrotic syndrome & nephrosis
117
142
149
131
155
Septicemia
136
134
127
84
110

TABLE 8 - SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS
BY CITY OR TOWN--FIVE YEARS TOTALS WITH AVERAGE RATES: 2001-2005

City or Town	2000 Population	Deaths		Infant Deaths		Live Births		Unmarried Mothers		Low Birth Weight Infants*	
		Num.	Avg. Rate (A)	Num.	Avg. Rate (B)	Num.	Avg. Rate (A)	Num.	Ratio (B)	Num.	Ratio (B)
Rhode Island	**1,048,319**	**50,057**	**9.5**	**414**	**6.4**	**64,280**	**12.3**	**23,439**	**364.6**	**5,142**	**80.0**
Barrington	16,819	618	7.3	3	3.7	804	9.6	40	49.8	37	46.0
Bristol	22,469	1,256	11.2	6	5.8	1,034	9.2	239	231.1	57	55.1
Burrillville	15,796	736	9.3	0	0.0	823	10.4	206	250.3	63	76.5
Central Falls	18,928	732	7.7	13	6.5	1,989	21.0	1,243	624.9	138	69.4
Charlestown	7,859	328	8.3	1	2.3 (C)	440	11.2	107	243.2 (C)	28	63.6 (C)
Coventry	33,668	1,690	10.0	11	5.8	1,904	11.3	411	215.9	153	80.4
Cranston	79,269	4,009	10.1	27	6.1	4,411	11.1	1,150	260.7	326	73.9
Cumberland	31,840	1,396	8.8	8	4.2	1,883	11.8	291	154.5	161	85.5
East Greenwich	12,948	570	8.8	3	5.5	550	8.5	60	109.1	42	76.4
East Providence	48,688	3,035	12.5	12	4.7	2,547	10.5	833	327.1	220	86.4
Exeter	6,045	163	5.4	1	3.3 (C)	304	10.1	73	240.1 (C)	14	46.1 (C)
Foster	4,274	164	7.7 (D)	1	4.6 (C)	216	10.1 (D)	42	194.4 (C)	23	106.5 (C)
Glocester	9,948	352	7.1	5	12.0 (C)	418	8.4	75	179.4 (C)	22	52.6 (C)
Hopkinton	7,836	296	7.6	3	6.3 (C)	477	12.2	109	228.5 (C)	41	86.0 (C)
Jamestown	5,622	252	9.0	1	4.6 (C)	218	7.8	25	114.7 (C)	9	41.3 (C)
Johnston	28,195	1,785	12.7	6	4.2	1,440	10.2	348	241.7	114	79.2
Lincoln	20,898	968	9.3	7	7.2	967	9.3	190	196.5	64	66.2
Little Compton	3,593	174	9.7 (D)	1	5.9 (C)	169	9.4 (D)	22	130.2 (C)	20	118.3 (C)
Middletown	17,334	923	10.6	2	1.9	1,040	12.0	195	187.5	65	62.5
Narragansett	16,361	600	7.3	4	6.9	577	7.1	106	183.7	38	65.9
New Shoreham	1,010	39	7.7 (D)	0	0.0 (C)	59	11.7 (D)	16	271.2 (C)	3	50.8 (C)
Newport	26,475	1,118	8.4	8	5.1	1,558	11.8	690	442.9	98	62.9
North Kingstown	26,326	1,040	7.9	10	6.9	1,450	11.0	265	182.8	93	64.1
North Providence	32,411	1,906	11.8	3	1.8	1,653	10.2	453	274.0	125	75.6
North Smithfield	10,618	651	12.3	5	10.0 (C)	498	9.4	72	144.6 (C)	37	74.3 (C)
Pawtucket	72,958	3,358	9.2	41	7.4	5,570	15.3	2,814	505.2	493	88.5
Portsmouth	17,149	695	8.1	5	5.6	898	10.5	125	139.2	63	70.2
Providence	173,618	6,759	7.8	132	8.9	14,867	17.1	8,533	574.0	1,401	94.2
Richmond	7,222	183	5.1	2	4.0	506	14.0	86	170.0	38	75.1
Scituate	10,324	408	7.9	4	8.5 (C)	473	9.2	64	135.3 (C)	28	59.2 (C)
Smithfield	20,613	1,359	13.2	3	4.0	750	7.3	117	156.0	47	62.7
South Kingstown	27,921	994	7.1	4	3.1	1,270	9.1	222	174.8	72	56.7
Tiverton	15,260	722	9.5	4	5.8	689	9.0	136	197.4	47	68.2
Warren	11,360	728	12.8	2	3.5	577	10.2	168	291.2	45	78.0
Warwick	85,808	4,901	11.4	23	5.2	4,416	10.3	1,048	237.3	370	83.8
West Greenwich	5,085	155	6.1	1	3.4 (C)	298	11.7	37	124.2 (C)	14	47.0 (C)
West Warwick	29,581	1,388	9.4	13	6.5	2,004	13.5	752	375.2	151	75.3
Westerly	22,966	1,234	10.7	11	8.2	1,349	11.7	418	309.9	100	74.1
Woonsocket	43,224	2,372	11.0	28	8.8	3,184	14.7	1,658	520.7	282	88.6

(A) Average rate per 1,000 population according to the 2000 census
(B) Average ratio per 1,000 live births 2001-2005
*Low Birth Weight refers to infants who weighed 2500 grams (5 Lb 8 Oz) or less
(C) Rate based on a denominator of less than 500 live births and may be statistically unreliable
(D) Rate based on a denominator of less than 5,000 population and may be statistically unreliable

TABLE 9 - NUMBER OF RHODE ISLAND RESIDENT BIRTHS TO UNMARRIED MOTHERS PER 1,000 LIVE BIRTHS: 1982-2005

Year	Number	Rate per 1000
1982	2,009	160.7
1983	2,220	176.5
1984	2,241	177.2
1985	2,543	195.7
1986	2,640	198.1
1987	3,050	217.2
1988	3,254	229.5
1989	3,685	249.5
1990	3,988	262.5
1991	4,078	276.8
1992	4,287	295.7
1993	4,433	317.2
1994	4,320	320.8
1995	3,966	310.7
1996	4,203	332.3
1997	4,110	330.1
1998	4,259	338.1
1999	4,239	342.9
2000	4,429	354.6
2001	4,560	358.8
2002	4,592	356.1
2003	4,714	357.1
2004	4,753	372.0
2005	4,820	379.6

Figure 17


Rhode Island Resident Births to Unmarried Mothers
6,000
5,000
4,000
3,000
2,000
1,000
-
2,009
2,220
2,241
2,543
2,640
3,050
3,254
3,685
3,988
4,078
4,287
4,433
4,320
3,966
4,203
4,110
4,259
4,239
4,429
4,560
4,592
4,714
4,753
4,820
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
Year

TABLE 10 - RHODE ISLAND RESIDENT BIRTHS TO UNMARRIED MOTHERS
WITH RATIO PER 1,000 TOTAL BIRTHS IN SPECIFIED AGE GROUP

Year		Total	Age of Mothers				
			Under 20	20-24	25-29	30-34	35 and Up
	Number	**4,203**	1,204	1,528	829	411	231
1996	Ratio	**332.3**	914.9	608.0	235.4	117.1	129.2
	Number	**4,110**	1,190	1,480	806	434	200
1997	Ratio	**330.1**	889.4	602.6	235.1	127.0	110.6
	Number*	**4,259**	1,187	1,589	807	429	246
1998	Ratio	**338.1**	894.5	629.6	243.1	124.2	124.6
	Number	**4,239**	1,113	1,525	888	471	242
1999	Ratio	**342.9**	897.6	614.4	270.0	138.5	124.0
	Number	**4,429**	1,174	1,681	862	422	290
2000	Ratio	**354.4**	917.9	647.0	264.8	125.6	144.5
	Number	**4,560**	1,145	1,701	943	476	295
2001	Ratio	**358.8**	910.2	647.0	299.1	134.2	139.0
	Number	**4,592**	1,098	1,765	919	516	294
2002	Ratio	**356.1**	903.0	660.1	286.3	146.1	129.9
	Number	**4,714**	988	1,851	1,012	525	338
2003	Ratio	**357.1**	904.8	674.3	301.6	146.1	139.9
	Number*	**4,753**	1,034	1,754	1,038	520	406
2004	Ratio	**372.0**	912.6	695.8	321.1	148.8	169.4
	Number*	**4,820**	1,038	1,757	1,099	571	355
2005	Ratio	**379.6**	907.3	705.3	335.3	167.2	149.9

* Includes one or more items with age not stated.

Figure 18


Rhode Island Resident Births
to Unmarried Mothers in Specific Age Group
Under 20
20-24
25-29
30-34
35 and Up
Year
2000
1800
1600
1400
1200
1000
800
600
400
200
0
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
1204
1528
829
411
231
1190
1480
806
434
200
1187
1589
807
429
246
1113
1525
888
471
242
1174
1681
862
422
290
1145
1701
943
476
295
1098
1765
919
516
294
988
1851
1012
525
338
1034
1754
1038
520
406
1038
1757
1099
571
355

TABLE 11 - RI RESIDENT LIVE BIRTHS BY AGE AND AGE GROUP OF MOTHER AND LIVE BIRTH ORDER OF CHILD: 2005

Age of Mother	Birth Order									
	Total	First	Second	Third	Forth	Fifth	Sixth	Seventh	Eighth or More	Unknown
All Ages Total*	**12,697**	**5,247**	**4,015**	**1,967**	**735**	**248**	**104**	**39**	**32**	**310**
Under 15 years	**24**	22	0	0	0	0	0	0	0	2
15 Years	**42**	36	2	0	1	0	0	0	0	3
16 Years	**125**	112	6	0	0	0	0	0	0	7
17 Years	**194**	167	15	4	1	0	0	0	0	7
18 Years	**343**	263	54	10	0	0	0	0	0	16
19 Years	**415**	306	82	17	0	0	0	0	0	10
20 Years	**455**	287	113	34	6	0	0	0	0	15
21 Years	**465**	257	132	43	14	4	0	0	0	15
22 Years	**482**	229	152	61	17	6	3	0	0	14
23 Years	**538**	255	154	87	24	5	1	2	0	10
24 Years	**551**	233	153	96	33	13	1	3	0	19
25-29 Years	**3,278**	1,368	1,022	513	200	70	21	8	3	73
30-34 Years	**3,416**	1,089	1,318	578	227	72	34	17	9	72
35-39 Years	**1,920**	509	691	421	165	55	28	6	11	34
40-44 Years	**417**	108	114	95	44	19	14	3	8	12
45+ Years	**31**	5	7	8	3	4	2	0	1	1
Unknown	**1**	1	0	0	0	0	0	0	0	0

*Total may include births of unknown age

Figure 19


2005 Rhode Island Resident Births
by Age And Age Group of Mother
4,000
3,500
3,000
2,500
2,000
1,500
1,000
500
0
24
42
125
194
343
415
455
465
482
538
551
3,278
3,416
1,920
417
31
Under 15
15
16
17
18
19
20
21
22
23
24
25-29
30-34
35-39
40-44
45 & Over
Mother's Age

TABLE 12 - RHODE ISLAND RESIDENT LIVE BIRTHS
BY AGE OF MOTHER AND BIRTH WEIGHT OF CHILD: 2005

Age of Mother	Total** All Live Resident Births	Birth Weight in Grams*										
		Low Birth Weight#										
		Low Birth Weight Total#	1000 or less	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001 and over
All Ages	**12,697**	**1,005**	**102**	**99**	**184**	**620**	**2,075**	**4,795**	**3,594**	**1,049**	**149**	**21**
Under 15 Years	**24**	2	0	0	0	2	5	11	5	1	0	0
15 Years	**42**	2	0	1	1	0	14	16	8	2	0	0
16 Years	**125**	12	4	1	2	5	25	59	23	5	1	0
17 Years	**194**	19	2	1	4	12	55	75	33	9	2	1
18 Years	**343**	40	6	8	3	23	78	126	81	15	2	0
19 Years	**415**	38	3	7	5	23	83	171	100	19	4	0
20 Years	**455**	38	2	4	7	25	101	184	101	30	1	0
21 Years	**465**	31	4	4	3	20	84	191	126	31	2	0
22 Years	**482**	33	3	3	5	22	87	198	130	28	5	0
23 Years	**538**	40	2	2	5	31	94	227	119	52	6	0
24 Years	**551**	47	4	3	11	29	90	208	158	43	2	3
25-29 Years	**3,278**	218	25	19	40	134	485	1,283	968	280	38	3
30-34Years	**3,416**	265	29	21	55	160	507	1,234	1,033	316	54	5
35-39 Years	**1,920**	169	17	20	28	104	306	634	589	186	29	6
40-44 Years	**417**	42	1	2	12	27	56	168	117	28	2	3
45 and Over	**31**	9	0	3	3	3	5	9	3	4	1	0
Unknown	**1**	0	0	0	0	0	0	1	0	0	0	0

* The equivalent of the gram weights in terms of pounds an ounces are as follows:

1000 GR OR LESS - 2 LB 3 OZ OR LESS
1001 - 1500 GR = 2 LB 4 OZ - 3 LB 4 OZ
1501 - 2000 GR = 3 LB 5 OZ - 4 LB 6 OZ
2001 - 2500 GR = 4 LB 7 OZ - 5 LB 8 OZ
2501 - 3000 GR = 5 LB 9 OZ - 6 LB 9 OZ
3001 - 3500 GR = 6 LB 10 OZ - 7 LB 11 OZ
3501 - 4000 GR = 7 LB 12 OZ - 8 LB 13 OZ
4001 - 4500 GR = 8 LB 14 OZ - 9 LB 14 OZ
4501 - 5000 GR = 9 LB 15 OZ - 11 LB 0 OZ
5001 GR OR More = 11 LB 1 OZ OR More

** Total may include births of unknown weight

Low birth weight refers to infants who weighed 2500 grams (5 Lb 8 Oz) or less

Figure 20


2005 Rhode Island Resident Births
by Birth Weight of Child
6,000
5,000
4,000
3,000
2,000
1,000
0
102
99
184
620
2,075
4,795
3,594
1,049
149
21
9
1000 or less
1001-1500
1501-2000
2001-2500
2501-3000
3001-3500
3501-4000
4000-4500
4501-5000
5001 and over
Unknown
Birth Weight (in grams)

TABLE 13 - RHODE ISLAND RESIDENT PLURAL LIVE BIRTHS
BY AGE OF MOTHER AND BIRTH WEIGHT OF CHILD: 2005

Age of Mother	Total** Plural Births	Birth Weight in Grams*								
		Low Birth Weight #								
		Total with Low Birth Weight	1000 or less	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	Unknown
All Ages	**515**	**288**	**23**	**30**	**67**	**168**	**167**	**53**	**7**	**0**
Under 18 Years	**2**	0	0	0	0	0	2	0	0	0
18 Years	**6**	4	1	1	2	0	2	0	0	0
19 Years	**6**	6	0	2	2	2	0	0	0	0
20 Years	**10**	4	0	0	0	4	6	0	0	0
21 Years	**10**	3	0	0	0	3	6	1	0	0
22 Years	**12**	6	0	0	2	4	2	4	0	0
23 Years	**14**	10	0	0	1	9	2	2	0	0
24 Years	**11**	7	0	0	3	4	2	2	0	0
25-29 Years	**109**	53	4	2	13	34	40	14	2	0
30-34 Years	**197**	108	11	11	27	59	66	18	5	0
35-39 Years	**106**	69	7	11	11	40	29	8	0	0
40-44 Years	**22**	9	0	0	3	6	9	4	0	0
45 and Over	**6**	6	0	2	1	3	0	0	0	0

* See table 12 for equivalent weight in pounds and ounces

** Total may include births of unknown weight

Low birth weight refers to infants who weighed 2500 grams (5 Lb 8 Oz) or less

TABLE 14 - RHODE ISLAND RESIDENT BIRTHS BY CITY OR TOWN, RACE OF MOTHER AND SELECTED CHARACTERISTICS: 2005

City or Town	All Races				White			Non White		
	Total Births	Born in Hospital	Unmarried Mother	Low Birth Weight	**Total Births**	Born in Hospital	Low Birth Weight	**Total Births**	Born in Hospital	Low Birth Weight
Rhode Island	**12,697**	**12,647**	**4,820**	**1,004**	**8,419**	**8,383**	**578**	**4,274**	**4,264**	**406**
Barrington	**155**	155	12	9	**145**	145	9	**10**	10	0
Bristol	**208**	208	54	11	**199**	199	11	**9**	9	0
Burrillville	**147**	146	30	9	**143**	142	8	**4**	4	1
Central Falls	**417**	415	268	28	**89**	89	3	**328**	326	23
Charlestown	**79**	78	20	5	**72**	71	2	**7**	7	2
Coventry	**362**	361	81	24	**343**	342	20	**19**	19	4
Cranston	**877**	873	233	55	**660**	657	39	**217**	216	15
Cumberland	**384**	382	73	33	**342**	341	28	**41**	41	4
East Greenwich	**102**	102	4	7	**87**	87	6	**15**	15	1
East Providence	**498**	498	163	48	**390**	390	28	**108**	108	20
Exeter	**57**	57	15	1	**55**	55	1	**2**	2	0
Foster	**41**	41	9	2	**39**	39	2	**2**	2	0
Glocester	**94**	93	23	6	**92**	92	6	**2**	1	0
Hopkinton	**92**	92	23	8	**89**	89	8	**3**	3	0
Jamestown	**40**	38	5	1	**40**	38	1	**0**	0	0
Johnston	**277**	274	76	15	**237**	235	13	**40**	39	2
Lincoln	**173**	173	32	4	**153**	153	4	**20**	20	0
Little Compton	**28**	28	6	1	**28**	28	1	**0**	0	0
Middletown	**197**	196	37	8	**165**	164	7	**32**	32	1
Narragansett	**109**	109	17	9	**106**	106	8	**3**	3	1
New Shoreham	**13**	12	5	1	**12**	11	0	**1**	1	1
Newport	**295**	295	121	18	**215**	215	14	**80**	80	4
North Kingstown	**275**	275	67	13	**259**	259	12	**16**	16	0
North Providence	**318**	318	105	27	**251**	251	19	**67**	67	8
North Smithfield	**88**	88	16	9	**80**	80	7	**8**	8	2
Pawtucket	**1,121**	1,120	579	91	**542**	541	42	**579**	579	47
Portsmouth	**180**	180	31	14	**167**	167	14	**13**	13	0
Providence	**2,975**	2,961	1,750	302	**756**	748	63	**2,218**	2,213	232
Richmond	**89**	88	17	7	**81**	81	6	**7**	7	1
Scituate	**94**	94	13	4	**90**	90	4	**4**	4	0
Smithfield	**150**	148	20	6	**145**	143	6	**5**	5	0
South Kingstown	**252**	252	43	20	**219**	219	14	**33**	33	6
Tiverton	**138**	138	29	9	**135**	135	9	**3**	3	0
Warren	**126**	125	42	6	**119**	118	6	**7**	7	0
Warwick	**918**	914	221	68	**818**	814	61	**100**	100	7
West Greenwich	**51**	51	3	3	**50**	50	3	**1**	1	0
West Warwick	**395**	393	170	31	**350**	349	27	**44**	44	2
Westerly	**264**	260	94	26	**250**	246	24	**14**	14	1
Woonsocket	**618**	616	313	65	**406**	404	42	**212**	212	21

TABLE 15 - RHODE ISLAND RESIDENT LIVE BIRTHS BY CITY OR TOWN BY MONTH: 2005

City or Town	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Rhode Island	**12,697**	**947**	**947**	**1,017**	**1,084**	**1,138**	**1,116**	**1,162**	**1,126**	**1,073**	**1,053**	**1,051**	**983**
Barrington	**155**	10	11	15	19	14	10	9	18	7	21	11	10
Bristol	**208**	15	17	24	18	20	20	13	11	18	20	21	11
Burrillville	**147**	15	10	10	11	10	19	17	12	9	11	14	9
Central Falls	**417**	32	30	30	32	37	47	51	34	38	34	20	32
Charlestown	**79**	4	2	8	4	6	7	8	11	7	5	7	10
Coventry	**362**	27	27	39	33	32	31	29	34	29	35	24	22
Cranston	**877**	58	70	62	70	79	82	71	88	80	77	81	59
Cumberland	**384**	33	26	25	40	36	36	29	43	34	28	31	23
East Greenwich	**102**	7	5	8	7	13	5	14	8	8	6	13	8
East Providence	**498**	50	33	39	44	41	40	38	48	36	45	38	46
Exeter	**57**	3	2	5	6	7	3	7	6	5	6	5	2
Foster	**41**	3	3	2	1	5	5	8	5	4	3	1	1
Glocester	**94**	13	8	3	7	10	9	7	9	7	6	11	4
Hopkinton	**92**	5	10	7	6	12	7	5	6	11	8	9	6
Jamestown	**40**	3	1	6	1	8	5	5	1	3	2	4	1
Johnston	**277**	18	28	27	19	23	22	30	19	20	27	20	24
Lincoln	**173**	9	13	18	14	18	10	13	15	16	18	12	17
Little Compton	**28**	8	3	1	1	1	0	0	4	4	3	2	1
Middletown	**197**	12	17	19	22	15	11	21	11	16	19	19	15
Narragansett	**109**	6	12	11	6	13	14	6	10	7	11	4	9
New Shoreham	**13**	0	0	3	1	0	3	3	1	0	0	0	2
Newport	**295**	24	22	21	24	39	20	29	20	16	26	29	25
North Kingstown	**275**	18	22	23	20	25	33	19	24	31	18	23	19
North Providence	**318**	27	34	26	28	24	33	24	22	28	25	31	16
North Smithfield	**88**	4	8	4	11	5	6	8	12	8	6	11	5
Pawtucket	**1,121**	79	86	83	78	103	84	117	90	94	98	108	101
Portsmouth	**180**	21	10	10	21	19	19	16	7	13	17	17	10
Providence	**2,975**	211	211	236	262	227	273	256	287	258	251	247	256
Richmond	**89**	5	7	6	13	9	9	12	7	6	6	6	3
Scituate	**94**	12	9	7	14	11	8	10	5	4	3	7	4
Smithfield	**150**	6	10	11	8	16	12	21	22	15	8	14	7
South Kingstown	**252**	20	18	21	25	27	15	23	21	19	22	15	26
Tiverton	**138**	19	10	12	7	15	7	13	17	8	10	11	9
Warren	**126**	8	5	9	12	14	11	9	6	19	6	18	9
Warwick	**918**	59	82	71	78	86	87	82	75	87	69	73	69
West Greenwich	**51**	2	4	6	3	5	3	5	4	6	2	8	3
West Warwick	**395**	29	25	38	41	41	30	42	36	25	24	26	38
Westerly	**264**	16	16	23	29	22	24	34	18	20	22	14	26
Woonsocket	**618**	56	40	48	48	50	56	58	59	57	55	46	45

Figure 21


2005 Rhode Island Resident Births
By Month
Number
1,400
1,200
1,000
800
600
400
200
0
947
947
1,017
1,084
1,138
1,116
1,162
1,126
1,073
1,053
1,051
983
Jan
Feb
Mar
Apr
May
Jun
Jul
Aug
Sep
Oct
Nov
Dec
Month

TABLE 16 - RI RESIDENT BIRTHS BY SELECTED NATALITY DATA BY CITY OR TOWN: 2005

City or Town	Total Births	Low Birth Weight	With Mal-formations	PRENATAL CARE BEGAN				
				1st to 3rd Month	4th to 6th Month	7th to 9th Month	No Care	Not Stated
Rhode Island	**12,697**	**1,004**	**408**	**10,530**	**1,024**	**143**	**38**	**962**
Barrington	155	9	4	141	3	0	0	11
Bristol	208	11	3	185	14	1	0	8
Burrillville	147	9	7	132	11	1	1	2
Central Falls	417	28	13	308	29	7	1	72
Charlestown	79	5	2	72	6	1	0	0
Coventry	362	24	9	329	23	1	0	9
Cranston	877	55	27	761	48	8	2	58
Cumberland	384	33	13	356	17	1	1	9
East Greenwich	102	7	2	91	7	0	0	4
East Providence	498	48	13	430	25	2	2	39
Exeter	57	1	0	52	4	0	0	1
Foster	41	2	1	34	4	1	0	2
Glocester	94	6	3	85	5	0	0	4
Hopkinton	92	8	2	78	8	2	0	4
Jamestown	40	1	2	34	4	0	0	2
Johnston	277	15	10	238	16	3	0	20
Lincoln	173	4	3	158	7	0	1	7
Little Compton	28	1	0	25	0	1	0	2
Middletown	197	8	9	174	19	1	1	2
Narragansett	109	9	4	95	9	0	0	5
New Shoreham	13	1	2	11	0	0	1	1
Newport	295	18	20	251	38	2	1	3
North Kingstown	275	13	19	245	19	3	0	8
North Providence	318	27	9	273	18	2	2	23
North Smithfield	88	9	1	85	1	0	0	2
Pawtucket	1,121	91	36	860	109	13	3	136
Portsmouth	180	14	12	159	17	1	0	3
Providence	2,975	302	76	2,151	313	53	9	449
Richmond	89	7	3	82	5	0	1	1
Scituate	94	4	3	87	4	0	1	2
Smithfield	150	6	5	136	6	3	1	4
South Kingstown	252	20	10	233	11	1	0	7
Tiverton	138	9	2	122	12	3	0	1
Warren	126	6	6	110	11	1	0	4
Warwick	918	68	35	821	67	5	2	23
West Greenwich	51	3	2	49	2	0	0	0
West Warwick	395	31	11	336	39	7	2	11
Westerly	264	26	5	225	31	2	3	3
Woonsocket	618	65	24	516	62	17	3	20

TABLE 16A - RI RESIDENT BIRTHS TO UNMARRIED MOTHERS, UNDER AGE 20 BY CITY OR TOWN: 2005

City or Town	Total Births	Total Under Age 20	Unmarried Mothers Total	Unmarried Mothers Under Age 20
Rhode Island	**12,697**	**1,144**	**4,820**	**1,038**
Barrington	155	1	12	1
Bristol	208	10	54	10
Burrillville	147	4	30	4
Central Falls	417	60	268	53
Charlestown	79	3	20	3
Coventry	362	19	81	17
Cranston	877	46	233	44
Cumberland	384	17	73	15
East Greenwich	102	1	4	1
East Providence	498	22	163	21
Exeter	57	1	15	0
Foster	41	5	9	5
Glocester	94	5	23	5
Hopkinton	92	5	23	5
Jamestown	40	0	5	0
Johnston	277	13	76	11
Lincoln	173	7	32	6
Little Compton	28	1	6	1
Middletown	197	10	37	9
Narragansett	109	4	17	3
New Shoreham	13	0	5	0
Newport	295	25	121	22
North Kingstown	275	11	67	11
North Providence	318	20	105	19
North Smithfield	88	4	16	4
Pawtucket	1,121	129	579	114
Portsmouth	180	4	31	2
Providence	2,975	458	1,750	410

TABLE 16A (CONT) - RI RESIDENT BIRTHS TO UNMARRIED MOTHERS, UNDER AGE 20 BY CITY OR TOWN: 2005

City or Town	Total		Unmarried Mothers	
	Births	Under Age 20	Total	Under Age 20
Richmond	89	4	17	4
Scituate	94	1	13	1
Smithfield	150	7	20	7
South Kingstown	252	9	43	9
Tiverton	138	7	29	3
Warren	126	9	42	9
Warwick	918	65	221	63
West Greenwich	51	3	3	2
West Warwick	395	32	170	29
Westerly	264	33	94	30
Woonsocket	618	89	313	85

* Less than 5

TABLE 17 - OCCURRENCE OF FETAL DEATHS IN RHODE ISLAND
BY RACE OF MOTHER, WEEKS OF UTEROGESTATION AND MODE OF DELIVERY: 2005

		Race			Weeks of Uterogestation			
Mode of Delivery	Total	White	Non-white	Unknown	Under 20	20 - 27	28 and over	Unknown
TOTAL	**6,135**	**3,861**	**1,229**	**1,045**	**5,982**	**63**	**43**	**47**
Spontaneous	**1,044**	548	105	391	951	41	43	9
Induced	**5,091**	3,313	1,124	654	5031	22	0	38

TABLE 17A - RHODE ISLAND OCCURANCE FETAL DEATHS
BY MONTH OF DELIVERY BY WEEKS OF UTEROGESTATION: 2005

Month	Total	Weeks of Uterogestation			
		Under 20	20 - 27	28 and over	Unknown
Total	**6,135**	**5,982**	**63**	**43**	**47**
January	584	566	4	7	7
February	554	544	2	5	3
March	573	560	5	2	6
April	533	517	10	3	3
May	469	462	3	1	3
June	529	507	10	3	9
July	533	513	9	5	6
August	476	466	1	1	8
September	507	500	2	5	0
October	444	436	6	2	0
November	451	442	6	2	1
December	482	469	5	7	1

TABLE 18 - RHODE ISLAND RESIDENT FETAL DEATHS
BY CITY OR TOWN OF MOTHER'S RESIDENCE AND MODE OF DELIVERY: 2005

City or Town	All Fetal Deaths	Spontaneous	Induced
Rhode Island	**4,844**	**926**	**3,918**
Bristol County	**124**	**30**	**94**
Barrington	**41**	13	28
Bristol	**49**	13	36
Warren	**34**	4	30
Kent County	**592**	**123**	**469**
Coventry	**102**	20	82
East Greenwich	**38**	13	25
Warwick	**281**	58	223
West Greenwich	**18**	4	14
West Warwick	**153**	28	125
Newport County	**307**	**72**	**235**
Jamestown	**9**	3	6
Little Compton	**6**	0	6
Middletown	**56**	14	42
Newport	**161**	26	135
Portsmouth	**45**	19	26
Tiverton	**30**	10	20
Providence County	**3,464**	**619**	**2,845**
Burrillville	**48**	16	32
Central Falls	**153**	21	132
Cranston	**379**	59	320
Cumberland	**89**	29	60
East Providence	**213**	30	183
Foster	**13**	4	9
Glocester	**24**	7	17
Johnston	**100**	33	67
Lincoln	**75**	20	55
North Providence	**118**	25	93
North Smithfield	**25**	11	14
Pawtucket	**478**	70	408
Providence	**1,453**	220	1,233
Scituate	**14**	5	9
Smithfield	**52**	10	42
Woonsocket	**230**	59	171
Washington County	**357**	**82**	**275**
Charlestown	**27**	6	21
Exeter	**21**	3	18
Hopkinton	**18**	1	17
Narragansett	**44**	6	38
New Shoreham	**6**	3	3
North Kingstown	**77**	18	59
Richmond	**25**	8	17
South Kingstown	**87**	17	70
Westerly	**52**	20	32

TABLE 19 - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION OCCURRING IN RHODE ISLAND BY WEIGHT OF FETUS AND AGE OF MOTHER: 2005

Fetal Weight in Grams	Total	Percent of Total Spontaneous Fetal Deaths	Age of Mother					
			Under 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44
Total (all weight)	**84**	**100.0**	**9**	**18**	**14**	**21**	**13**	**9**
1,000 OR LESS	**41**	48.8	6	8	5	11	6	5
1,001 - 1,500	**5**	6.0	0	1	1	2	1	0
1,501 - 2,000	**3**	3.6	0	2	0	0	1	0
2,001 - 2,500	**8**	9.5	0	2	1	2	2	1
Total Low Birth Weight(<2500g)	**57**	**67.9**	**6**	**13**	**7**	**15**	**10**	**6**
2,501 - 3,000	**6**	7.1	2	1	1	1	1	0
3,001 - 3,500	**7**	8.3	0	2	2	1	0	2
3,501 - 4,000	**1**	1.2	0	0	1	0	0	0
5,001 AND OVER	**1**	1.2	0	0	0	1	0	0
UNKNOWN	**12**	14.3	1	2	3	3	2	1

TABLE 19A - SPONTANEOUS FETAL DEATHS OF 20 WEEK OR MORE UTEROGESTATION
FOR RHODE ISLAND RESIDENT BY WEIGHT OF FETUS AND AGE OF MOTHER: 2005

Fetal Weight in Grams	Total	Percent	Age of Mother							
			Under 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 and over	Unknown
Total (all weight)	**77**	**100.0**	**9**	**15**	**14**	**20**	**12**	**7**	**0**	**0**
1,000 or Less	**35**	45.5	6	5	5	10	5	4	0	0
1,001 - 1,500	**5**	6.5	0	1	1	2	1	0	0	0
1,501 - 2,000	**3**	3.9	0	2	0	0	1	0	0	0
2,001 - 2,500	**8**	10.4	0	2	1	2	2	1	0	0
Total Low Birth Weight(<2500g)	**51**	**66.2**	**6**	**10**	**7**	**14**	**9**	**5**	**0**	**0**
2,501 - 3,000	**6**	7.8	2	1	1	1	1	0	0	0
3,001 - 3,500	**7**	9.1	0	2	2	1	0	2	0	0
3,501 - 4,000	**1**	1.3	0	0	1	0	0	0	0	0
5,001 AND OVER	**1**	1.3	0	0	0	1	0	0	0	0
UNKNOWN	**11**	14.3	1	2	3	3	2	0	0	0

TABLE 20 - ALL FETAL DEATHS OCCURRING IN RHODE ISLAND
BY CAUSE OF DEATH (ICD-10): 2005

	Number	Percent
All Causes	**6,135**	**100.0**
Specific		
Congenital Abnormalies (Q00-Q99)	5	0.1
Certain conditions originating in the perinatal period (P00-P96)	6,130	99.9
Maternal complications of pregnancy (P01)	874	14.2
Complications of placenta, cord & membranes (P02)	45	0.7
Short gestation & low birth weight not elsewhere classified (P07)	6	0.1
Intrauterine hypoxia & birth asphyxia (P20)		0.0
Infections specific to the perinatal period (P35-P39)	3	0.0
Transitionary disorders of carbohydrate metabolism (P70)		0.0
Other conditions arising in the perinatal period (P80-P96)	5,202	84.8
Other conditions of integument (skin) (P83)	2	0.0
Reactions and intoxications due to administered drugs (P93)	1	
Unspecified cause (P95)	103	1.7
Termination of pregnancy (P96.4)	5,091	83.0
Other	5	0.1

TABLE 21 - RHODE ISLAND RESIDENT DEATHS FROM 113 SELECTED CAUSES
BY RACE, AGE AND SEX: 2005

	All Ages	Age in Years																
		< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
All Causes: Totals	**10,007**	**82**	**15**	**9**	**13**	**30**	**48**	**83**	**266**	**575**	**419**	**495**	**553**	**837**	**1,253**	**1,706**	**1,749**	**1,874**
White Males	4,346	31	11	5	4	17	35	46	148	324	248	261	286	428	591	784	672	455
White Females	5,191	31	3	3	5	7	8	23	89	190	142	199	228	359	608	875	1,037	1,384
Non-White Males	253	10	1	1	2	4	4	11	14	38	23	21	20	22	31	23	15	13
Non-White Females	199	9	0	0	2	1	1	3	12	23	5	13	16	26	22	22	23	21
Unknown Males	7	0	0	0	0	1	0	0	3	0	0	0	1	1	1	0	0	0
Unknown Females	11	1	0	0	0	0	0	0	0	0	1	1	2	1	0	2	2	1
Certain other intestinal infections [A04, A07-A09]																		
Total	**50**	0	0	0	0	0	0	0	0	0	0	0	1	4	11	10	11	13
White Males	**17**	0	0	0	0	0	0	0	0	0	0	0	1	2	3	6	3	2
White Females	**33**	0	0	0	0	0	0	0	0	0	0	0	0	2	8	4	8	11
Tuberculosis [A16-A19]																		
Total	**1**	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
White Males	**1**	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Septicemia [A40-A41]																		
Total	**110**	2	0	0	0	0	0	0	1	3	1	5	11	8	18	26	20	15
White Males	**39**	1	0	0	0	0	0	0	1	2	1	2	3	5	7	6	9	2
White Females	**63**	1	0	0	0	0	0	0	0	1	0	3	7	2	9	18	10	12
Non-White Males	**3**	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1
Non-White Females	**3**	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0
Unknown Females	**2**	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
Acute poliomyelitis [A80]																		
Total	**1**	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
White Females	**1**	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Viral hepatitis [B15-B19]																		
Total	**20**	0	0	0	0	0	0	0	3	9	7	1	0	0	0	0	0	0
White Males	**12**	0	0	0	0	0	0	0	3	5	3	1	0	0	0	0	0	0
White Females	**5**	0	0	0	0	0	0	0	0	2	3	0	0	0	0	0	0	0
Non-White Males	**2**	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
Non-White Females	**1**	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Human immunodeficiency virus (HIV) Disease [B20-B24]																		
Total	**23**	0	0	0	0	0	0	1	8	9	4	1	0	0	0	0	0	0
White Males	**13**	0	0	0	0	0	0	1	5	4	2	1	0	0	0	0	0	0
White Females	**4**	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0
Non-White Males	**3**	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0
Non-White Females	**3**	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0
Other & unspecified infectious and parasitic diseases & their sequelae [A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.8, A86-B04, B06-B09, B25-B49, B55-B99]																		
Total	**24**	1	0	1	0	0	0	0	1	3	2	3	4	3	0	4	1	1
White Males	**15**	1	0	0	0	0	0	0	1	3	2	2	2	1	0	1	1	1
White Females	**7**	0	0	1	0	0	0	0	0	0	0	1	1	1	0	3	0	0
Non-White Males	**1**	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Non-White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0

TABLE 21 - RHODE ISLAND RESIDENT DEATHS FROM 113 SELECTED CAUSES
BY RACE, AGE AND SEX: 2005

	All Ages	Age in Years																
		< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Malignant neoplasms (Cancer) [C00-C97]																		
Total	**2,283**	0	2	1	4	2	3	7	54	158	145	193	229	292	376	390	272	155
White Males	**1,103**	0	1	0	1	2	2	1	26	79	72	86	112	147	186	208	126	54
White Females	**1,074**	0	1	1	2	0	1	5	23	65	65	94	100	131	179	172	139	96
Non-White Males	**55**	0	0	0	1	0	0	0	2	5	5	6	7	10	8	6	4	1
Non-White Females	**46**	0	0	0	0	0	0	1	2	9	3	6	9	4	3	3	2	4
Unknown Males	**2**	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
Unknown Females	**3**	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0
Malignant neoplasms (Cancer) of lip, oral cavity & pharynx [C00-C14]																		
Total	**25**	0	0	0	0	0	0	1	0	4	5	4	3	1	3	4	0	0
White Males	**15**	0	0	0	0	0	0	0	0	2	3	2	3	1	1	3	0	0
White Females	**9**	0	0	0	0	0	0	1	0	1	2	2	0	0	2	1	0	0
Non-White Females	**1**	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Malignant neoplasms (Cancer) of esophagus [C15]																		
Total	**66**	0	0	0	0	0	0	0	3	5	8	7	14	6	6	8	5	4
White Males	**48**	0	0	0	0	0	0	0	3	4	7	5	10	5	4	5	3	2
White Females	**16**	0	0	0	0	0	0	0	0	0	1	2	3	1	2	3	2	2
Non-White Males	**1**	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Non-White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Malignant neoplasms (Cancer) of stomach [C16]																		
Total	**59**	0	0	0	0	0	0	0	0	6	5	4	3	8	11	11	5	6
White Males	**39**	0	0	0	0	0	0	0	0	6	4	3	3	3	9	6	3	2
White Females	**18**	0	0	0	0	0	0	0	0	0	1	1	0	4	2	4	2	4
Non-White Males	**2**	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
Malignant neoplasms (Cancer) of colon, rectum & anus [C18-C21]																		
Total	**221**	0	0	0	0	0	0	0	3	15	13	14	15	20	35	40	35	31
White Males	**104**	0	0	0	0	0	0	0	1	9	6	5	7	13	20	22	15	6
White Females	**105**	0	0	0	0	0	0	0	1	3	7	5	7	7	15	17	19	24
Non-White Males	**4**	0	0	0	0	0	0	0	0	0	0	2	1	0	0	1	0	0
Non-White Females	**7**	0	0	0	0	0	0	0	1	3	0	1	0	0	0	0	1	1
Unknown Females	**1**	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Malignant neoplasms (Cancer) of liver & intrahepatic bile ducts [C22]																		
Total	**44**	0	0	0	0	0	0	0	1	4	4	4	4	5	8	4	7	3
White Males	**28**	0	0	0	0	0	0	0	1	3	2	4	4	3	3	3	3	2
White Females	**12**	0	0	0	0	0	0	0	0	0	1	0	0	1	5	1	3	1
Non-White Males	**3**	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	0
Non-White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Malignant neoplasms (Cancer) of pancreas [C25]																		
Total	**110**	0	0	0	0	0	0	0	2	7	9	5	10	19	21	24	9	4
White Males	**53**	0	0	0	0	0	0	0	2	3	6	0	3	9	10	14	4	2
White Females	**53**	0	0	0	0	0	0	0	0	4	2	5	6	9	11	9	5	2
Non-White Males	**4**	0	0	0	0	0	0	0	0	0	1	0	1	1	0	1	0	0
Malignant neoplasms (Cancer) of larynx [C32]																		
Total	**13**	0	0	0	0	0	0	0	0	0	0	3	3	1	2	3	1	0
White Males	**9**	0	0	0	0	0	0	0	0	0	0	2	2	1	1	2	1	0
White Females	**3**	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0
Non-White Females	**1**	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0

TABLE 21 - RHODE ISLAND RESIDENT DEATHS FROM 113 SELECTED CAUSES
BY RACE, AGE AND SEX: 2005

	All Ages	Age in Years																
		< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Malignant neoplasms (Cancer) of trachea, bronchus & lung [C33-C34]																		
Total	**610**	0	0	0	0	0	0	1	10	41	37	58	74	94	125	93	66	11
White Males	**295**	0	0	0	0	0	0	0	5	21	18	29	35	49	56	48	30	4
White Females	**284**	0	0	0	0	0	0	1	4	19	18	26	31	40	61	42	35	7
Non-White Males	**14**	0	0	0	0	0	0	0	0	0	1	1	1	4	6	0	1	0
Non-White Females	**14**	0	0	0	0	0	0	0	0	1	0	2	6	1	2	2	0	0
Unknown Males	**2**	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
Unknown Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Malignant neoplasms (Cancer) of skin [C43]																		
Total	**39**	0	0	0	0	0	0	0	2	4	2	4	2	4	8	8	3	2
White Males	**24**	0	0	0	0	0	0	0	1	2	0	1	1	3	6	7	2	1
White Females	**15**	0	0	0	0	0	0	0	1	2	2	3	1	1	2	1	1	1
Malignant neoplasms (Cancer) of breast [C50]																		
Total	**174**	0	0	0	0	0	0	1	11	14	15	17	15	19	24	22	17	19
White Males	**2**	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
White Females	**169**	0	0	0	0	0	0	0	11	13	15	16	14	19	24	22	16	19
Non-White Females	**3**	0	0	0	0	0	0	1	0	1	0	1	0	0	0	0	0	0
Malignant neoplasms (Cancer) of cervix uteri [C53]																		
Total	**11**	0	0	0	0	0	0	0	0	2	1	1	3	1	1	2	0	0
White Females	**9**	0	0	0	0	0	0	0	0	2	0	1	3	0	1	2	0	0
Non-White Females	**2**	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
Malignant neoplasms (Cancer) of corpus uteri & uterus, part unspecified [C54-C55]																		
Total	**27**	0	0	0	0	0	0	0	1	4	1	5	0	4	3	5	1	3
White Females	**26**	0	0	0	0	0	0	0	1	4	1	5	0	4	2	5	1	3
Non-White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Malignant neoplasms (Cancer) of ovary [C56]																		
Total	**63**	0	0	0	0	0	0	0	0	6	7	7	9	8	10	8	5	3
White Females	**61**	0	0	0	0	0	0	0	0	6	6	7	9	7	10	8	5	3
Non-White Females	**2**	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
Malignant neoplasms (Cancer) of prostate [C61]																		
Total	**130**	0	0	0	0	0	0	0	0	2	2	3	6	18	27	33	18	21
White Males	**119**	0	0	0	0	0	0	0	0	1	1	3	5	16	26	31	16	20
Non-White Males	**11**	0	0	0	0	0	0	0	0	1	1	0	1	2	1	2	2	1
Malignant neoplasms (Cancer) of kidney & renal pelvis [C64-C65]																		
Total	**48**	0	0	0	0	0	0	0	2	2	2	5	6	8	5	11	7	0
White Males	**25**	0	0	0	0	0	0	0	0	2	2	2	4	5	1	6	3	0
White Females	**20**	0	0	0	0	0	0	0	2	0	0	1	1	3	4	5	4	0
Non-White Males	**2**	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0
Non-White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Malignant neoplasms (Cancer) of bladder [C67]																		
Total	**70**	0	0	0	0	0	0	0	2	3	1	4	8	7	8	16	12	9
White Males	**50**	0	0	0	0	0	0	0	2	3	1	3	4	5	6	13	8	5
White Females	**19**	0	0	0	0	0	0	0	0	0	0	1	3	2	2	3	4	4
Non-White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0

TABLE 21 - RHODE ISLAND RESIDENT DEATHS FROM 113 SELECTED CAUSES
BY RACE, AGE AND SEX: 2005

	All Ages	Age in Years																
		< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Malignant neoplasms (Cancer) of meninges, brain & other parts of central nervous system [C70-C72]																		
Total	**64**	0	2	0	1	0	1	1	3	6	5	8	7	6	10	11	2	1
White Males	**36**	0	1	0	0	0	0	0	2	4	4	4	5	4	5	5	1	1
White Females	**28**	0	1	0	1	0	1	1	1	2	1	4	2	2	5	6	1	0
Malignant neoplasms (Cancer) of lymphoid, hematopoletic and related tissue [C81-C96]																		
Total	**223**	0	0	0	3	1	2	1	5	13	11	18	21	33	29	34	31	21
White Males	**105**	0	0	0	1	1	2	0	4	7	7	9	12	12	16	17	13	4
White Females	**109**	0	0	0	1	0	0	1	1	4	3	8	7	20	13	17	17	17
Non-White Males	**9**	0	0	0	1	0	0	0	0	2	1	1	2	1	0	0	1	0
Hodgkin's disease [C81]																		
Total	**3**	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0
White Males	**2**	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0
White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Non-Hodgkin's lymphoma [C82-C85]																		
Total	**83**	0	0	0	0	0	0	1	1	5	3	8	6	15	12	14	10	8
White Males	**41**	0	0	0	0	0	0	0	1	2	2	3	4	7	8	9	4	1
White Females	**40**	0	0	0	0	0	0	1	0	1	1	5	2	8	4	5	6	7
Non-White Males	**2**	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
Multiple myeloma & immunoproliferative neoplasms (Cancer) [C88-C90]																		
Total	**43**	0	0	0	0	0	0	0	0	1	2	4	3	8	10	5	7	3
White Males	**18**	0	0	0	0	0	0	0	0	0	2	1	1	3	5	2	3	1
White Females	**24**	0	0	0	0	0	0	0	0	1	0	3	1	5	5	3	4	2
Non-White Males	**1**	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Leukemia [C91-C95]																		
Total	**93**	0	0	0	3	1	2	0	4	7	6	5	12	10	7	14	13	9
White Males	**43**	0	0	0	1	1	2	0	3	5	3	4	7	2	3	5	6	1
White Females	**44**	0	0	0	1	0	0	0	1	2	2	0	4	7	4	9	6	8
Non-White Males	**6**	0	0	0	1	0	0	0	0	0	1	1	1	1	0	0	1	0
All other & unspecified malignant neoplasms (Cancer) [C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97]																		
Total	**286**	0	0	1	0	1	0	2	9	20	17	22	26	30	40	53	48	17
White Males	**151**	0	0	0	0	1	0	1	5	12	11	14	13	18	22	26	23	5
White Females	**118**	0	0	1	0	0	0	1	1	5	5	7	12	11	17	25	24	9
Non-White Males	**5**	0	0	0	0	0	0	0	2	0	0	0	1	0	1	1	0	0
Non-White Females	**11**	0	0	0	0	0	0	0	1	3	1	1	0	1	0	1	0	3
Unknown Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Benign neoplasms & neoplasms of uncertain or unknown behavior [D00-D48]																		
Total	**57**	0	1	1	0	0	0	1	3	3	0	1	4	5	9	8	14	7
White Males	**27**	0	1	1	0	0	0	0	3	1	0	1	4	2	5	2	4	3
White Females	**28**	0	0	0	0	0	0	1	0	2	0	0	0	3	3	6	10	3
Non-White Males	**2**	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
Anemias [D50-D64]																		
Total	**21**	0	0	0	0	1	0	0	0	1	0	1	2	1	0	6	6	3
White Males	**4**	0	0	0	0	0	0	0	0	1	0	0	1	0	0	2	0	0
White Females	**17**	0	0	0	0	1	0	0	0	0	0	1	1	1	0	4	6	3

TABLE 21 - RHODE ISLAND RESIDENT DEATHS FROM 113 SELECTED CAUSES
BY RACE, AGE AND SEX: 2005

	All Ages	Age in Years																
		< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Diabetes mellitus [E10-E14]																		
Total	**282**	0	0	0	0	0	1	0	6	18	15	23	11	33	43	60	42	30
White Males	**125**	0	0	0	0	0	1	0	3	6	10	14	8	15	17	25	17	9
White Females	**126**	0	0	0	0	0	0	0	1	7	3	6	2	13	23	30	22	19
Non-White Males	**16**	0	0	0	0	0	0	0	1	5	2	2	0	1	1	2	1	1
Non-White Females	**15**	0	0	0	0	0	0	0	1	0	0	1	1	4	2	3	2	1
Nutritional deficiencies [E40-E64]																		
Total	**5**	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	2	0
White Males	**3**	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0
White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Non-White Males	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Malnutrition [E40-E46]																		
Total	**5**	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	2	0
White Males	**3**	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0
White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Non-White Males	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Meningitis [G00, G03]																		
Total	**3**	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	0
White Males	**2**	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Parkinson's disease [G20-G21]																		
Total	**62**	0	0	0	0	0	0	0	0	0	0	1	2	2	8	26	15	8
White Males	**38**	0	0	0	0	0	0	0	0	0	0	1	2	0	5	17	8	5
White Females	**22**	0	0	0	0	0	0	0	0	0	0	0	0	2	3	8	7	2
Non-White Males	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Non-White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Alzheimer's disease [G30]																		
Total	**297**	0	0	0	0	0	0	0	0	0	0	2	3	6	26	56	83	121
White Males	**72**	0	0	0	0	0	0	0	0	0	0	1	2	2	9	15	22	21
White Females	**221**	0	0	0	0	0	0	0	0	0	0	0	1	4	17	41	58	100
Non-White Males	**2**	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
Non-White Females	**2**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
[I00-I78] Major cardiovascular diseases																		
Total	**3,757**	3	2	0	3	1	1	15	58	153	130	148	160	264	434	658	785	942
White Males	**1,565**	1	1	0	2	1	0	7	34	100	88	95	91	147	216	287	280	215
White Females	**2,043**	1	1	0	1	0	1	4	18	34	36	40	56	100	196	354	486	715
Non-White Males	**80**	0	0	0	0	0	0	2	3	13	5	10	9	5	14	8	8	3
Non-White Females	**65**	1	0	0	0	0	0	2	3	6	0	3	4	10	7	9	11	9
Unknown Males	**2**	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
Unknown Females	**2**	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
Disease of heart [I00-I09, I11, I13, I20-I51]																		
Total	**3,002**	3	2	0	3	0	1	12	46	123	111	128	125	221	331	505	618	773
White Males	**1,278**	1	1	0	2	0	0	7	29	88	77	83	71	125	167	227	226	174
White Females	**1,611**	1	1	0	1	0	1	3	12	22	28	33	42	83	148	268	379	589
Non-White Males	**60**	0	0	0	0	0	0	1	3	10	5	9	8	4	10	3	5	2
Non-White Females	**50**	1	0	0	0	0	0	1	2	3	0	3	4	8	5	7	8	8
Unknown Males	**2**	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
Unknown Females	**1**	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0

TABLE 21 - RHODE ISLAND RESIDENT DEATHS FROM 113 SELECTED CAUSES
BY RACE, AGE AND SEX: 2005

	All Ages	Age in Years																
		< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Acute rheumatic fever and chronic rheumatic heart diseases [I00-I09]																		
Total	**15**	0	0	0	0	0	0	0	0	0	1	0	0	1	3	2	4	4
White Males	**3**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0
White Females	**11**	0	0	0	0	0	0	0	0	0	1	0	0	1	2	1	2	4
Non-White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Hypertensive heart disease [I11]																		
Total	**47**	0	0	0	0	0	0	0	0	2	3	2	1	2	4	5	9	19
White Males	**18**	0	0	0	0	0	0	0	0	2	1	1	1	0	2	3	3	5
White Females	**26**	0	0	0	0	0	0	0	0	0	1	1	0	2	1	2	5	14
Non-White Males	**2**	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
Non-White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Hypertensive heart & renal disease [I13]																		
Total	**13**	0	0	0	0	0	0	0	0	1	0	1	0	0	2	1	6	2
White Males	**4**	0	0	0	0	0	0	0	0	1	0	1	0	0	1	1	0	0
White Females	**9**	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	6	2
Ischemic heart diseases[I20-I25]																		
Total	**2,495**	0	0	0	0	0	0	5	27	97	90	110	111	192	265	441	508	649
White Males	**1,089**	0	0	0	0	0	0	3	19	74	66	75	63	114	138	198	191	148
White Females	**1,319**	0	0	0	0	0	0	2	6	14	19	25	39	65	116	235	307	491
Non-White Males	**44**	0	0	0	0	0	0	0	2	6	4	8	6	4	7	2	3	2
Non-White Females	**41**	0	0	0	0	0	0	0	0	3	0	2	3	8	4	6	7	8
Unknown Males	**1**	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Unknown Females	**1**	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Acute myocardial infarction [I21-I22]																		
Total	**893**	0	0	0	0	0	0	0	5	35	35	49	57	86	111	162	173	180
White Males	**423**	0	0	0	0	0	0	0	5	27	25	34	32	47	61	72	70	50
White Females	**435**	0	0	0	0	0	0	0	0	6	8	11	21	30	48	84	100	127
Non-White Males	**13**	0	0	0	0	0	0	0	0	1	1	3	2	3	0	2	1	0
Non-White Females	**20**	0	0	0	0	0	0	0	0	1	0	1	2	5	2	4	2	3
Unknown Males	**1**	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Unknown Females	**1**	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Other acute ischemic heart diseases [I24]																		
Total	**6**	0	0	0	0	0	0	0	0	0	0	1	0	3	0	1	0	1
White Males	**4**	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	1
White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Non-White Males	**1**	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Atherosclerotic cardiovascular disease, so described [I25.0]																		
Total	**564**	0	0	0	0	0	0	1	7	31	28	30	22	41	55	99	107	143
White Males	**263**	0	0	0	0	0	0	0	5	25	23	22	13	28	29	45	38	35
White Females	**286**	0	0	0	0	0	0	1	2	4	4	6	6	10	24	54	68	107
Non-White Males	**9**	0	0	0	0	0	0	0	0	2	1	1	3	0	2	0	0	0
Non-White Females	**6**	0	0	0	0	0	0	0	0	0	0	1	0	3	0	0	1	1
All other forms of chronic ischemic heart disease [I20, I25.1-I25.9]																		
Total	**1,032**	0	0	0	0	0	0	4	15	31	27	30	32	62	99	179	228	325
White Males	**399**	0	0	0	0	0	0	3	9	22	18	19	18	36	48	81	83	62
White Females	**597**	0	0	0	0	0	0	1	4	4	7	8	12	25	44	96	139	257
Non-White Males	**21**	0	0	0	0	0	0	0	2	3	2	3	1	1	5	0	2	2
Non-White Females	**15**	0	0	0	0	0	0	0	0	2	0	0	1	0	2	2	4	4

TABLE 21 - RHODE ISLAND RESIDENT DEATHS FROM 113 SELECTED CAUSES
BY RACE, AGE AND SEX: 2005

	All Ages	Age in Years																
		< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Other heart diseases [I26-I51]																		
Total	**432**	3	2	0	3	0	1	7	19	23	17	15	13	26	57	56	91	99
White Males	**164**	1	1	0	2	0	0	4	10	11	10	6	7	11	26	24	30	21
White Females	**246**	1	1	0	1	0	1	1	6	8	7	7	3	15	28	30	59	78
Non-White Males	**14**	0	0	0	0	0	0	1	1	4	0	1	2	0	2	1	2	0
Non-White Females	**7**	1	0	0	0	0	0	1	2	0	0	1	1	0	0	1	0	0
Unknown Males	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Acute and subacute endocarditis [I33]																		
Total	**2**	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
White Males	**1**	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Diseases of pericardium and acute myocarditis [I30-I31, I40]																		
Total	**5**	0	0	0	0	0	0	0	0	4	1	0	0	0	0	0	0	0
White Males	**3**	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0
White Females	**2**	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
Heart failure [I50]																		
Total	**113**	0	0	0	0	0	0	0	2	1	1	1	2	4	24	19	30	29
White Males	**36**	0	0	0	0	0	0	0	2	0	0	0	1	2	9	8	9	5
White Females	**74**	0	0	0	0	0	0	0	0	0	1	1	0	2	14	11	21	24
Non-White Males	**3**	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0	0
All other forms of heart disease [I26-I28, I34-I38, I42-I49, I51]																		
Total	**312**	3	2	0	3	0	1	7	17	17	15	14	11	22	33	37	60	70
White Males	**124**	1	1	0	2	0	0	4	8	8	9	6	6	9	17	16	21	16
White Females	**170**	1	1	0	1	0	1	1	6	6	6	6	3	13	14	19	38	54
Non-White Males	**10**	0	0	0	0	0	0	1	1	3	0	1	1	0	1	1	1	0
Non-White Females	**7**	1	0	0	0	0	0	1	2	0	0	1	1	0	0	1	0	0
Unknown Males	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Essential (primary) hypertension & hypertensive renal disease [I10, I12]																		
Total	**64**	0	0	0	0	0	0	0	2	2	1	3	3	7	7	19	9	11
White Males	**20**	0	0	0	0	0	0	0	1	1	1	1	1	1	1	8	4	1
White Females	**40**	0	0	0	0	0	0	0	1	1	0	1	2	5	6	10	4	10
Non-White Males	**3**	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0
Non-White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Cerebrovascular diseases [I60-I69]																		
Total	**534**	0	0	0	0	0	0	2	8	22	17	12	27	23	71	104	127	121
White Males	**199**	0	0	0	0	0	0	0	3	8	9	9	15	14	33	38	37	33
White Females	**310**	0	0	0	0	0	0	1	4	8	8	3	11	6	36	62	85	86
Non-White Males	**13**	0	0	0	0	0	0	0	0	3	0	0	1	0	2	3	3	1
Non-White Females	**11**	0	0	0	0	0	0	1	1	3	0	0	0	2	0	1	2	1
Unknown Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Atherosclerosis [I70]																		
Total	**61**	0	0	0	0	0	0	0	0	0	0	0	2	5	5	11	11	27
White Males	**26**	0	0	0	0	0	0	0	0	0	0	0	1	3	2	8	6	6
White Females	**34**	0	0	0	0	0	0	0	0	0	0	0	1	2	2	3	5	21
Non-White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0

TABLE 21 - RHODE ISLAND RESIDENT DEATHS FROM 113 SELECTED CAUSES
BY RACE, AGE AND SEX: 2005

	All Ages	Age in Years																
		< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Other diseases of circulatory system [I71-I78]																		
Total	**96**	0	0	0	0	1	0	1	2	6	1	5	3	8	20	19	20	10
White Males	**42**	0	0	0	0	1	0	0	1	3	1	2	3	4	13	6	7	1
White Females	**48**	0	0	0	0	0	0	0	1	3	0	3	0	4	4	11	13	9
Non-White Males	**4**	0	0	0	0	0	0	1	0	0	0	0	0	0	2	1	0	0
Non-White Females	**2**	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
Aortic aneurysm & dissection [I71]																		
Total	**62**	0	0	0	0	1	0	0	2	6	1	4	3	6	13	12	10	4
White Males	**32**	0	0	0	0	1	0	0	1	3	1	2	3	3	10	3	4	1
White Females	**27**	0	0	0	0	0	0	0	1	3	0	2	0	3	2	7	6	3
Non-White Males	**2**	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
Non-White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Other diseases of arteries, arterioles & capillaries [I72-I78]																		
Total	**34**	0	0	0	0	0	0	1	0	0	0	1	0	2	7	7	10	6
White Males	**10**	0	0	0	0	0	0	0	0	0	0	0	0	1	3	3	3	0
White Females	**21**	0	0	0	0	0	0	0	0	0	0	1	0	1	2	4	7	6
Non-White Males	**2**	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0
Non-White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Other disorders of circulatory system [I80-I99]																		
Total	**15**	0	0	0	0	0	0	0	1	0	1	2	4	1	0	2	2	2
White Males	**7**	0	0	0	0	0	0	0	0	0	1	1	3	1	0	0	1	0
White Females	**8**	0	0	0	0	0	0	0	1	0	0	1	1	0	0	2	1	2
Influenza and pneumonia [J10-J18]																		
Total	**253**	0	0	0	0	0	0	1	3	4	6	3	4	15	25	56	62	74
White Males	**107**	0	0	0	0	0	0	1	1	1	3	0	2	8	12	30	27	22
White Females	**134**	0	0	0	0	0	0	0	1	2	2	3	2	4	12	24	34	50
Non-White Males	**6**	0	0	0	0	0	0	0	0	1	1	0	0	2	0	1	0	1
Non-White Females	**6**	0	0	0	0	0	0	0	1	0	0	0	0	1	1	1	1	1
Influenza [J10-J11]																		
Total	**7**	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3	1
White Males	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
White Females	**6**	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	1
Pneumonia [J12-J18]																		
Total	**246**	0	0	0	0	0	0	1	3	4	6	3	4	15	24	54	59	73
White Males	**106**	0	0	0	0	0	0	1	1	1	3	0	2	8	12	29	27	22
White Females	**128**	0	0	0	0	0	0	0	1	2	2	3	2	4	11	23	31	49
Non-White Males	**6**	0	0	0	0	0	0	0	0	1	1	0	0	2	0	1	0	1
Non-White Females	**6**	0	0	0	0	0	0	0	1	0	0	0	0	1	1	1	1	1
Other acute lower respiratory infections [J20-J22]																		
Total	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Acute bronchitis and bronchiolitis [J20-J21]																		
Total	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

TABLE 21 - RHODE ISLAND RESIDENT DEATHS FROM 113 SELECTED CAUSES
BY RACE, AGE AND SEX: 2005

	All Ages	Age in Years																
		< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Chronic lower respiratory disease[J40-J47]																		
Total	**521**	0	0	0	0	1	0	0	2	16	15	32	33	56	96	91	104	75
White Males	**223**	0	0	0	0	0	0	0	0	8	8	13	12	28	43	44	39	28
White Females	**287**	0	0	0	0	1	0	0	1	7	5	19	21	26	52	45	64	46
Non-White Males	**2**	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
Non-White Females	**9**	0	0	0	0	0	0	0	1	1	1	0	0	1	1	2	1	1
Bronchitis, chronic & unspecified [J40-J42]																		
Total	**3**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
White Females	**3**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
Emphysema [J43]																		
Total	**32**	0	0	0	0	0	0	0	0	0	0	3	5	4	8	6	4	2
White Males	**14**	0	0	0	0	0	0	0	0	0	0	2	3	3	2	4	0	0
White Females	**18**	0	0	0	0	0	0	0	0	0	0	1	2	1	6	2	4	2
Asthma [J45-46]																		
Total	**13**	0	0	0	0	1	0	0	1	2	0	1	1	1	1	3	1	1
White Males	**3**	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	0
White Females	**8**	0	0	0	0	1	0	0	0	1	0	1	1	0	1	1	1	1
Non-White Females	**2**	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0
Other chronic lower respiratory diseases [J44, J47]																		
Total	**473**	0	0	0	0	0	0	0	1	14	15	28	27	51	87	82	99	69
White Males	**206**	0	0	0	0	0	0	0	0	7	8	11	9	24	41	39	39	28
White Females	**258**	0	0	0	0	0	0	0	1	6	5	17	18	25	45	42	59	40
Non-White Males	**2**	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
Non-White Females	**7**	0	0	0	0	0	0	0	0	1	1	0	0	1	1	1	1	1
Pneumoconioses & chemical effects [J60-J66, J68]																		
Total	**2**	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
White Males	**2**	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
Pneumonitis due to solids and liquids [J69]																		
Total	**74**	0	0	0	0	0	0	0	2	4	1	1	3	6	10	13	15	19
White Males	**44**	0	0	0	0	0	0	0	0	2	1	1	2	5	4	8	13	8
White Females	**25**	0	0	0	0	0	0	0	1	1	0	0	1	1	5	5	2	9
Non-White Males	**2**	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0
Non-White Females	**2**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Unknown Males	**1**	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Other diseases of respiratory system [J00-J06, J30-J39, J67, J70-J98]																		
Total	**103**	1	0	0	0	0	0	0	0	5	5	6	8	7	20	18	22	11
White Males	**54**	0	0	0	0	0	0	0	0	3	3	4	6	4	9	12	9	4
White Females	**45**	0	0	0	0	0	0	0	0	2	2	2	2	3	10	5	13	6
Non-White Females	**4**	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1
Peptic Ulcer [K25-K28]																		
Total	**10**	0	0	0	0	0	0	0	0	1	0	0	2	2	0	4	0	1
White Males	**2**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
White Females	**8**	0	0	0	0	0	0	0	0	1	0	0	2	2	0	2	0	1

TABLE 21 - RHODE ISLAND RESIDENT DEATHS FROM 113 SELECTED CAUSES
BY RACE, AGE AND SEX: 2005

	All Ages	Age in Years																
		< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Diseases of Appendix [K35-K38]																		
Total	**1**	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
White Males	**1**	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Hernia [K40-K46]																		
Total	**9**	0	1	0	0	0	0	0	0	1	0	0	0	2	2	2	0	1
White Males	**2**	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
White Females	**7**	0	0	0	0	0	0	0	0	1	0	0	0	2	2	1	0	1
Chronic liver disease and cirrhosis [K70, K73-K74]																		
Total	**107**	0	0	0	0	0	0	0	8	27	12	10	9	11	11	11	7	1
White Males	**54**	0	0	0	0	0	0	0	4	13	8	5	5	5	3	5	6	0
White Females	**46**	0	0	0	0	0	0	0	4	12	3	3	2	6	8	6	1	1
Non-White Males	**4**	0	0	0	0	0	0	0	0	2	1	0	1	0	0	0	0	0
Non-White Females	**3**	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0
Alcoholic liver disease [K70]																		
Total	**39**	0	0	0	0	0	0	0	3	15	4	7	3	2	4	1	0	0
White Males	**18**	0	0	0	0	0	0	0	1	8	2	4	1	1	0	1	0	0
White Females	**17**	0	0	0	0	0	0	0	2	7	2	1	0	1	4	0	0	0
Non-White Males	**1**	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Non-White Females	**3**	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0
[Other chronic liver disease & cirrhosis K73-K74]																		
Total	**68**	0	0	0	0	0	0	0	5	12	8	3	6	9	7	10	7	1
White Males	**36**	0	0	0	0	0	0	0	3	5	6	1	4	4	3	4	6	0
White Females	**29**	0	0	0	0	0	0	0	2	5	1	2	2	5	4	6	1	1
Non-White Males	**3**	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0
Cholelithiasis and other disorders of gallbladder [K80-K82]																		
Total	**14**	0	0	0	0	0	0	0	0	0	0	1	0	2	1	5	2	3
White Males	**8**	0	0	0	0	0	0	0	0	0	0	0	0	2	1	3	0	2
White Females	**6**	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	2	1
Nephritis, nephrotic syndrome & nephrosis [N00-N07, N17-N19, N25-N27]																		
Total	**155**	0	0	1	0	0	0	1	0	7	7	6	3	19	13	28	36	34
White Males	**74**	0	0	0	0	0	0	1	0	5	3	5	1	11	6	13	18	11
White Females	**74**	0	0	1	0	0	0	0	0	0	4	0	2	6	7	14	17	23
Non-White Males	**5**	0	0	0	0	0	0	0	0	1	0	1	0	2	0	1	0	0
Non-White Females	**2**	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0
Acute and rapidly progressive nephritic and nephrotic syndrome [N00-N01, N04]																		
Total	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Chronic glomerulonephritis, nephritis & nephropathy not specified as acute or chronic, & renal sclerosis unspecified [N02-N03, N05-N07, N26]																		
Total	**3**	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2
White Males	**2**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
White Females	**1**	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Renal failure [N17-N19]																		
Total	**151**	0	0	0	0	0	0	1	0	7	7	6	3	19	13	27	36	32
White Males	**72**	0	0	0	0	0	0	1	0	5	3	5	1	11	6	13	18	9
White Females	**72**	0	0	0	0	0	0	0	0	0	4	0	2	6	7	13	17	23
Non-White Males	**5**	0	0	0	0	0	0	0	0	1	0	1	0	2	0	1	0	0
Non-White Females	**2**	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0

TABLE 21 - RHODE ISLAND RESIDENT DEATHS FROM 113 SELECTED CAUSES
BY RACE, AGE AND SEX: 2005

	All Ages	Age in Years																
		< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Infections of kidney [N10-N12, N13.6, N15.1]																		
Total	**2**	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0
White Females	**2**	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0
Hyperplasia of prostate [N40]																		
Total	**6**	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	1	1
White Males	**6**	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	1	1
Inflammatory diseases of female pelvic organs [N70-N76]																		
Total	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
All other disease (residual) [D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29, K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98]																		
Total	**1,043**	5	2	4	0	2	4	5	20	44	31	32	41	70	112	186	189	296
White Males	**359**	2	1	4	0	0	3	4	10	26	18	20	18	27	44	71	60	51
White Females	**645**	1	1	0	0	2	1	1	7	15	10	11	22	39	59	111	125	240
Non-White Males	**19**	2	0	0	0	0	0	0	3	1	3	1	0	0	3	2	1	3
Non-White Females	**17**	0	0	0	0	0	0	0	0	2	0	0	0	4	6	2	2	1
Unknown Females	**3**	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1
Certain conditions arising in the perinatal period [P00-P96]																		
Total	**50**	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
White Males	**20**	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
White Females	**17**	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non-White Males	**6**	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Non-White Females	**6**	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Unknown Females	**1**	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Congenital malformations, deformations & chromosomal abnormalities [Q00-Q99]																		
Total	**21**	10	2	0	0	0	0	2	0	2	0	2	0	0	1	1	1	0
White Males	**8**	2	2	0	0	0	0	1	0	1	0	1	0	0	0	1	0	0
White Females	**12**	7	0	0	0	0	0	1	0	1	0	1	0	0	1	0	1	0
Non-White Females	**1**	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified [R00-R99]																		
Total	**43**	7	0	0	0	0	0	2	4	6	1	2	2	2	5	0	5	7
White Males	**17**	3	0	0	0	0	0	1	2	3	0	0	1	1	4	0	1	1
White Females	**20**	2	0	0	0	0	0	0	2	2	1	1	0	1	1	0	4	6
Non-White Males	**4**	2	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0
Non-White Females	**2**	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
Unintentional injuries (Accidents) [V01-X59, Y85-Y86]																		
Total	**330**	2	3	1	4	12	20	17	30	35	15	13	9	20	23	32	47	47
White Males	**178**	0	3	0	1	9	14	9	22	24	12	4	6	10	12	17	21	14
White Females	**127**	2	0	0	1	1	2	4	5	9	2	9	2	9	10	13	26	32
Non-White Males	**18**	0	0	1	0	1	3	4	2	1	1	0	1	1	1	2	0	0
Non-White Females	**6**	0	0	0	2	0	1	0	1	1	0	0	0	0	0	0	0	1
Unknown Males	**1**	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 21 - RHODE ISLAND RESIDENT DEATHS FROM 113 SELECTED CAUSES
BY RACE, AGE AND SEX: 2005

	All Ages	Age in Years																
		< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Transport accidents [V01-V99, Y85]																		
Total	**98**	1	1	1	3	10	16	11	13	15	6	5	5	3	1	2	3	2
White Males	**62**	0	1	0	1	8	10	6	9	11	4	2	5	2	1	2	0	0
White Females	**23**	1	0	0	1	1	2	1	3	4	1	3	0	1	0	0	3	2
Non-White Males	**11**	0	0	1	0	1	3	4	1	0	1	0	0	0	0	0	0	0
Non-White Females	**2**	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0
Motor vehicle accidents [V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8, V88.0-V88.8,V89.0,V89.2]																		
Total	**85**	1	1	1	2	9	14	11	11	10	5	5	4	3	1	2	3	2
White Males	**52**	0	1	0	0	7	9	6	8	7	3	2	4	2	1	2	0	0
White Females	**20**	1	0	0	1	1	1	1	2	3	1	3	0	1	0	0	3	2
Non-White Males	**11**	0	0	1	0	1	3	4	1	0	1	0	0	0	0	0	0	0
Non-White Females	**2**	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0
Other land transport accidents [V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19-8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9]																		
Total	**2**	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0
White Males	**1**	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
White Females	**1**	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
Water, air & space, other & unspecified transport accident & their sequelae [V90-V99, Y85]																		
Total	**11**	0	0	0	1	1	1	0	2	4	1	0	1	0	0	0	0	0
White Males	**9**	0	0	0	1	1	1	0	1	3	1	0	1	0	0	0	0	0
White Females	**2**	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
Nontransport accidents [W00-X59, Y86]																		
Total	**232**	1	2	0	1	2	4	6	17	20	9	8	4	17	22	30	44	45
White Males	**116**	0	2	0	0	1	4	3	13	13	8	2	1	8	11	15	21	14
White Females	**104**	1	0	0	0	0	0	3	2	5	1	6	2	8	10	13	23	30
Non-White Males	**7**	0	0	0	0	0	0	0	1	1	0	0	1	1	1	2	0	0
Non-White Females	**4**	0	0	0	1	0	0	0	1	1	0	0	0	0	0	0	0	1
Unknown Males	**1**	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Falls [W00-W19]																		
Total	**139**	0	0	0	0	1	2	0	2	3	1	5	1	10	17	25	34	38
White Males	**59**	0	0	0	0	1	2	0	2	0	1	1	0	4	6	13	16	13
White Females	**75**	0	0	0	0	0	0	0	0	2	0	4	1	6	10	10	18	24
Non-White Males	**4**	0	0	0	0	0	0	0	0	1	0	0	0	0	1	2	0	0
Non-White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Accidental drowning & submersion [W65-W74]																		
Total	**13**	0	2	0	1	1	1	0	3	0	2	0	0	1	1	1	0	0
White Males	**10**	0	2	0	0	0	1	0	3	0	2	0	0	1	1	0	0	0
White Females	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Non-White Females	**1**	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Unknown Males	**1**	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 21 - RHODE ISLAND RESIDENT DEATHS FROM 113 SELECTED CAUSES
BY RACE, AGE AND SEX: 2005

	All Ages	Age in Years																
		< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Accidental exposure to smoke, fire and flames [X00-X09]																		
Total	**7**	0	0	0	0	0	0	1	1	1	0	0	1	1	1	0	1	0
White Males	**2**	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
White Females	**4**	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	1	0
Non-White Males	**1**	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
Accidental poisoning & exposure to noxious substances [X40-X49]																		
Total	**30**	0	0	0	0	0	0	3	8	12	2	1	0	2	1	1	0	0
White Males	**20**	0	0	0	0	0	0	1	5	9	2	0	0	1	1	1	0	0
White Females	**7**	0	0	0	0	0	0	2	1	2	0	1	0	1	0	0	0	0
Non-White Males	**1**	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Non-White Females	**2**	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
Other & unspecified nontransport accidents & their sequelae [W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86]																		
Total	**42**	1	0	0	0	0	1	2	3	4	3	2	2	3	2	3	9	7
White Males	**24**	0	0	0	0	0	1	2	3	4	2	1	1	1	2	1	5	1
White Females	**17**	1	0	0	0	0	0	0	0	0	1	1	1	1	0	2	4	6
Non-White Males	**1**	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Intentional self-harm (Suicide) [U03, X60-X84, Y87.0]																		
Total	**71**	0	0	0	1	4	6	6	14	17	10	2	3	3	0	1	2	2
White Males	**48**	0	0	0	0	3	5	6	10	8	7	1	1	3	0	1	2	1
White Females	**19**	0	0	0	1	1	1	0	3	7	2	1	2	0	0	0	0	1
Non-White Males	**2**	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
Non-White Females	**1**	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Unknown Males	**1**	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Intentional self-harm (suicide) by discharge of firearms [X72-X74]																		
Total	**19**	0	0	0	0	1	4	1	2	3	4	1	0	3	0	0	0	0
White Males	**16**	0	0	0	0	1	4	1	2	1	3	1	0	3	0	0	0	0
White Females	**2**	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
Non-White Males	**1**	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Intentional self-harm (suicide) by other & unspecified means & their sequelae [X75-X84, U03, X60-X71, Y87.0]																		
Total	**52**	0	0	0	1	3	2	5	12	14	6	1	3	0	0	1	2	2
White Males	**32**	0	0	0	0	2	1	5	8	7	4	0	1	0	0	1	2	1
White Females	**17**	0	0	0	1	1	1	0	3	6	1	1	2	0	0	0	0	1
Non-White Males	**1**	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
Non-White Females	**1**	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Unknown Males	**1**	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Assault (Homicide) [X85-Y09, Y89.1, U01-U02]																		
Total	**32**	1	1	0	1	5	5	10	7	1	0	0	0	0	0	0	0	1
White Males	**12**	1	0	0	0	1	3	4	2	1	0	0	0	0	0	0	0	0
White Females	**7**	0	0	0	0	0	1	2	3	0	0	0	0	0	0	0	0	1
Non-White Males	**11**	0	1	0	1	3	1	4	1	0	0	0	0	0	0	0	0	0
Non-White Females	**2**	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0

TABLE 21 - RHODE ISLAND RESIDENT DEATHS FROM 113 SELECTED CAUSES
BY RACE, AGE AND SEX: 2005

	All Ages	Age in Years																
		< 1	01-04	05-09	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Assault (homicide) by other and unspecified means [X85-X92, X96-Y09, Y87.1, U01.0-U01.3, U01.5-U01-9, U2]																		
Total	**13**	1	1	0	0	0	3	2	5	0	0	0	0	0	0	0	0	1
White Males	**5**	1	0	0	0	0	2	1	1	0	0	0	0	0	0	0	0	0
White Females	**5**	0	0	0	0	0	1	1	2	0	0	0	0	0	0	0	0	1
Non-White Males	**2**	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Non-White Females	**1**	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Assault (homicide) by discharge of firearms [X93-X99, U01.4]																		
Total	**19**	0	0	0	1	5	2	8	2	1	0	0	0	0	0	0	0	0
White Males	**7**	0	0	0	0	1	1	3	1	1	0	0	0	0	0	0	0	0
White Females	**2**	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
Non-White Males	**9**	0	0	0	1	3	1	4	0	0	0	0	0	0	0	0	0	0
Non-White Females	**1**	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Event of undetermined intent [Y10-Y34, Y87.2, Y89.9]																		
Total	**114**	0	0	0	0	1	7	13	39	43	6	3	1	0	1	0	0	0
White Males	**65**	0	0	0	0	1	6	9	20	25	3	1	0	0	0	0	0	0
White Females	**43**	0	0	0	0	0	1	4	16	16	3	2	0	0	1	0	0	0
Non-White Males	**5**	0	0	0	0	0	0	0	2	2	0	0	1	0	0	0	0	0
Non-White Females	**1**	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Legal Intervention [Y35,Y89.0]																		
Total	**0**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
White Males	**0**																	
Complications of medical and surgical care [Y40-Y84, Y88]																		
Total	**13**	0	0	0	0	1	0	0	0	1	0	1	2	0	3	3	0	2
White Males	**6**	0	0	0	0	0	0	0	0	0	0	1	2	0	1	2	0	0
White Females	**6**	0	0	0	0	1	0	0	0	1	0	0	0	0	2	1	0	1
Non-White Males	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

TABLE 22 - RHODE ISLAND RESIDENT DEATHS
BY CITY OR TOWN BY MONTH: 2005

City or Town	Total	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec
RHODE ISLAND	**10,007**	**1,086**	**954**	**901**	**823**	**839**	**795**	**747**	**727**	**703**	**740**	**815**	**877**
Barrington	**125**	13	9	12	13	14	6	10	9	11	8	8	12
Bristol	**252**	30	21	26	21	19	15	16	22	17	20	20	25
Burrillville	**161**	23	20	15	13	10	10	18	9	17	7	7	12
Central Falls	**135**	12	18	11	9	14	13	4	13	8	14	9	10
Charlestown	**71**	11	9	5	4	3	4	6	5	6	4	8	6
Coventry	**365**	37	45	37	28	30	25	27	24	24	25	28	35
Cranston	**782**	97	79	65	55	68	60	51	57	56	48	69	77
Cumberland	**271**	30	25	22	18	23	24	15	20	21	23	18	32
East Greenwich	**129**	10	9	9	14	11	14	7	7	8	14	12	14
East Providence	**618**	66	59	58	66	55	49	48	36	40	42	50	49
Exeter	**36**	2	1	2	7	3	3	4	2	1	2	3	6
Foster	**40**	6	1	4	2	5	3	4	1	3	4	5	2
Glocester	**55**	4	5	5	6	5	2	6	6	2	4	5	5
Hopkinton	**65**	4	7	9	4	3	10	4	7	2	5	2	8
Jamestown	**48**	2	8	5	1	5	3	4	3	1	4	2	10
Johnston	**305**	40	31	32	25	28	24	18	19	21	21	15	31
Lincoln	**209**	20	24	12	16	13	18	13	25	12	13	20	23
Little Compton	**31**	1	5	4	4	0	3	3	0	2	2	3	4
Middletown	**190**	25	19	10	10	16	8	15	20	10	18	20	19
Narragansett	**123**	14	10	12	2	7	8	14	8	14	10	16	8
New Shoreham	**10**	1	0	0	1	1	2	2	0	2	0	0	1
Newport	**199**	21	26	19	15	14	18	17	15	13	15	16	10
North Kingstown	**212**	22	20	24	21	20	10	12	8	22	14	18	21
North Providence	**397**	50	35	38	29	43	32	31	33	29	25	25	27
North Smithfield	**123**	15	7	11	7	8	6	11	13	6	12	17	10
Pawtucket	**666**	75	56	57	58	57	69	49	49	42	56	47	51
Portsmouth	**145**	18	9	13	17	10	11	13	10	10	11	11	12
Providence	**1,307**	130	124	112	95	110	108	108	104	85	98	114	119
Richmond	**37**	4	0	3	5	2	2	2	1	4	3	5	6
Scituate	**99**	11	18	10	9	8	9	5	6	3	8	8	4
Smithfield	**294**	34	37	20	19	21	18	20	26	24	22	29	24
South Kingstown	**223**	28	16	18	26	19	17	12	12	14	18	21	22
Tiverton	**141**	20	20	14	13	16	13	2	8	12	10	4	9
Warren	**150**	12	13	11	16	15	11	7	10	10	11	22	12
Warwick	**946**	98	81	92	81	71	69	77	72	72	81	77	75
West Greenwich	**33**	2	2	4	4	2	3	2	2	4	1	3	4
West Warwick	**302**	41	22	28	26	31	23	31	12	17	18	22	31
Westerly	**256**	22	18	34	15	15	29	26	19	15	22	28	13
Woonsocket	**456**	35	45	38	48	44	43	33	34	43	27	28	38

Figure 22


2005 Rhode Island Resident Deaths
by Month
1,086
954
901
823
839
795
747
727
703
740
815
877
1,200
1,000
800
600
400
200
0
January
February
March
April
May
June
July
August
September
October
November
December
Month

TABLE 23 - RHODE ISLAND RESIDENT INFANT DEATHS FOR 130 SELECTED CAUSES** BY AGE: 2005

Cause of Death (ICD-10 Codes)	All Infants*	Neonatal (-28 Days)	Under 1 Day	1-6 Days	7-27 Days	28 Days - Under 1 Yr.
Certain infectious and parasitic diseases [A00-B99]	**3**	**1**	**0**	**1**	**0**	**2**
Septicemia [A40-A41]	2	0	0	0	0	2
Other and unspecified infectious and parasitic diseases and their sequelae [B38-B49]	1	1	0	1	0	0
Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism [D50-D89]	**1**	**0**	**0**	**0**	**0**	**1**
Hemorrhagic conditions and other diseases of blood and bloodforming organs [D65-D76]	1	0	0	0	0	1
Endocrine, nutritional and metabolic diseases [E00-E88]	**1**	**0**	**0**	**0**	**0**	**1**
All other endocrine, nutritional and metabolic diseases [E88]	1	0	0	0	0	1
Diseases of the nervous system [G00-G98]	**1**	**1**	**1**	**0**	**0**	**0**
Anoxic brain damage, not elsewhere classified [G93.1]	1	1	1	0	0	0
Diseases of the circulatory system [I00-I99]	**3**	**1**	**1**	**0**	**0**	**2**
Pulmonary heart disease and diseases of pulmonary circulation [I26-I28]	2	1	1	0	0	1
Cardiomyopathy [I42]	1	0	0	0	0	1
Diseases of the respiratory system [J00-J98]	**1**	**0**	**0**	**0**	**0**	**1**
Other and unspecified diseases of respiratory system [J70-J98]	1	0	0	0	0	1
Diseases of the digestive system [K00-K92]	**2**	**1**	**0**	**1**	**0**	**1**
All other and unspecified diseases of digestive system [K57-K92]	2	1	0	1	0	1
Certain conditions originating in the perinatal period [P00-P96]	**50**	**50**	**43**	**2**	**5**	**0**
Newborn affected by another maternal conditions which may be unrelated to present pregnancy [P00.1-P0	1	1	0	1	0	0
Newborn affected by maternal complications of pregnancy [P01]	3	3	3	0	0	0
Newborn affected by premature rupture of membranes [P01.1]						
Newborn affected by complications of placenta, cord, and membranes [P02]	20	20	20	0	0	0
Newborn affected by chorioamnionitis [P02.7]						
Newborn affected by complications involving placents [P02.0-P02.3]						
Disorders related to short gestation and low birth weight, not elsewhere classified [P07]	18	18	18	0	0	0
Extremely low birth weight or extreme immaturity [P07.0, P07.2]						
Other low birth weight or preterm [P07.1, P07.3]						
Atelectasis [P28.0-P28.1]	1	1	1	0	0	0
Other perinatal conditions [P29, P70.3-P76, P78-P81, P83.0-P83.1, P83.3-P96]	3	3	1	0	2	0
Bacterial sepsis of newborn [P36]	2	2	0	1	1	0
Necrotizing enterrocolitis of newborn [P77]	2	2	0	0	2	0

TABLE 23 (Cont.) - RHODE ISLAND RESIDENT INFANT DEATHS FOR 130 SELECTED CAUSES** BY AGE: 2005

Cause of Death (ICD-10 Codes)	All Infants*	Neonatal (-28 Days)	Under 1 Day	1-6 Days	7-27 Days	28 Days-Under 1 yr.
Congenital malformations, deformations and chromosomal abnormalities [Q00-Q99]	**10**	**7**	**2**	**3**	**2**	**3**
Anencephaly and similar malformations [Q00]	1	1	0	1	0	0
Congenital malformations of respiratory system [Q30-Q34]	1	1	1	0	0	0
Congenital malformations and deformation of musculoskeletal system, limbs and integument [Q65-Q85]	1	1	0	1	0	0
Congenital malformations of heart [Q20-Q24]	1	0	0	0	0	1
Other congenital malformations and deformations [Q10-Q18, Q86-Q89]	1	1	1	0	0	0
Other congenital malformations of nervous system [Q01-Q02, Q04 Q06-Q07]	3	1	0	1	0	2
Patau's syndrome [Q91.4-Q91.7]	1	1	0	0	1	0
Other chromosomal abnormalities, not elsewhere classified [Q92-Q99]	1	1	0	0	1	0
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified [R00-R99]	**7**	**2**	**2**	**0**	**0**	**5**
Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified [R00-R53, R55-R94, R96-R99]	2	2	2	0	0	0
Sudden infant death syndrome [R95]	5	0	0	0	0	5
External causes of mortality [V01-Y89]	**3**	**1**	**0**	**1**	**0**	**2**
Transport accidents [V01-V99]	1	0	0	0	0	1
Other and unspecified accidents [W35-W64]	1	1	0	1	0	0
Assault (homicide) by other and unspecified means and their sequelae [Y08-Y09]	1	0	0	0	0	1

* Total(s) may include infants of unknown age

**The causes of death in this table are taken from the ICD-10 Cause-of-Death list of 130 Selected Causes of Infant Death for Tabulating Mortality Statistics for Health Statistics. If no deaths occurred in a specific classification, the category will not appear in this table.

Table 24 - RHODE ISLAND RESIDENTS ACCIDENTAL DEATHS BY SEX AND AGE***
WITH NON-TRANSPORT ACCIDENTS SHOWN BY NEW ENGLAND STANDARD LOCATIONS**: 2005

		Age in Years																
	All Ages	Under One	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
TOTAL ACCIDENTS [V01-X59, Y85-Y86]*																		
Total	**330**	2	3	1	4	12	20	17	30	35	15	13	9	20	23	32	47	47
Male	**197**	0	3	1	1	11	17	13	24	25	13	4	7	11	13	19	21	14
Female	**133**	2	0	0	3	1	3	4	6	10	2	9	2	9	10	13	26	33
Transport accidents [V01-V99, Y85]*																		
Total	**98**	1	1	1	3	10	16	11	13	15	6	5	5	3	1	2	3	2
Male	**73**	0	1	1	1	9	13	10	10	11	5	2	5	2	1	2	0	0
Female	**25**	1	0	0	2	1	3	1	3	4	1	3	0	1	0	0	3	2
Nontransport accidents [W00-X59, Y86]*																		
Total	**232**	1	2	0	1	2	4	6	17	20	9	8	4	17	22	30	44	45
Male	**124**	0	2	0	0	2	4	3	14	14	8	2	2	9	12	17	21	14
Female	**108**	1	0	0	1	0	0	3	3	6	1	6	2	8	10	13	23	31
LOCATIONS**																		
Home																		
Total	**37**	0	0	0	0	0	0	1	4	1	0	2	1	9	3	5	4	7
Male	**17**	0	0	0	0	0	0	0	3	0	0	0	1	4	3	2	1	3
Female	**20**	0	0	0	0	0	0	1	1	1	0	2	0	5	0	3	3	4
Resident institution, military reservation																		
Total	**13**	0	0	0	0	0	0	0	0	1	2	2	0	1	0	3	2	2
Male	**9**	0	0	0	0	0	0	0	0	1	1	1	0	1	0	3	2	0
Female	**4**	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2
School, other institution and public administrative area																		
Total	**13**	0	0	0	0	0	0	1	3	7	1	0	0	1	0	0	0	0
Male	**10**	0	0	0	0	0	0	1	2	5	1	0	0	1	0	0	0	0
Female	**3**	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0
Sport and athletic area																		
Total	**8**	0	0	0	0	0	1	0	0	1	1	0	0	0	0	2	2	1
Male	**5**	0	0	0	0	0	1	0	0	1	1	0	0	0	0	1	1	0
Female	**3**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1

Table 24 (Cont.) - RHODE ISLAND RESIDENTS ACCIDENTAL DEATHS BY SEX AND AGE***
WITH NON-TRANSPORT ACCIDENTS SHOWN BY NEW ENGLAND STANDARD LOCATIONS**: 2005

		Age in Years																
	All Ages	Under One	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90+
Street or highway																		
Total	**18**	0	1	0	0	1	0	4	3	5	1	0	0	1	1	1	0	0
Male	**13**	0	1	0	0	1	0	2	2	4	1	0	0	0	1	1	0	0
Female	**5**	0	0	0	0	0	0	2	1	1	0	0	0	1	0	0	0	0
Garage/warehouse, trade/service area																		
Total	**5**	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	3	0
Male	**1**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Female	**4**	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	0
Industrial/construction area, mine or quarry																		
Total	**7**	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2	3	0
Male	**4**	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	2	0
Female	**3**	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1	0
Farm																		
Total	**10**	0	1	0	1	0	0	0	2	1	1	0	0	1	1	0	2	0
Male	**6**	0	1	0	0	0	0	0	2	0	1	0	0	1	1	0	0	0
Female	**4**	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	2	0
Public recreation area, other building/other specified place																		
Total	**42**	0	0	0	0	1	0	0	0	1	0	0	1	2	5	6	10	16
Male	**20**	0	0	0	0	1	0	0	0	1	0	0	0	1	3	4	5	5
Female	**22**	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2	5	11
Unspecified place																		
Total	**79**	0	0	0	0	0	3	0	5	2	2	3	2	2	12	11	18	19
Male	**39**	0	0	0	0	0	3	0	5	2	2	1	1	1	4	5	9	6
Female	**40**	0	0	0	0	0	0	0	0	0	0	2	1	1	8	6	9	13

*ICD codes assigned to accidental deaths
**New England Standard Location Categories
***Totals may include deaths of unknown age

TABLE 25 - RHODE ISLAND RESIDENT ACCIDENTAL DEATHS BY AGE AND TYPE: 2005

Type of Unintentional Accident (injury) and ICD-10 Codes	All Ages*	Age in Years <1	1-4	5-14	15-19	20-24	25-44	45-64	65-84	85+
ALL UNINTENTIONAL INJURY (Accidents) [V01-X59, Y85-Y86]	**330**	**2**	**3**	**5**	**12**	**20**	**47**	**63**	**84**	**94**
Transport accidents [V01-V99, Y85]	**98**	**1**	**1**	**4**	**10**	**16**	**24**	**26**	**11**	**5**
Motor vehicle accidents [V02-V04, V09.0, V09.2, V12-V14, V83-V86, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2]	**84**	**1**	**1**	**3**	**9**	**13**	**22**	**20**	**10**	**5**
Pedestrian involved in collision w/motor vehicle [V02-V04]	**14**	0	0	0	0	1	1	6	4	2
Pedalcyclist involved in collision w/ motor vehicle [V12-V14, V19.0-V19.2, V19.4-V19.6]	**2**	0	0	0	0	0	1	0	1	0
Motorcycles invovled in any accident, except collision with railway train [V20-V24, V26-V34, V36-V39]	**11**	0	0	0	0	3	6	2	0	0
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian [V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67,V70-V71, V76-V77]	**32**	1	0	1	8	5	8	5	3	1
Occupant of car, pickup truck or van involved in collision with other motor vehicle [V42-V44, V49, V52-V54, V59]	**15**	0	0	2	1	3	3	3	1	2
Occupant of motor vehicle involved in noncollision accident [V48, V58, V68, V78]	**2**	0	0	0	0	1	0	1	0	0
Occupant of special-use motor vehicle involved in any accident [V83-V86]	**1**	0	0	0	0	0	0	1	0	0
Other & unspecified motor vehicle accidents [V09.0, V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5,V88.7-V88.8, V89.0, V89.2]	**7**	0	1	0	0	0	3	2	1	0
Other & unspecified land transport accidents [V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9]	**2**	0	0	0	0	1	0	1	0	0
Water transport accidents [V90-V94]	**1**	0	0	0	0	1	0	0	0	0

TABLE 25 (cont.) - RHODE ISLAND RESIDENT ACCIDENTAL DEATHS BY AGE AND TYPE: 2005

Type of Unintentional Accident (injury) and ICD-10 Codes	Age in Years									
	All Ages*	<1	1-4	5-14	15-19	20-24	25-44	45-64	65-84	85+
Air and space transport accidents [V95-V97]	**7**	0	0	1	1	0	1	4	0	0
Other & unspecified transport accidents & sequelae [V98-V99, Y85]	**3**	0	0	0	0	0	1	1	1	0
NonTransport accidents [W00-X59, Y86]	**232**	**1**	**2**	**1**	**2**	**4**	**23**	**37**	**73**	**89**
Falls [W00-W19]	**139**	**0**	**0**	**0**	**1**	**2**	**2**	**9**	**53**	**72**
Fall on same level [W00-W09, W18]	**54**	0	0	0	1	0	0	2	15	36
Fall from one level to another [W10-W17]	**31**	0	0	0	0	1	1	4	16	9
Unspecified fall [W19]	**54**	0	0	0	0	1	1	3	22	27
Accidental discharge of firearms [W32-W34]	**1**	0	0	0	0	0	0	1	0	0
Accidental drowning and submersion [W65-W74]	**13**	0	2	1	1	1	3	2	3	0
Accidental inhalation & ingestion of food or other objects causing obstruction of respiratory tract [W78-W80]	**18**	0	0	0	0	0	2	2	6	8
Accidental exposure to smoke, fire & flames [X00-X09]	**7**	0	0	0	0	0	2	1	3	1
Accidental poisoning by & exposure to noxious substances [X40-X49]	**30**	**0**	**0**	**0**	**0**	**0**	**11**	**15**	**4**	**0**
Accidental poisoning by & exposure to drugs and other biological substances [X40-X44]	**28**	0	0	0	0	0	9	15	4	0
Accidental poisoning by & exposure to other gases & vapor [X47]	**2**	0	0	0	0	0	2	0	0	0
All other & unspecified nontransport accidents & their sequelae [W20-W31, W35-W38,W41-W64,W92-W99,X10-X39, X50-X59, Y86]	**24**	1	0	0	0	1	3	7	4	8

*Totals may include deaths where age of deceased was unknown.

TABLE 26 - TEN LEADING CAUSES OF DEATH IN RI RESIDENTS BY SEX: 2005
WITH RATES PER 100,000 EXCEPT TOTAL WITH RATE PER 1,000

Rank	Cause of Death	Number*	Rate
Both Sexes	**TOTAL**	**10,007**	**9.3**
1	Diseases of heart [I00-I09, I11, I13, I20-I51]	3,002	277.8
2	Malignant Neoplasms (Cancers) [C00-C97]	2,283	211.3
3	Cerebrovascular diseases [I60-I69]	534	49.4
4	Chronic lower respiratory diseases [J40-J47]	521	48.2
5	Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	330	30.5
6	Alzheimer's disease [G30]	297	27.5
7	Diabetes Mellitus [E10-E14]	282	26.1
8	Influenza and pneumonia [J10-J18]	253	23.4
9	Nephritis, nephrotic syndrome & nephrosis [N00-N07, N17-N19, N25-N27]	155	14.3
10	Septicemia [A40-A41]	110	10.2
	All Others	2,240	207.3
Male:	**TOTAL**	**4,606**	**8.8**
1	Diseases of heart [I00-I09, I11, I13, I20-I51]	1,340	257.1
2	Malignant Neoplasms (Cancers) [C00-C97]	1,160	222.6
3	Chronic lower respiratory diseases [J40-J47]	225	43.2
4	Cerebrovascular diseases [I60-I69]	212	40.7
5	Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	197	37.8
6	Diabetes Mellitus [E10-E14]	141	27.1
7	Influenza and pneumonia [J10-J18]	113	21.7
8	Nephritis, nephrotic syndrome & nephrosis [N00-N07, N17-N19, N25-N27]	79	15.2
9	Alzheimer's disease [G30]	74	14.2
10	Intentional self-harm (suicide) [X60-X84, U03, Y87.0]	51	9.8
	All Others	1,014	194.5
Female:	**TOTAL**	**5,401**	**9.7**
1	Diseases of heart [I00-I09, I11, I13, I20-I51]	1,662	297.1
2	Malignant Neoplasms (Cancers) [C00-C97]	1,123	200.7
3	Cerebrovascular diseases [I60-I69]	322	57.6
4	Chronic lower respiratory diseases [J40-J47]	296	52.9
5	Alzheimer's disease [G30]	223	39.9
6	Diabetes Mellitus [E10-E14]	141	25.2
7	Influenza and pneumonia [J10-J18]	140	25.0
8	Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	133	23.8
9	Nephritis, nephrotic syndrome & nephrosis [N00-N07, N17-N19, N25-N27]	76	13.6
10	Septicemia [A40-A41]	68	12.2
	All Others	1,217	217.5

*Total(s) for each age group do not include deaths where sex is unknown.

Figure 23


2005 Rhode Island Resident Deaths
Top 10 Causes of Death by Sex
Male
Female
1800
1600
1400
1200
1000
800
600
400
200
0
1662
1340
1160
1123
322
212
296
225
197
133
223
74
141
141
140
113
79
76
42
68
51
20
Diseases of heart
Malignant Neoplasms (Cancers)
Cerebrovascular diseases
Chronic lower respiratory diseases
Unintentional injuries (Accidents)
Alzheimer's disease
Diabetes Mellitus
Influenza and pneumonia
Nephritis, nephrotic syndrome & nephrosis
Septicemia
Intentional self-harm (suicide)
Cause of Death

TABLE 27 - FIVE LEADING CAUSES OF DEATH FOR RI RESIDENTS IN SPECIFIC AGE GROUPS: 2005
WITH RATES PER 100,000 POPULATION

Age Group	Rank	Cause of Death [ICD-10, 1992]	2005 Number*	2005 Rate	2004 Number*	2004 Rate	Rate Change
Under 5 Years		**TOTAL**	**97**	**150.8**	**81**	**131.6**	**0.13**
	1	Certain conditions originating in the perinatal period [P00-P96]	50	77.7	39	63.4	0.18
	2	Congenital malformations, deformations and chromosomal abnormalities [Q00-Q99]	12	18.7	14	22.8	-0.22
	3	Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	5	7.8	7	11.4	-0.46
	4	Diseases of heart [I00-I09, I11, I13, I20-I51]	5	7.8	4	6.5	0.16
	5	Malignant Neoplasms (Cancers) [C00-C97]	2	3.1	2	3.3	-0.05
		Other Causes	23	35.8	15	24.4	0.32
5-19 Years:		**TOTAL**	**52**	**24.8**	**45**	**21.3**	**0.14**
	1	Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	17	8.1	20	9.5	-0.17
	2	Malignant Neoplasms (Cancers) [C00-C97]	7	3.3	4	1.9	0.43
	3	Assault (homicide) [X85-Y09, Y89.1, U01-U02]	6	2.9	3	1.4	0.50
	4	Intentional self-harm (suicide) [X60-X84, U03, Y87.0]	5	2.4	7	3.3	-0.39
	5	Diseases of heart [I00-I09, I11, I13, I20-I51]	3	1.4	1	0.5	0.67
		Other Causes	14	6.7	10	4.7	0.29
20-44 Years:		**TOTAL**	**397**	**104.4**	**397**	**102.0**	**0.02**
	1	Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	67	17.6	64	16.4	0.07
	2	Malignant Neoplasms (Cancers) [C00-C97]	64	16.8	61	15.7	0.07
	3	Diseases of heart [I00-I09, I11, I13, I20-I51]	59	15.5	56	14.4	0.07
	4	Intentional self-harm (suicide) [X60-X84, U03, Y87.0]	26	6.8	33	8.5	-0.24
	5	Assault (homicide) [X85-Y09, Y89.1, U01-U02]	22	5.8	18	4.6	0.20
		Other Causes	159	41.8	165	42.4	-0.01
45-64 Years:		**TOTAL**	**1489**	**547.7**	**1452**	**541.1**	**0.01**
	1	Malignant Neoplasms (Cancers) [C00-C97]	496	182.4	559	208.3	-0.14
	2	Diseases of heart [I00-I09, I11, I13, I20-I51]	362	133.1	349	130.1	0.02
	3	Chronic lower respiratory diseases [J40-J47]	63	23.2	47	17.5	0.24
	4	Unintentional injuries (Accidents) [V01-X59, Y85-Y86]	63	23.2	45	16.8	0.28
	5	Diabetes Mellitus [E10-E14]	56	20.6	51	19.0	0.08
		Other Causes	449	165.1	401	149.4	0.10
65 Years and Older:		**TOTAL**	**7972**	**5,322.7**	**7757**	**5,151.2**	**0.03**
	1	Diseases of heart [I00-I09, I11, I13, I20-I51]	2573	1717.9	2556	1697.4	0.01
	2	Malignant Neoplasms (Cancers) [C00-C97]	1714	1144.4	1790	1188.7	-0.04
	3	Cerebrovascular diseases [I60-I69]	473	315.8	466	309.5	0.02
	4	Chronic lower respiratory diseases [J40-J47]	455	303.8	414	274.9	0.10
	5	Alzheimer's disease [G30]	295	197.0	278	184.6	0.06
		Other Causes	2462	1643.8	2253	1496.1	0.09

*Total(s) for each age group do not include deaths where age is unknown. Rates based on estimate population

Figure 24


5 Leading Causes of Death for Rhode Island Residents
Under 5 Years: 2005 vs 2004
2005
2004
60
50
40
30
20
10
0
50
39
12
14
5
7
5
4
2
2
Certain conditions originating in the perinatal period [P00-P96]
Congenital malformations, deformations and chromosomal abnormalities [Q00-Q99]
Unintentional injuries (Accidents) [V01-X59, Y85-Y86]
Diseases of heart [I00-I09, I11, I13, I20-I51]
Malignant Neoplasms (Cancers) [C00-C97]
Cause of Death

Figure 25


5 Leading Causes of Death for Rhode Island Residents
5 to 19 Years: 2005 vs 2004
2005
2004
25
20
15
10
5
0
17
20
7
4
6
3
5
7
3
1
Unintentional injuries (Accidents) [V01-X59, Y85-Y86]
Malignant Neoplasms (Cancers) [C00-C97]
Assault (homicide) [X85-Y09, Y89.1, U01-U02]
Intentional self-harm (suicide) [X60-X84, U03, Y87.0]
Diseases of heart [I00-I09, I11, I13, I20-I51]
Cause of Death

Figure 26


5 Leading Causes of Death for Rhode Island Residents
20 to 44 Years: 2005 vs 2004
2005
2004
80
70
60
50
40
30
20
10
0
67
64
64
61
59
56
26
33
22
18
Unintentional injuries (Accidents) [V01-X59, Y85-Y86]
Malignant Neoplasms (Cancers) [C00-C97]
Diseases of heart [I00-I09, I11, I13, I20-I51]
Intentional self-harm (suicide) [X60-X84, U03, Y87.0]
Assault (homicide) [X85-Y09, Y89.1, U01-U02]
Cause of Death

Figure 27


5 Leading Causes of Death for Rhode Island Residents
45 to 64 Years: 2005 vs 2004
2005
2004
600
500
400
300
200
100
0
496
559
362
349
63
47
63
45
56
51
Malignant Neoplasms (Cancers) [C00-C97]
Diseases of heart [I00-I09, I11, I13, I20-I51]
Chronic lower respiratory diseases [J40-J47]
Unintentional injuries (Accidents) [V01-X59, Y85-Y86]
Diabetes Mellitus [E10-E14]
Cause of Death

Figure 28


5 Leading Causes of Death for Rhode Island Residents
65 Years & Older: 2005 vs 2004
2005
2004
3000
2500
2000
1500
1000
500
0
2573
2556
1714
1790
473
466
455
414
295
278
Diseases of heart [I00-I09, I11, I13, I20-I51]
Malignant Neoplasms (Cancers) [C00-C97]
Cerebrovascular diseases [I60-I69]
Chronic lower respiratory diseases [J40-J47]
Alzheimer's disease [G30]
Cause of Death

TABLE 28 - DIVORCES BY COUNTY OF OCCURRENCE
RHODE ISLAND: 2005

County of Divorce	NUMBER
Bristol	Included in Providence County
Kent	537
Newport	194
Providence and Bristol	2,041
Washington	362
Total	**3,134**

TABLE 29 - DIVORCES BY MONTH OF OCCURRENCE
RHODE ISLAND: 2005

Month	Number
January	255
February	287
March	357
April	207
May	232
June	225
July	292
August	249
September	260
October	285
November	277
December	208
Total	**3,134**

Figure 29


2005 Rhode Island Divorces by Month of Occurrence
400
350
300
250
200
150
100
50
-
255
287
357
207
232
225
292
249
260
285
277
208
January
February
March
April
May
June
July
August
September
October
November
December
Month

TABLE 30 - MARRIAGES BY MONTH OF OCCURRENCE IN RHODE ISLAND: 2005	
Month	**Number**
January	311
February	324
March	275
April	481
May	697
June	891
July	982
August	903
September	965
October	880
November	426
December	386
Total	**7,521**

Figure 30


2005 Rhode Island Marriages by Month of Occurrence
1,200
1,000
800
600
400
200
-
311
324
275
481
697
891
982
903
965
880
426
386
January
February
March
April
May
June
July
August
September
October
November
December
Month

Table 31- MOST POPULAR BABY NAMES BY SEX
FOR RHODE ISLAND RESIDENT BIRTHS: 2005
(Each Spelling Counted Separately)

RANK	MALES	NUMBER	FEMALES	NUMBER
1	MICHAEL	119	OLIVIA	99
2	JACOB	92	AVA	86
3	MATTHEW	90	ISABELLA	78
4	ETHAN	87	EMILY	77
5	RYAN	87	MADISON	75
6	CHRISTOPHER	83	ABIGAIL	73
7	JOSEPH	81	EMMA	67
8	JOSHUA	81	SAMANTHA	66
9	NICHOLAS	79	SOPHIA	65
10	ALEXANDER	76	HANNAH	64
11	TYLER	76	GRACE	51
12	ANDREW	75	SARAH	45
13	BENJAMIN	68	JULIA	44
14	ZACHARY	67	MIA	41
15	ANTHONY	66	ALEXIS	38
16	WILLIAM	64	ASHLEY	38
17	DYLAN	62	ALYSSA	37
18	JOHN	62	ELLA	37
19	AIDAN	59	LILY	37
20	NATHAN	59	ELIZABETH	33
21	CHRISTIAN	58	LAUREN	32
22	JACK	57	MORGAN	31
23	JAMES	56	SYDNEY	31
24	JONATHAN	56	HAILEY	29
25	DANIEL	54	MACKENZIE	29
26	NOAH	52	VICTORIA	29
27	DAVID	49	ANGELINA	28
28	JORDAN	46	GABRIELLA	28
29	JAYDEN	44	BRIANNA	27
30	LUKE	44	GIANNA	27
			JENNA	27

Unique Names (names used only once with this spelling)

Males	1,110	Females	1,677

Figure 31


2005 Most Popular Male Baby Names
for Rhode Island Residents
Male Names
MICHAEL 119
JACOB 92
MATTHEW 90
ETHAN 87
RYAN 87
CHRISTOPHER 83
JOSEPH 81
JOSHUA 81
NICHOLAS 79
ALEXANDER 76
TYLER 76
ANDREW 75
BENJAMIN 68
ZACHARY 67
ANTHONY 66
WILLIAM 64
DYLAN 62
JOHN 62
AIDAN 59
NATHAN 59
CHRISTIAN 58
JACK 57
JAMES 56
JONATHAN 56
DANIEL 54
NOAH 52
DAVID 49
JORDAN 46
JAYDEN 44
LUKE 44
0
20
40
60
80
100
120
140

Figure 32


2005 Most Popular Female Baby Names
for Rhode Island Residents
120
100
80
60
40
20
0
99
86
78
77
75
73
67
66
65
64
51
45
44
41
38
38
37
37
37
37
33
32
31
31
29
29
29
28
28
27
27
OLIVIA
AVA
ISABELLA
EMILY
MADISON
ABIGAIL
EMMA
SAMANTHA
SOPHIA
HANNAH
GRACE
SARAH
JULIA
MIA
ALEXIS
ASHLEY
ALYSSA
ELLA
LILY
ELIZABETH
LAUREN
MORGAN
SYDNEY
HAILEY
MACKENZIE
VICTORIA
ANGELINA
GABRIELLA
BRIANNA
GIANNA
Female Names