



RHODE ISLAND VACCINE POLICY PEDIATRIC STATE-SUPPLIED VACCINES¹

VACCINE TYPE	BRAND NAME	VACCINE POLICY GUIDELINES ^{2,3}	CPT CODE	MFR CODE ⁴	THIMEROSAL CONTENT ⁵
DTaP-HepB-IPV Combination Vaccine	Pediarix	Routine: primary series at 2, 4, & 6 months	90723	SKB	Free
DTaP	Infanrix	Routine: 4th dose at 15-18 months	90700	SKB	Free
DTaP-IPV Combination Vaccine	Kinrix	Routine: 5th dose of DTaP & 4th dose IPV at 4-6 years	90696	SKB	Free
Hepatitis A	Havrix	Routine: Give 2 doses 6 months apart to children 12-23 months & high-risk 2-18 yrs; Permissive: 2-18 years of age	90633	SKB	Free
Hepatitis B	Engerix B	Routine: birth dose; catch-up vaccination through 18 years of age	90744	SKB	Free
Hib Haemophilus flu type B	PedvaxHIB	Routine: 3 doses at 2, 4, & 12-15 months	90647	MSD	Free
HPV4 Human Papillomavirus	Gardasil	<i>Females and Males</i> - Routine: 11-12 years-3 doses at 0, 1-2, 6 mos.; catch-up vaccination through 18 yrs	90649	MSD	Free
MCV4 Meningococcal conjugate	Menactra	Routine: 1 dose at 11-12 yrs; booster dose at 16 yrs; high-risk children 9 months -10 years	90734	PMC	Free
MMR Measles-mumps-rubella	MMRII	Routine: 2 doses at 12-15 months and 4-6 years	90707	MSD	Free
PCV13 Pneumococcal -conjugate	Prevnar	Routine: 4 doses at 2, 4, 6, 12-15 mos; single supplemental (5 th) dose for kids 14-59 mos. if all previous doses were PCV7; high-risk 60-71 mos	90670	PFR	Free
RV Rotavirus	Rotarix	Routine: 2 doses at 2 & 4 months	90681	SKB	Free
Tdap Tetanus-diphtheria-pertussis	Boostrix	Routine: 1 dose at 11-12 years; catch-up through 18 yrs; children 7-10 years not fully vaccinated against pertussis	90715	SKB	Free
Varicella (Chickenpox)	Varivax	Routine: 2 doses at 12-15 mos & 4-6 yrs; Catch-up 2 nd dose through 18 years	90716	MSD	Free
VACCINES USED IN SPECIAL CIRCUMSTANCES:					
DT (Diphtheria-tetanus)	DT	Use for children < 7 years with contraindication to pertussis vaccine	90702	PMC	Trace < 0.00012%
Td (Tetanus-diphtheria)	Decavac	Use for children 7-18 years who need to complete a tetanus-containing series after a dose of Tdap	90714	PMC	Trace < 0.00012%
IPV (Polio)	IPOL	Use for children for catch-up vaccination	90713	PMC	Free
PPV23 (Pneumo-polysaccharide)	Pneumovax	Use for children 2-18 years at high risk for pneumococcal disease	90732	MSD	Free

¹ Pediatric vaccine is provided to Rhode Island healthcare providers delivering care in RI for children (up to 19 years of age) through Rhode Island's Pediatric Universal State-supplied Vaccine (SSV) Program.

² Routine vaccine recommendations: Vaccine is provided as standard of care to all children up to 19 years of age.

³ Permissive vaccine recommendations: Vaccine should be provided upon parental request; provider may proactively offer the vaccine during office visits.

⁴ Manufacturer Code Names: SKB=Glaxo Smith Kline; Merck=MSD; Pfizer/Wyeth=PFR; Sanofi=PMC

⁵ Source: Food and Drug Administration, Table 3: Thimerosal/Expanded List of Vaccines: www.fda.gov/cber/vaccine/thimerosal.htm