

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Achievement First RI

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	90	57	63%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 4
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Achievement First RI

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Achievement First Rhode Island	K	90	57	63%	4	0

Schools with No Reported Data

Grade

LEAD EXPOSURE

Achievement First RI


Kindergarten Lead Screening Status*

Lead exposure can lead to cognitive and developmental delays, which can affect a child's performance in the classroom. All Rhode Island healthcare providers are required by law to screen their patients for lead poisoning twice by 36 months of age. Before entering Kindergarten, all students should be in compliance with the state lead screening requirements for children.

Screening Status*

Local Education Agency (LEA)	Total # Students	Once By 18 Months		Compliant	
		#	% of students	#	% of students
Your LEA	73	55	75.3%	38	52.1%
Rhode Island	8,827	6,508	73.7%	4,562	51.7%


Kindergarteners in RI



Kindergarten Lead Exposure**

The current measure of elevated lead levels is five micrograms of lead per deciliter of blood ($\mu\text{g}/\text{dL}$) or higher. For more information on lead exposure and educational outcomes, visit ridatahub.org/datastories/educational-costs-of-unhealthy-housing

Local Education Agency (LEA)	Total # Students Screened	0-4 μdL ***		5-9 μdL (elevated blood lead level)		10+ μdL (elevated blood lead level)	
		#	% of students	#	% of students	#	% of students
Your LEA	67	26	38.8%	16	23.9%	1	1.5%
Rhode Island	8,136	3,381	41.6%	1,417	17.4%	190	2.3%



Lead hazards in the home are the most common sources of lead poisoning. Children in low-income families in Rhode Island are more likely than other children to live in older housing, where these hazards are more prevalent.

* Screened by 18 months indicates that students received at least one test between 4 months and 21 months of age. Compliant indicates that students had at least two tests that were at least 9 months apart before the age of 39 months.

** Results show the highest ever lead test result for last year's public school kindergarten students (school year 2013-2014) who had at least one valid blood lead test as of December 31, 2013.

*** Students were only counted in the 0-4 μdL category when they were also compliant with screening requirements because HEALTH estimates that 5% of children who screen between 0-4 μdL at their first screening have elevated blood lead levels at the second screening.

Data Sources: The Rhode Island Childhood Lead Poisoning Prevention Program's Lead Elimination Surveillance System (LESS) and KIDSNET, Rhode Island's web-based, integrated child health information system were linked with Rhode Island Department of Education (RIDE) Enrollment Data, SY2013-2014, by The Providence Plan. 14% of RIDE Kindergarten students did not match to KIDSNET data and were excluded from the total # of students.

LEAD EXPOSURE AND SCREENING BY SCHOOL

Achievement First RI

Kindergarten

Screening Status and Blood Lead Levels

School Name	Total # Students	Screening		Blood Lead Levels					
		Compliant		0-4 μ /dL		5-9 μ /dL		10+ μ /dL	
		#	%	#	%	#	%	#	%
Achievement First Rhode Island	73	38	52%	26	39%	16	24%	1	1%

Note: Results are suppressed for schools with less than 10 kindergarten students. Percent compliant uses all students who matched to KIDSNET data (86% of students on average) as the denominator. Blood lead level percentages use the number of students with at least one test result as the denominator. Students were only counted in the 0-4 category when they were also compliant with screening requirements, so blood lead level category percentages may not add up to 100.

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Action Based Enterprises

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	3	3	100%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Action Based Enterprises

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Action Based Enterprises	7	3	3	100%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Apponaug Christian Academy

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*

Immunization Reporting


Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0

Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*

Immunization Reporting


Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	1	1	100%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0

Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Apponaug Christian Academy

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Apponaug Christian Academy	K	0	0		0	0
Apponaug Christian Academy	7	1	1	100%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Aquidneck Island Christian Academy

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	2	2	100%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	2	1	50%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Aquidneck Island Christian Academy

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Aquidneck Island Christian Academy	K	2	2	100%	0	0
Aquidneck Island Christian Academy	7	2	1	50%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Barrington Christian Academy

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	9	7	78%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	18	14	78%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Barrington Christian Academy

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Barrington Christian Academy	K	9	7	78%	0	0
Barrington Christian Academy	7	18	14	78%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Blackstone Valley Prep

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	2	2	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	167	165	99%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 2



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	92	68	74%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Blackstone Valley Prep

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Blackstone Valley Prep Elementary 2 School	K	83	81	98%	0	2
Blackstone Valley Prep Elementary School	K	84	84	100%	0	0
Blackstone Valley Prep Middle School	7	92	68	74%	0	0

Schools with No Reported Data

Grade

LEAD EXPOSURE

Blackstone Valley Prep


Kindergarten Lead Screening Status*

Lead exposure can lead to cognitive and developmental delays, which can affect a child's performance in the classroom. All Rhode Island healthcare providers are required by law to screen their patients for lead poisoning twice by 36 months of age. Before entering Kindergarten, all students should be in compliance with the state lead screening requirements for children.

Screening Status*

Local Education Agency (LEA)	Total # Students	Once By 18 Months		Compliant	
		#	% of students	#	% of students
Your LEA	137	105	76.6%	71	51.8%
Rhode Island	8,827	6,508	73.7%	4,562	51.7%


Kindergarteners in RI



Kindergarten Lead Exposure**

The current measure of elevated lead levels is five micrograms of lead per deciliter of blood ($\mu\text{g}/\text{dL}$) or higher. For more information on lead exposure and educational outcomes, visit ridatahub.org/datastories/educational-costs-of-unhealthy-housing

Local Education Agency (LEA)	Total # Students Screened	0-4 μdL ***		5-9 μdL (elevated blood lead level)		10+ μdL (elevated blood lead level)	
		#	% of students	#	% of students	#	% of students
Your LEA	127	62	48.8%	13	10.2%	0	0.0%
Rhode Island	8,136	3,381	41.6%	1,417	17.4%	190	2.3%



Lead hazards in the home are the most common sources of lead poisoning. Children in low-income families in Rhode Island are more likely than other children to live in older housing, where these hazards are more prevalent.

* Screened by 18 months indicates that students received at least one test between 4 months and 21 months of age. Compliant indicates that students had at least two tests that were at least 9 months apart before the age of 39 months.

** Results show the highest ever lead test result for last year's public school kindergarten students (school year 2013-2014) who had at least one valid blood lead test as of December 31, 2013.

*** Students were only counted in the 0-4 μdL category when they were also compliant with screening requirements because HEALTH estimates that 5% of children who screen between 0-4 μdL at their first screening have elevated blood lead levels at the second screening.

Data Sources: The Rhode Island Childhood Lead Poisoning Prevention Program's Lead Elimination Surveillance System (LESS) and KIDSNET, Rhode Island's web-based, integrated child health information system were linked with Rhode Island Department of Education (RIDE) Enrollment Data, SY2013-2014, by The Providence Plan. 14% of RIDE Kindergarten students did not match to KIDSNET data and were excluded from the total # of students.

LEAD EXPOSURE AND SCREENING BY SCHOOL

Blackstone Valley Prep

Kindergarten

Screening Status and Blood Lead Levels

School Name	Total # Students	Screening		Blood Lead Levels					
		Compliant		0-4 μ /dL		5-9 μ /dL		10+ μ /dL	
		#	%	#	%	#	%	#	%
Blackstone Valley Prep Elementary 2 School	67	35	52%	31	49%	6	10%	0	0%
Blackstone Valley Prep Elementary School	70	36	51%	31	48%	7	11%	0	0%

Note: Results are suppressed for schools with less than 10 kindergarten students. Percent compliant uses all students who matched to KIDSNET data (86% of students on average) as the denominator. Blood lead level percentages use the number of students with at least one test result as the denominator. Students were only counted in the 0-4 category when they were also compliant with screening requirements, so blood lead level category percentages may not add up to 100.

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Bradley

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	3	3	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	4	4	100%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	4	4	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	23	17	74%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)
 ** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Bradley

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Bradley School, East Providence	K	2	2	100%	0	0
Bradley School, Portsmouth	K	1	1	100%	0	0
Bradley School, South County	K	1	1	100%	0	0
Bradley School, East Providence	7	10	7	70%	0	0
Bradley School, Portsmouth	7	4	1	25%	0	0
Bradley School, South County	7	6	6	100%	0	0
Bradley School, Westerly	7	3	3	100%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

CITE School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	1	1	100%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	3	3	100%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

CITE School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
CITE School	K	1	1	100%	0	0
CITE School	7	3	3	100%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Community Christian School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	0	0%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	0	0%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Community Christian School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		

Schools with No Reported Data

Grade

Community Christian School

K

Community Christian School

7

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Community Preparatory School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	0	0%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Community Preparatory School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Cornerstone School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	6	5	83%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	3	3	100%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)
 ** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Cornerstone School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Cornerstone School	K	6	5	83%	0	0
Cornerstone School	7	3	3	100%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

FASRI

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	14	5	36%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	4	1	25%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

FASRI

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
FASRI	K	14	5	36%	0	0
FASRI	7	4	1	25%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

George N. Hunt School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*

Immunization Reporting


Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0

Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*

Immunization Reporting


Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	4	3	75%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0

Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

George N. Hunt School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
George N. Hunt School	7	4	3	75%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Gordon School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	38	37	97%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 1



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	42	41	98%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Gordon School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Gordon School	K	38	37	97%	0	1
Gordon School	7	42	41	98%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Groden Center

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	3	3	100%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	2	2	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	3	3	100%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Groden Center

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
the Groden Center	K	3	3	100%	0	0
Groden Center South	7	1	1	100%	0	0
The Groden Center	7	2	2	100%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Harmony Hill

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	3	3	100%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Harmony Hill

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Harmony Hill	7	3	3	100%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Henry Barnard

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	43	40	93%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 2



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Henry Barnard

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Henry Barnard	K	43	40	93%	0	2

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Highlander

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	32	32	100%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	36	33	92%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Highlander

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Highlander Charter School	K	32	32	100%	0	0
Highlander Charter School	7	36	33	92%	0	0

Schools with No Reported Data

Grade

LEAD EXPOSURE

Highlander


Kindergarten Lead Screening Status*

Lead exposure can lead to cognitive and developmental delays, which can affect a child's performance in the classroom. All Rhode Island healthcare providers are required by law to screen their patients for lead poisoning twice by 36 months of age. Before entering Kindergarten, all students should be in compliance with the state lead screening requirements for children.

Screening Status*

Local Education Agency (LEA)	Total # Students	Once By 18 Months		Compliant	
		#	% of students	#	% of students
Your LEA	26	21	80.8%	14	53.8%
Rhode Island	8,827	6,508	73.7%	4,562	51.7%


Kindergarteners in RI



Kindergarten Lead Exposure**

The current measure of elevated lead levels is five micrograms of lead per deciliter of blood ($\mu\text{g}/\text{dL}$) or higher. For more information on lead exposure and educational outcomes, visit ridatahub.org/datastories/educational-costs-of-unhealthy-housing

Local Education Agency (LEA)	Total # Students Screened	0-4 μdL ***		5-9 μdL (elevated blood lead level)		10+ μdL (elevated blood lead level)	
		#	% of students	#	% of students	#	% of students
Your LEA	26	10	38.5%	4	15.4%	0	0.0%
Rhode Island	8,136	3,381	41.6%	1,417	17.4%	190	2.3%



Lead hazards in the home are the most common sources of lead poisoning. Children in low-income families in Rhode Island are more likely than other children to live in older housing, where these hazards are more prevalent.

* Screened by 18 months indicates that students received at least one test between 4 months and 21 months of age. Compliant indicates that students had at least two tests that were at least 9 months apart before the age of 39 months.

** Results show the highest ever lead test result for last year's public school kindergarten students (school year 2013-2014) who had at least one valid blood lead test as of December 31, 2013.

*** Students were only counted in the 0-4 μdL category when they were also compliant with screening requirements because HEALTH estimates that 5% of children who screen between 0-4 μdL at their first screening have elevated blood lead levels at the second screening.

Data Sources: The Rhode Island Childhood Lead Poisoning Prevention Program's Lead Elimination Surveillance System (LESS) and KIDSNET, Rhode Island's web-based, integrated child health information system were linked with Rhode Island Department of Education (RIDE) Enrollment Data, SY2013-2014, by The Providence Plan. 14% of RIDE Kindergarten students did not match to KIDSNET data and were excluded from the total # of students.

LEAD EXPOSURE AND SCREENING BY SCHOOL

Highlander

Kindergarten

Screening Status and Blood Lead Levels

School Name	Total # Students	Screening		Blood Lead Levels					
		Compliant		0-4 μ /dL		5-9 μ /dL		10+ μ /dL	
		#	%	#	%	#	%	#	%
Highlander Charter School	26	14	54%	10	38%	4	15%	0	0%

Note: Results are suppressed for schools with less than 10 kindergarten students. Percent compliant uses all students who matched to KIDSNET data (86% of students on average) as the denominator. Blood lead level percentages use the number of students with at least one test result as the denominator. Students were only counted in the 0-4 category when they were also compliant with screening requirements, so blood lead level category percentages may not add up to 100.

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

HIGHROAD

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	21	20	95%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

HIGHROAD

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
HIGHROAD	7	21	20	95%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

International Charter

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	54	52	96%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 1



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

International Charter

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
International Charter School	K	54	52	96%	0	1

Schools with No Reported Data

Grade

LEAD EXPOSURE

International Charter


Kindergarten Lead Screening Status*

Lead exposure can lead to cognitive and developmental delays, which can affect a child's performance in the classroom. All Rhode Island healthcare providers are required by law to screen their patients for lead poisoning twice by 36 months of age. Before entering Kindergarten, all students should be in compliance with the state lead screening requirements for children.

Screening Status*

Local Education Agency (LEA)	Total # Students	Once By 18 Months		Compliant	
		#	% of students	#	% of students
Your LEA	53	36	67.9%	25	47.2%
Rhode Island	8,827	6,508	73.7%	4,562	51.7%


Kindergarteners in RI



Kindergarten Lead Exposure**

The current measure of elevated lead levels is five micrograms of lead per deciliter of blood ($\mu\text{g}/\text{dL}$) or higher. For more information on lead exposure and educational outcomes, visit ridatahub.org/datastories/educational-costs-of-unhealthy-housing

Local Education Agency (LEA)	Total # Students Screened	0-4 μdL ***		5-9 μdL (elevated blood lead level)		10+ μdL (elevated blood lead level)	
		#	% of students	#	% of students	#	% of students
Your LEA	46	18	39.1%	6	13.0%	3	6.5%
Rhode Island	8,136	3,381	41.6%	1,417	17.4%	190	2.3%



Lead hazards in the home are the most common sources of lead poisoning. Children in low-income families in Rhode Island are more likely than other children to live in older housing, where these hazards are more prevalent.

* Screened by 18 months indicates that students received at least one test between 4 months and 21 months of age. Compliant indicates that students had at least two tests that were at least 9 months apart before the age of 39 months.

** Results show the highest ever lead test result for last year's public school kindergarten students (school year 2013-2014) who had at least one valid blood lead test as of December 31, 2013.

*** Students were only counted in the 0-4 μdL category when they were also compliant with screening requirements because HEALTH estimates that 5% of children who screen between 0-4 μdL at their first screening have elevated blood lead levels at the second screening.

Data Sources: The Rhode Island Childhood Lead Poisoning Prevention Program's Lead Elimination Surveillance System (LESS) and KIDSNET, Rhode Island's web-based, integrated child health information system were linked with Rhode Island Department of Education (RIDE) Enrollment Data, SY2013-2014, by The Providence Plan. 14% of RIDE Kindergarten students did not match to KIDSNET data and were excluded from the total # of students.

LEAD EXPOSURE AND SCREENING BY SCHOOL

International Charter

Kindergarten

Screening Status and Blood Lead Levels

School Name	Total # Students	Screening		Blood Lead Levels					
		Compliant		0-4 μ /dL		5-9 μ /dL		10+ μ /dL	
		#	%	#	%	#	%	#	%
International Charter School	53	25	47%	18	39%	6	13%	3	7%

Note: Results are suppressed for schools with less than 10 kindergarten students. Percent compliant uses all students who matched to KIDSNET data (86% of students on average) as the denominator. Blood lead level percentages use the number of students with at least one test result as the denominator. Students were only counted in the 0-4 category when they were also compliant with screening requirements, so blood lead level category percentages may not add up to 100.

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Islamic School of RI

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	19	4	21%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 4
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	17	6	35%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Islamic School of RI

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Islamic School of RI	K	19	4	21%	4	0
Islamic School of RI	7	17	6	35%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Jewish Community School of RI

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	14	12	86%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 2



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Jewish Community School of RI

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Jewish Community School of RI	K	14	12	86%	0	2

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Kingston Hill Academy

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	43	33	77%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 6



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Kingston Hill Academy

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Kingston Hill Academy	K	43	33	77%	0	6

Schools with No Reported Data

Grade

LEAD EXPOSURE

Kingston Hill Academy


Kindergarten Lead Screening Status*

Lead exposure can lead to cognitive and developmental delays, which can affect a child's performance in the classroom. All Rhode Island healthcare providers are required by law to screen their patients for lead poisoning twice by 36 months of age. Before entering Kindergarten, all students should be in compliance with the state lead screening requirements for children.

Screening Status*

Local Education Agency (LEA)	Total # Students	Once By 18 Months		Compliant	
		#	% of students	#	% of students
Your LEA	39	33	84.6%	19	48.7%
Rhode Island	8,827	6,508	73.7%	4,562	51.7%


Kindergarteners in RI



Kindergarten Lead Exposure**

The current measure of elevated lead levels is five micrograms of lead per deciliter of blood ($\mu\text{g}/\text{dL}$) or higher. For more information on lead exposure and educational outcomes, visit ridatahub.org/datastories/educational-costs-of-unhealthy-housing

Local Education Agency (LEA)	Total # Students Screened	0-4 μdL ***		5-9 μdL (elevated blood lead level)		10+ μdL (elevated blood lead level)	
		#	% of students	#	% of students	#	% of students
Your LEA	38	12	31.6%	7	18.4%	0	0.0%
Rhode Island	8,136	3,381	41.6%	1,417	17.4%	190	2.3%



Lead hazards in the home are the most common sources of lead poisoning. Children in low-income families in Rhode Island are more likely than other children to live in older housing, where these hazards are more prevalent.

* Screened by 18 months indicates that students received at least one test between 4 months and 21 months of age. Compliant indicates that students had at least two tests that were at least 9 months apart before the age of 39 months.

** Results show the highest ever lead test result for last year's public school kindergarten students (school year 2013-2014) who had at least one valid blood lead test as of December 31, 2013.

*** Students were only counted in the 0-4 μdL category when they were also compliant with screening requirements because HEALTH estimates that 5% of children who screen between 0-4 μdL at their first screening have elevated blood lead levels at the second screening.

Data Sources: The Rhode Island Childhood Lead Poisoning Prevention Program's Lead Elimination Surveillance System (LESS) and KIDSNET, Rhode Island's web-based, integrated child health information system were linked with Rhode Island Department of Education (RIDE) Enrollment Data, SY2013-2014, by The Providence Plan. 14% of RIDE Kindergarten students did not match to KIDSNET data and were excluded from the total # of students.

LEAD EXPOSURE AND SCREENING BY SCHOOL

Kingston Hill Academy

Kindergarten

Screening Status and Blood Lead Levels

School Name	Total # Students	Screening		Blood Lead Levels					
		Compliant		0-4 μ /dL		5-9 μ /dL		10+ μ /dL	
		#	%	#	%	#	%	#	%
Kingston Hill Academy	39	19	49%	12	32%	7	18%	0	0%

Note: Results are suppressed for schools with less than 10 kindergarten students. Percent compliant uses all students who matched to KIDSNET data (86% of students on average) as the denominator. Blood lead level percentages use the number of students with at least one test result as the denominator. Students were only counted in the 0-4 category when they were also compliant with screening requirements, so blood lead level category percentages may not add up to 100.

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Kittens & Cubs

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	8	7	88%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Kittens & Cubs

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Kittens & Cubs	K	8	7	88%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Learning Community

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	63	61	97%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	62	51	82%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Learning Community

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
The Learning Community Charter School	K	63	61	97%	0	0
The Learning Community Charter School	7	62	51	82%	0	0

Schools with No Reported Data

Grade

LEAD EXPOSURE

Learning Community


Kindergarten Lead Screening Status*

Lead exposure can lead to cognitive and developmental delays, which can affect a child's performance in the classroom. All Rhode Island healthcare providers are required by law to screen their patients for lead poisoning twice by 36 months of age. Before entering Kindergarten, all students should be in compliance with the state lead screening requirements for children.

Screening Status*

Local Education Agency (LEA)	Total # Students	Once By 18 Months		Compliant	
		#	% of students	#	% of students
Your LEA	50	42	84.0%	32	64.0%
Rhode Island	8,827	6,508	73.7%	4,562	51.7%


Kindergarteners in RI



Kindergarten Lead Exposure**

The current measure of elevated lead levels is five micrograms of lead per deciliter of blood ($\mu\text{g}/\text{dL}$) or higher. For more information on lead exposure and educational outcomes, visit ridatahub.org/datastories/educational-costs-of-unhealthy-housing

Local Education Agency (LEA)	Total # Students Screened	0-4 μdL ***		5-9 μdL (elevated blood lead level)		10+ μdL (elevated blood lead level)	
		#	% of students	#	% of students	#	% of students
Your LEA	48	24	50.0%	6	12.5%	2	4.2%
Rhode Island	8,136	3,381	41.6%	1,417	17.4%	190	2.3%



Lead hazards in the home are the most common sources of lead poisoning. Children in low-income families in Rhode Island are more likely than other children to live in older housing, where these hazards are more prevalent.

* Screened by 18 months indicates that students received at least one test between 4 months and 21 months of age. Compliant indicates that students had at least two tests that were at least 9 months apart before the age of 39 months.

** Results show the highest ever lead test result for last year's public school kindergarten students (school year 2013-2014) who had at least one valid blood lead test as of December 31, 2013.

*** Students were only counted in the 0-4 μdL category when they were also compliant with screening requirements because HEALTH estimates that 5% of children who screen between 0-4 μdL at their first screening have elevated blood lead levels at the second screening.

Data Sources: The Rhode Island Childhood Lead Poisoning Prevention Program's Lead Elimination Surveillance System (LESS) and KIDSNET, Rhode Island's web-based, integrated child health information system were linked with Rhode Island Department of Education (RIDE) Enrollment Data, SY2013-2014, by The Providence Plan. 14% of RIDE Kindergarten students did not match to KIDSNET data and were excluded from the total # of students.

LEAD EXPOSURE AND SCREENING BY SCHOOL

Learning Community

Kindergarten

Screening Status and Blood Lead Levels

School Name	Total # Students	Screening		Blood Lead Levels					
		Compliant		0-4 μ /dL		5-9 μ /dL		10+ μ /dL	
		#	%	#	%	#	%	#	%
The Learning Community Charter School	50	32	64%	24	50%	6	13%	2	4%

Note: Results are suppressed for schools with less than 10 kindergarten students. Percent compliant uses all students who matched to KIDSNET data (86% of students on average) as the denominator. Blood lead level percentages use the number of students with at least one test result as the denominator. Students were only counted in the 0-4 category when they were also compliant with screening requirements, so blood lead level category percentages may not add up to 100.

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Lincoln School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	14	11	79%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 1
 Number of students with an exemption (religious or medical): 1



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	26	22	85%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Lincoln School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Lincoln School	K	14	11	79%	1	1
Lincoln School	7	26	22	85%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Masters Regional Academy

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	10	5	50%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 1



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Masters Regional Academy

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Masters Regional Academy	7	10	5	50%	0	1

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Meadowbrook Waldorf School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	11	6	55%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 1
 Number of students with an exemption (religious or medical): 2



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	13	11	85%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Meadowbrook Waldorf School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Meadowbrook Waldorf School	K	11	6	55%	1	2
Meadowbrook Waldorf School	7	13	11	85%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Meeting Street

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	12	11	92%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Meeting Street

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Meeting Street	7	12	11	92%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Montessori Children's House

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	14	14	100%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Montessori Children's House

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Montessori Children's House	K	14	14	100%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Moses Brown

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	22	17	77%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 1
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	60	42	70%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 7
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Moses Brown

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Moses Brown	K	22	17	77%	1	0
Moses Brown	7	60	42	70%	7	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Mount Pleasant Academy

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	2	2	100%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	2	2	100%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Mount Pleasant Academy

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Mount Pleasant Academy	K	2	2	100%	0	0
Mount Pleasant Academy	7	2	2	100%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

NAFI ACE

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	1	1	100%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

NAFI ACE

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
NAFI ACE	7	1	1	100%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Northern Rhode Island Collaborative

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	2	2	100%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	3	3	100%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Northern Rhode Island Collaborative

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Northern Rhode Island Collaborative	K	2	2	100%	0	0
Northern Rhode Island Collaborative	7	3	3	100%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Ocean State Montessori School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	17	7	41%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 2
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Ocean State Montessori School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Ocean State Montessori School	K	17	7	41%	2	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Overbrook Academy

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	31	29	94%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Overbrook Academy

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Overbrook Academy	7	31	29	94%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Pathways Strategic Teaching Center

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	2	2	100%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	4	3	75%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 1



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Pathways Strategic Teaching Center

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Pathways Strategic Teaching Center	K	2	2	100%	0	0
Pathways Strategic Teaching Center	7	4	3	75%	0	1

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Paul Cuffee Charter School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	57	55	96%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 1



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	61	54	89%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)
 ** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Paul Cuffee Charter School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Paul Cuffee Charter School	K	57	55	96%	0	1
Paul Cuffee Charter School	7	61	54	89%	0	0

Schools with No Reported Data

Grade

LEAD EXPOSURE

Paul Cuffee Charter School


Kindergarten Lead Screening Status*

Lead exposure can lead to cognitive and developmental delays, which can affect a child's performance in the classroom. All Rhode Island healthcare providers are required by law to screen their patients for lead poisoning twice by 36 months of age. Before entering Kindergarten, all students should be in compliance with the state lead screening requirements for children.

Screening Status*

Local Education Agency (LEA)	Total # Students	Once By 18 Months		Compliant	
		#	% of students	#	% of students
Your LEA	52	38	73.1%	25	48.1%
Rhode Island	8,827	6,508	73.7%	4,562	51.7%


Kindergarteners in RI



Kindergarten Lead Exposure**

The current measure of elevated lead levels is five micrograms of lead per deciliter of blood ($\mu\text{g}/\text{dL}$) or higher. For more information on lead exposure and educational outcomes, visit ridatahub.org/datastories/educational-costs-of-unhealthy-housing

Local Education Agency (LEA)	Total # Students Screened	0-4 μdL ***		5-9 μdL (elevated blood lead level)		10+ μdL (elevated blood lead level)	
		#	% of students	#	% of students	#	% of students
Your LEA	48	12	25.0%	16	33.3%	2	4.2%
Rhode Island	8,136	3,381	41.6%	1,417	17.4%	190	2.3%



Lead hazards in the home are the most common sources of lead poisoning. Children in low-income families in Rhode Island are more likely than other children to live in older housing, where these hazards are more prevalent.

* Screened by 18 months indicates that students received at least one test between 4 months and 21 months of age. Compliant indicates that students had at least two tests that were at least 9 months apart before the age of 39 months.

** Results show the highest ever lead test result for last year's public school kindergarten students (school year 2013-2014) who had at least one valid blood lead test as of December 31, 2013.

*** Students were only counted in the 0-4 μdL category when they were also compliant with screening requirements because HEALTH estimates that 5% of children who screen between 0-4 μdL at their first screening have elevated blood lead levels at the second screening.

Data Sources: The Rhode Island Childhood Lead Poisoning Prevention Program's Lead Elimination Surveillance System (LESS) and KIDSNET, Rhode Island's web-based, integrated child health information system were linked with Rhode Island Department of Education (RIDE) Enrollment Data, SY2013-2014, by The Providence Plan. 14% of RIDE Kindergarten students did not match to KIDSNET data and were excluded from the total # of students.

LEAD EXPOSURE AND SCREENING BY SCHOOL

Paul Cuffee Charter School

Kindergarten

Screening Status and Blood Lead Levels

School Name	Total # Students	Screening		Blood Lead Levels					
		Compliant		0-4 μ /dL		5-9 μ /dL		10+ μ /dL	
		#	%	#	%	#	%	#	%
Paul Cuffee Charter School	52	25	48%	12	25%	16	33%	2	4%

Note: Results are suppressed for schools with less than 10 kindergarten students. Percent compliant uses all students who matched to KIDSNET data (86% of students on average) as the denominator. Blood lead level percentages use the number of students with at least one test result as the denominator. Students were only counted in the 0-4 category when they were also compliant with screening requirements, so blood lead level category percentages may not add up to 100.

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Providence Country Day

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	16	14	88%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Providence Country Day

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Providence Country Day	7	16	14	88%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Providence Hebrew Day

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	17	15	88%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	15	12	80%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Providence Hebrew Day

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Providence Hebrew Day	K	17	15	88%	0	0
Providence Hebrew Day	7	15	12	80%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Quest Montessori

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	9	6	67%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 1
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	6	4	67%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 2
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Quest Montessori

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Quest Montessori	K	9	6	67%	1	0
Quest Montessori	7	6	4	67%	2	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Rhode Island School for the Deaf

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	4	3	75%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	3	3	100%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Rhode Island School for the Deaf

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Rhode Island School for the Deaf	K	4	3	75%	0	0
Rhode Island School for the Deaf	7	3	3	100%	0	0

Schools with No Reported Data

Grade

LEAD EXPOSURE

Rhode Island School for the Deaf


Kindergarten Lead Screening Status*

Lead exposure can lead to cognitive and developmental delays, which can affect a child's performance in the classroom. All Rhode Island healthcare providers are required by law to screen their patients for lead poisoning twice by 36 months of age. Before entering Kindergarten, all students should be in compliance with the state lead screening requirements for children.

Screening Status*

Local Education Agency (LEA)	Total # Students	Once By 18 Months		Compliant	
		#	% of students	#	% of students
Your LEA	*	*	*	*	*
Rhode Island	8,827	6,508	73.7%	4,562	51.7%


Kindergarteners in RI



Kindergarten Lead Exposure**

The current measure of elevated lead levels is five micrograms of lead per deciliter of blood ($\mu\text{g}/\text{dL}$) or higher. For more information on lead exposure and educational outcomes, visit ridatahub.org/datastories/educational-costs-of-unhealthy-housing

Local Education Agency (LEA)	Total # Students Screened	0-4 μdL ***		5-9 μdL (elevated blood lead level)		10+ μdL (elevated blood lead level)	
		#	% of students	#	% of students	#	% of students
Your LEA	*	*	*	*	*	*	*
Rhode Island	8,136	3,381	41.6%	1,417	17.4%	190	2.3%



Lead hazards in the home are the most common sources of lead poisoning. Children in low-income families in Rhode Island are more likely than other children to live in older housing, where these hazards are more prevalent.

* Screened by 18 months indicates that students received at least one test between 4 months and 21 months of age. Compliant indicates that students had at least two tests that were at least 9 months apart before the age of 39 months.

** Results show the highest ever lead test result for last year's public school kindergarten students (school year 2013-2014) who had at least one valid blood lead test as of December 31, 2013.

*** Students were only counted in the 0-4 μdL category when they were also compliant with screening requirements because HEALTH estimates that 5% of children who screen between 0-4 μdL at their first screening have elevated blood lead levels at the second screening.

Data Sources: The Rhode Island Childhood Lead Poisoning Prevention Program's Lead Elimination Surveillance System (LESS) and KIDSNET, Rhode Island's web-based, integrated child health information system were linked with Rhode Island Department of Education (RIDE) Enrollment Data, SY2013-2014, by The Providence Plan. 14% of RIDE Kindergarten students did not match to KIDSNET data and were excluded from the total # of students.

LEAD EXPOSURE AND SCREENING BY SCHOOL

Rhode Island School for the Deaf

Kindergarten

Screening Status and Blood Lead Levels

School Name	Total # Students	Screening		Blood Lead Levels						
		Compliant		0-4 μ /dL		5-9 μ /dL		10+ μ /dL		
		#	%	#	%	#	%	#	%	
Rhode Island School for the Deaf	*	*	*	*	*	*	*	*	*	*

Note: Results are suppressed for schools with less than 10 kindergarten students. Percent compliant uses all students who matched to KIDSNET data (86% of students on average) as the denominator. Blood lead level percentages use the number of students with at least one test result as the denominator. Students were only counted in the 0-4 category when they were also compliant with screening requirements, so blood lead level category percentages may not add up to 100.

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Rocky Hill School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	6	6	100%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	23	23	100%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Rocky Hill School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Rocky Hill School	K	6	6	100%	0	0
Rocky Hill School	7	23	23	100%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Saint Andrew's School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	10	9	90%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 1



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Saint Andrew's School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Saint Andrew's School	7	10	9	90%	0	1

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

San Miguel School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	16	15	94%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)
 ** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

San Miguel School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
San Miguel School	7	16	15	94%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Sargent Rehabilitation Center Day School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	7	5	71%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 1



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Sargent Rehabilitation Center Day School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Sargent Rehabilitation Center Day School	7	7	5	71%	0	1

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Segue Institute for Learning

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	77	76	99%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Segue Institute for Learning

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Segue Institute for Learning	7	77	76	99%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Sophia Academy

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	17	16	94%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)
 ** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Sophia Academy

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Sophia Academy	7	17	16	94%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

South County Montessori School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	17	16	94%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)
 ** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

South County Montessori School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
South County Montessori School	K	17	16	94%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

The Compass School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	16	13	81%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 2



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	17	10	59%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 1



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

The Compass School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
The Compass School	K	16	13	81%	0	2
The Compass School	7	17	10	59%	0	1

Schools with No Reported Data

Grade

LEAD EXPOSURE

The Compass School


Kindergarten Lead Screening Status*

Lead exposure can lead to cognitive and developmental delays, which can affect a child's performance in the classroom. All Rhode Island healthcare providers are required by law to screen their patients for lead poisoning twice by 36 months of age. Before entering Kindergarten, all students should be in compliance with the state lead screening requirements for children.

Screening Status*

Local Education Agency (LEA)	Total # Students	Once By 18 Months		Compliant	
		#	% of students	#	% of students
Your LEA	13	11	84.6%	7	53.8%
Rhode Island	8,827	6,508	73.7%	4,562	51.7%


Kindergarteners in RI



Kindergarten Lead Exposure**

The current measure of elevated lead levels is five micrograms of lead per deciliter of blood ($\mu\text{g}/\text{dL}$) or higher. For more information on lead exposure and educational outcomes, visit ridatahub.org/datastories/educational-costs-of-unhealthy-housing

Local Education Agency (LEA)	Total # Students Screened	0-4 μdL ***		5-9 μdL (elevated blood lead level)		10+ μdL (elevated blood lead level)	
		#	% of students	#	% of students	#	% of students
Your LEA	12	5	41.7%	2	16.7%	0	0.0%
Rhode Island	8,136	3,381	41.6%	1,417	17.4%	190	2.3%



Lead hazards in the home are the most common sources of lead poisoning. Children in low-income families in Rhode Island are more likely than other children to live in older housing, where these hazards are more prevalent.

* Screened by 18 months indicates that students received at least one test between 4 months and 21 months of age. Compliant indicates that students had at least two tests that were at least 9 months apart before the age of 39 months.

** Results show the highest ever lead test result for last year's public school kindergarten students (school year 2013-2014) who had at least one valid blood lead test as of December 31, 2013.

*** Students were only counted in the 0-4 μdL category when they were also compliant with screening requirements because HEALTH estimates that 5% of children who screen between 0-4 μdL at their first screening have elevated blood lead levels at the second screening.

Data Sources: The Rhode Island Childhood Lead Poisoning Prevention Program's Lead Elimination Surveillance System (LESS) and KIDSNET, Rhode Island's web-based, integrated child health information system were linked with Rhode Island Department of Education (RIDE) Enrollment Data, SY2013-2014, by The Providence Plan. 14% of RIDE Kindergarten students did not match to KIDSNET data and were excluded from the total # of students.

LEAD EXPOSURE AND SCREENING BY SCHOOL

The Compass School

Kindergarten

Screening Status and Blood Lead Levels

School Name	Total # Students	Screening		Blood Lead Levels					
		Compliant		0-4 μ /dL		5-9 μ /dL		10+ μ /dL	
		#	%	#	%	#	%	#	%
The Compass School	13	7	54%	5	42%	2	17%	0	0%

Note: Results are suppressed for schools with less than 10 kindergarten students. Percent compliant uses all students who matched to KIDSNET data (86% of students on average) as the denominator. Blood lead level percentages use the number of students with at least one test result as the denominator. Students were only counted in the 0-4 category when they were also compliant with screening requirements, so blood lead level category percentages may not add up to 100.

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

The Eleanor Briggs School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	2	2	100%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

The Eleanor Briggs School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
The Eleanor Briggs School	K	2	2	100%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

The Grace School @ Meeting Street

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	15	12	80%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 1



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

The Grace School @ Meeting Street

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
The Grace School @ Meeting Street	K	15	12	80%	0	1

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

The Pennfield School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	17	17	100%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	20	17	85%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 1



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

The Pennfield School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
The Pennfield School	K	17	17	100%	0	0
The Pennfield School	7	20	17	85%	0	1

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

The Providence Center School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	2	2	100%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	3	2	67%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

The Providence Center School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
The Providence Center School	K	2	2	100%	0	0
The Providence Center School	7	3	2	67%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

The Spurwink School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	5	4	80%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)
 ** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

The Spurwink School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
The Spurwink School	K	0	0		0	0
The Spurwink School	7	5	4	80%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

The Village Lower School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	15	15	100%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

The Village Lower School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
The Village Lower School	K	15	15	100%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

The Wheeler School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	23	19	83%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	84	72	86%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

The Wheeler School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
The Wheeler School	K	23	19	83%	0	0
The Wheeler School	7	84	72	86%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

The Wolf School

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	2	2	100%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	10	8	80%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

The Wolf School

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
The Wolf School	K	2	2	100%	0	0
The Wolf School	7	10	8	80%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Trinity Academy for the Performing Arts

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	35	23	66%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 2
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)
 ** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Trinity Academy for the Performing Arts

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Trinity Academy for the Performing Arts	7	35	23	66%	2	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Trinity Christian Academy

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	13	10	77%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 3
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	0	0%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Trinity Christian Academy

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Trinity Christian Academy	K	13	10	77%	3	0

Schools with No Reported Data

Grade

Trinity Christian Academy

7

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Urban Collaborative

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	0	0%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Urban Collaborative

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Valley Day Program

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	6	1	17%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Valley Day Program

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Valley Day Program	K	0	0		0	0
Valley Day Program	7	6	1	17%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

Viola M. Berard

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	0	0	0%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	0	0	0%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	1	1	100%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

Viola M. Berard

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
Viola M. Berard	7	1	1	100%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.

IMMUNIZATIONS

LEAD POISONING

A REPORT ON THE STUDENTS IN YOUR LOCAL EDUCATION AGENCY



WHAT CAN SCHOOLS AND SCHOOL DISTRICTS DO TO PROMOTE THE HEALTH AND SAFETY OF STUDENTS?

Immunization

- Ensure that school nurses complete the Rhode Island Department of Health's Annual Report of School Immunization Status for required vaccines for kindergarten and seventh grade students. This report should be completed by November 26.*
- Encourage the parents of high school students to also have their children fully immunized against vaccine-preventable diseases. High school students can either visit their primary care providers or take part in the Vaccinate Before You Graduate program.
- Encourage all students to be vaccinated against the flu every year.
- Provide annual reminders to parents about the required immunizations that children need.

More resources and information: www.health.ri.gov/immunization/for/schools
Kathy Marceau, Rhode Island Department of Health
Kathy.Marceau@health.ri.gov

Lead

- Remind parents about the importance of lead screenings for their children. Children should be screened for elevated blood-lead levels every year through six years of age.
- Advocate for safe and affordable housing in the community in which your schools are located.
- Advocate for the enforcement of housing codes and Rhode Island lead poisoning prevention regulations in the community in which your schools are located.

More resources and information: www.health.ri.gov/healthrisks/poisoning/lead
Michelle Kollett Almeida, Rhode Island Department of Health
Michelle.Kollett@health.ri.gov

* www.health.ri.gov/schoolnursesurvey



IMMUNIZATION SURVEY RESULTS

West Bay Christian Academy

Kindergarten

All students entering kindergarten must have documentation of the following immunizations: five doses of Diphtheria, Tetanus, and Pertussis vaccine; three doses of Hepatitis B vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade K	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	236	233	99%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	23	22	96%
Rhode Island	11,421	10,579	93%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 1



Seventh Grade

All students entering seventh grade should have the following documentation of immunizations: three doses of Hepatitis B vaccine; one dose of Meningococcal conjugate (Meningitis) vaccine; two doses of Measles, Mumps, and Rubella vaccine; four doses of Polio vaccine; one dose of Tetanus, Diphtheria, and Pertussis vaccine; and two doses of Varicella (chickenpox) vaccine.*


Immunization Reporting

Local Education Agency (LEA)	Total # Schools with Grade 7	# Reported	% Reported
Your LEA	1	1	100%
Rhode Island	144	136	94%

Immunization Coverage **

Local Education Agency (LEA)	Total # Students Assessed	# Fully Immunized	% Fully Immunized
Your LEA	12	12	100%
Rhode Island	12,173	9,084	75%

Number of students with no immunization record: 0
 Number of students with an exemption (religious or medical): 0



* Rhode Island Department of Health Rules and Regulations Pertaining to Immunization and Testing for Communicable Diseases (R23-1-IMM)

** Data include students enrolled in the 2013-2014 school year as of September 1, 2013. Coverage data apply only to schools that reported.

IMMUNIZATION SURVEY RESULTS BY SCHOOL

West Bay Christian Academy

Kindergarten and Seventh Grade

Immunization Coverage

School Name	Grade	Total # Students Assessed	Students Fully Immunized		# Students with No Record	# Students with an Exemption
			#	%		
West Bay Christian Academy	K	23	22	96%	0	1
West Bay Christian Academy	7	12	12	100%	0	0

Schools with No Reported Data

Grade

HEALTHY HOUSING INDICATORS


The statewide maps below show, at the census tract level, factors associated with risk for lead exposure and poor asthma control.

CHILDREN YOUNGER THAN SIX WITH FIRST-TIME ELEVATED BLOOD LEAD LEVELS, 2011-2013

Prepared by The Providence Plan, 2014

Sources: Lead Elimination Surveillance System, Rhode Island Department of Health, Rhode Island Geographic Information System

Note: Data represent the percent of children tested who had blood lead levels of 5 µg/dL or greater for the first time. Children who had elevated levels before 2011 were excluded.




HOUSING BUILT BEFORE 1950

Prepared by The Providence Plan, 2014

Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the percent of total housing units that was built in 1949 or earlier.




CHILDREN 2 TO 17 WITH ASTHMA, 2010-2012

Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Census 2010, Neighborhood Health Plan of Rhode Island, Rhode Island Department of Health, Rhode Island GIS, United Healthcare of New England

Note: Data only include children who had a doctor's office, emergency department, or inpatient hospital visit for asthma from 2010-2012. Years are not the same as for lead.




MEDIAN FAMILY INCOME, 2008-2012

Prepared by The Providence Plan, 2014


Sources: US Census Bureau, 2008-2012 5-Year American Community Survey; Rhode Island Geographic Information System

Note: Data represent the median family income in the past 12 months in 2012 inflation-adjusted dollars. Areas shown in gray are suppressed due to margins of error larger than the estimated values.



HEALTHY HOUSING INDICATORS

COMPOSITE MAP OF CHILDHOOD LEAD EXPOSURE, ASTHMA, MEDIAN FAMILY INCOME, AND OLDER HOUSING



Prepared by The Providence Plan, 2014

Sources: Blue Cross Blue Shield of Rhode Island; Lead Elimination Surveillance System; Neighborhood Health Plan of Rhode Island; Rhode Island Department of Education; Rhode Island Department of Health; Rhode Island Geographic Information System; United Healthcare of New England; US Census Bureau, 2008-2012 5-Year American Community Survey and 2010 Census

Method: The results of the four healthy housing indicators were standardized (using z-scores) for each census tract, averaged, and ranked into quintiles. Unreliable estimates were excluded from the ranking calculation.