





Tuberculosis Surveillance 2011-2015

Rhode Island Department of Health

Division of Preparedness, Response, Infectious
Disease and Emergency Medical Services

Center for HIV, Hepatitis, STDs, and TB Epidemiology



About Tuberculosis

- Tuberculosis (TB) is caused by the *Mycobacterium tuberculosis* bacteria.
- TB is spread through the air and can only be spread by those with infectious TB disease in the lungs or throat.
- Many people in Rhode Island (about 15% of foreign born persons) have latent TB infection (LTBI). Those with LTBI cannot spread TB and they have no symptoms.
- A few people will develop active TB disease from their latent infection (about 1%).
- Symptoms of active TB disease include cough, fever, night sweats, coughing up blood, and weight loss.
- In 2016, 67% of Rhode Island TB cases were foreign-born.



Data Overview, Tuberculosis

- In 2016, there were 12 cases of TB disease.
- The incidence rate was 1.1 cases per 100,000.
- Cases decreased by 60% from 2015 to 2016.
- The highest rates of TB disease are seen in Providence County.

Reported Cases of Tuberculosis, Rhode Island, 2012-2016




Figure 1: In 2016, there were 12 cases of Tuberculosis in Rhode Island, with a rate of 1.1 cases per 100,000 population. Although cases have decreased from 2015 to 2016, tuberculosis rates in Rhode Island has remained fairly stable over the last five years.

Rate of Tuberculosis, Age Group, Rhode Island, 2016




Figure 2: In 2016, adults 65 or older had the highest rate of tuberculosis with 2.0 cases per 100,000 population. This is similar to national trends, where this age group also has the highest rate of TB. In Rhode Island, young adults 15-24 had the second highest rate of infection: 1.2 cases per 100,000.

Rate of Tuberculosis, Sex and Year, Rhode Island, 2016




Figure 3: Tuberculosis was generally reported in males at a higher rate than females over the last five years. In 2016, there were eight cases in females and four cases in males.

Rate of Tuberculosis, County and Year, Rhode Island, 2012-2016




Figure 4: Between 2012 and 2016, tuberculosis rates were highest in Providence County.

Tuberculosis Frequency and Rates by Year, Rhode Island, 2012-2016



Table 1. Frequency by Year

	2012	2013	2014	2015	2016
Number of Cases	23	27	21	30	12

Table 2. Rate by Year

	2012	2013	2014	2015	2016
Rate per 100,000	2.2	2.6	2.0	2.9	1.1

Tuberculosis Frequency, Age Group and Year, Rhode Island, 2012-2016



Table 3. Frequency by Age Group and Year

	2012	2013	2014	2015	2016
0-14	2	1	0	0	1
15-24	4	1	4	8	2
25-44	5	9	7	8	3
45-64	4	4	5	8	3
≥ 65	4	4	5	8	3
Total	23	27	21	30	12

Tuberculosis Rates, Age Group and Year, Rhode Island, 2012-2016



Table 4. Rate by Age Group and Year

	2012	2013	2014	2015	2016
0-14	3.5	1.7	0.0	0.0	0.6
15-24	2.5	0.6	2.5	1.2	1.2
25-44	1.9	3.4	2.7	3.0	1.1
45-64	1.4	1.4	1.7	2.7	1.0
≥ 65	5.3	7.2	3.3	7.9	2.0

Tuberculosis Frequency and Rates, Sex and Year, Rhode Island, 2012-2016



Table 5. Frequency by Sex and Year

	2012	2013	2014	2015	2016
Female	10	11	12	11	8
Male	13	16	9	19	4
Total	23	27	21	30	12

Table 6. Rate by Sex and Year

	2012	2013	2014	2015	2016
Female	1.8	2.0	2.2	2.0	1.5
Male	2.6	3.2	1.7	3.7	0.8

Tuberculosis Frequency, County and Year, Rhode Island, 2012-2016



Table 7. Frequency by County and Year

	2012	2013	2014	2015	2016
Bristol	1	0	0	3	0
Kent	2	1	0	1	1
Newport	0	1	1	2	1
Providence	20	25	18	23	10
Washington	0	0	02	1	0
All	23	27	21	30	12

Tuberculosis Rates by County and Year, Rhode Island, 2012-2016



Table 8. Rate by County and Year

	2012	2013	2014	2015	2016
Bristol	2.0	0.0	0.0	0.0	0.0
Kent	1.2	0.6	0.0	0.6	0.6
Newport	0.0	1.2	1.2	2.4	1.2
Providence	3.2	4.0	2.9	3.7	1.6
Washington	0.0	0.0	1.6	0.8	0



Notes on Data

- Rate is calculated per 100,000 population. The population denominator is based on 2010 US Census Population.



References

- <https://www.cdc.gov/tb/publications/factsheets/general/tb.htm>
- https://www.cdc.gov/tb/statistics/reports/2015/pdfs/2015_Surveillance_Report_Full_Report.pdf